WATER WELL RECORD	Form WWC-5	Division of Water Resources App. No.
1 LOCATION OF WATER WELL County: Saline	Fraction '4 SW '4 SW '4 SW '5	Section Number Township No. Range Number
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:		
from nearest town or intersection:	Latitude: 38.856191 (in decimal degrees)	
Bunge Salina Elevator		Longitude: 97.666783 (in decimal degrees) Elevation: 1244.97
1112 North Halstead Rd., Salina, KS 67401		Datum:
2 WATER WELL OWNER: But	nge North America, Inc.	Collection Method:
	Box 28500	GPS unit (Make/Model:)
City, State, ZIP Code : St.	Louis, MO 63146	☐ Digital Map/Photo, ☐ Topographic Map, ☑ Land Survey Est. Accuracy: ☑ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m
3 LOCATE WELL		
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 31		
WITH AN "X" IN SECTION BOX: N Depth(s) Groundwater Encountered (1) 13 . 1		
WELL'S STATIC WATER LEVELLO A.X.Tft. below land surface measured on mo/day/yr. X		
1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -		
w NW - NE - EST. YELD. N/Agpm. Well water was .N/A		
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well		
SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)		
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☑ Monitoring well PZ-15		
Was a chemical/bacteriological sample submitted to Department? Yes V No If yes, mo/day/yr sample was submitted N/A		
Water well disinfected? Yes No		
5 TYPE OF CASING USED: Steel V PVC Other		
CASING JOINTS: Glued Clamped Welded Threaded		
Casing diameter .1 in. to .31 ft., Diameter .N/A in. to .N/A ft., Diameter .N/A ft.		
Casing height above land surface. 0 in., Weight N/A lbs./ft., Wall thickness or gauge No. Schedule 40		
TYPE OF SCREEN OR PERFORATION MATERIAL:		
☐ Steel ☐ Stainless Steel		
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:		
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)		
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)		
SCREEN-PERFORATED INTERVALS: From .21 ft. to .31 ft., From .N/A ft. to .N/A ft		
GRAVEL PACK INTERVALS: From 18 ft. to .31 ft., From .WA ft. to .N/A ft.		
From N/A ft. to N/A ft., From N/A ft. to N/A ft.		
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☐ Bentonite ☐ Other 0-2 feet concrete		
Grout Intervals: From .4		
What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)		
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below) Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well		
Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☑ Fertilizer storage ☐ Oil well/gas well		
Direction from well Northwest		from well <200-feet
	LOGIC LOG FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS
0 31 well was blind drille	<u>3d</u>	
7 CONTRACTOR'S OR LANDOW	NER'S CERTIFICATION. This wa	ter well was 🖊 constructed 🗀 reconstructed or 🗀 nlugged
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \(\big \) constructed, \(\big \) reconstructed, or \(\big \) plugged under my jurisdiction and was completed on (mo/day/year) .12-13-2012 and this record is true to the best of my knowledge and belief.		
Kansas Water Well Contractor's License No. 759 This Water Well Record was completed on (mo/day/year) 1-18-2013		
under the business name of RAZEK Environmental, LLC by (signature)		
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Depar tment of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367.		
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at		
http://www.kdheks.gov/waterwell/index.html.		
KSA 82a-1212		Check: White Copy, Blue Copy, Pink Copy