WATER WELL RECORD	Form WWC-5	Division of Water	r Resources App. N	0.
1 LOCATION OF WATER WELL: County: Saline	Fraction 1/4 SW 1/4 SW 1/4 SW 1/4	Section Number 4	Township No. T 14 S	Range Number R 3
Street/Rural Address of Well Location;		Global Positioning		
from nearest town or intersection: If at owner's address, check here .		Latitude: .38.856073 (in decimal degrees)		
Bunge Salina Elevator		Longitude: 97.660007 (in decimal degrees)		
1112 North Halstead Rd., Salina, KS 67401		Elevation: 1235.44		
2 WATER WELL OWNER: Bunge North America, Inc.		Datum: ☐ WGS 84, ☑ NAD 83, ☐ NAD 27 Collection Method:		
RR#, Street Address, Box #: PO Box 28500		GPS unit (Make/Model:)		
City, State, ZIP Code : St. Louis, MO 63146		☐ Digital Map/Photo, ☐ Topographic Map, ☑ Land Survey		
Est. Accuracy:				
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 42				
SECTION BOX: Depth(s) Groundwater Encountered (1). \(\frac{1}{2}\). ft. (2). N/A				
WELL'S STATIC WATER LEVEL\\				
Pump test data: Well water was N/A				
W NW - NE - NE - EST. YIELD IWAgpm. Well water was IWA				
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well				
SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)				
Was a chemical/bacteriological sample submitted to Department? Yes V No				
S If yes, mo/day/yr sample was submitted. N/A Water well disinfected? Yes No				
. Water went districted: [] 1 es [2] 140				
5 TYPE OF CASING USED: Steel PVC Other				
Casing diameter 1 in. to .42 ft., Diameter .NA ft., Diameter .NA ft.				
Casing height above land surface 30 in., Weight N/A lbs./ft., Wall thickness or gauge No. Schedule 40				
TYPE OF SCREEN OR PERFORATION MATERIAL:				
☐ Steel ☐ Stainless Steel ☑ PVC ☐ Other (Specify)				
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:				
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)				
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)				
SCREEN-PERFORATED INTERVALS: From32 ft. to .42 ft., FromWA ft. toWA ft.				
GRAVEL PACK INTERVALS: From 29 ft. to .42 ft., From N/A ft. to .N/A ft.				
From N/A ft. to N/A ft. From N/A ft. to N/A ft.				
6 CROUT MATERIAL: Next cement Cement grout V Bentonite V Other 0-2 feet concrete				
Grout Intervals: From .2				
What is the nearest source of possible contamination:				
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below) Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well				
Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well				
Direction from well Northwest	pppp	from well …≲200-fe		
FROM TO LITHOLOG	IC LOG FROM	TO LITHO. LO	OG (cont.) <u>or</u> PLU	JGGING INTERVALS
0 42 well was blind drilled			A HAVE A STATE OF THE OWNER OWN	and a distribution of the control of
			ang pang ang panggapang panggapang ang paninagkan arawa na manan arawa da ankilah junih da hababa ka kila	
			to the state of th	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged				
under my jurisdiction and was completed on (mo/day/year) .12-11-2012 and this record is true to the best of my knowledge and belief.				
Kansas Water Well Contractor's License No. 759 This Water Well Record was completed on (moday/year) 1-18-2013				
under the business name of RAZEK Environmental, LLC by (signature)				
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers: Send three copies (white, blue, pink) to Kansas Depar timent of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. I nclude fee of \$5.00 for each constructed well. Vi sit us at				
http://www.kdheks.gov/waterwell/index.html.				
KSA 82a-1212		Check: Wh	nite Copy, 🔲 Bl	lue Copy, L Pink Copy