WATER WELL RECORD FORM V	VWC-5 Division of Water Resources; App. No.
1 LOCATION OF WATER WELL: Fraction County: Saline SW 4	Section Number Township Number Range Number NE 4 NE 4 NE 4 T 14 S R 3 W
Distance and direction from nearest town or city street at located within city? 701 N 12 th St, Salina, KS 67401	NE 12 NE 14 NE 15
O WATER WELL OWNED. Co. Alice Elec LLC	Longitude: W 97.61605°
2 WATER WELL OWNER: Something Else, LLC RR#, St. Address, Box # : PO Box 1305	Elevation: RIM: 1223.95; TOC: 1223.67 Datum: WGS84
City, State, ZIP Code : Salina, KS 67402	Data Collection Method: legal survey
3 LOCATE WELL'S 4 DEPTH OF COMPLETE	D WELL 34.30 ft.
LOCATON	MW3
WITH AN "X" IN Depth(s) Groundwater Encoun	ntered 1 ft. 2 ft. 3 ft. EVEL 26.70 ft. below land surface measured on mo/day/yr 11/29/12
SECTION BOX: WELL'S STATIC WATER L	EVEL 26.70 ft. below land surface measured on mo/day/yr 11/29/12
N Pump test data: W	ell water was ft. after hours pumping gpm ell water was ft. after hours pumping gpm
	ell water was ft. after hours pumping gpm
WELL WATER TO BE USEI	O AS: 5 Public water supply 8 Air conditioning 11 Injection well
W E 2 Irrigation 4 Industrial 7 I	Dil field water supply 9 Dewatering 12 Other (Specify below) Domestic (lawn & garden) (10) Monitoring well
1 1 1 1 1 -	Joinestic (lawn & garden) Wolvionitoring wen
	al sample submitted to Department? Yes No X; If yes, mo/day/yrs
Sample was submitted	Water Well Disinfected? Yes No X
5 TYPE OF CASING USED: 5 Wrought Iron	8 Concrete tile CASING JOINTS: Glued Clamped
1 Steel 3 RMP (SR) 6 Asbestos-Cem	ent 9 Other (specify below) Welded
(2) PVC 4 ABS 7 Fiberglass	Threaded X
Blank casing diameter 2 in. to 19.30 ft., I	Threaded X Dia in. to ft., Dia in. to ft.
Casing height below land surface 0.28 ft., Weig TYPE OF SCREEN OR PERFORATION MATERIAL:	nt lbs./ft. Wall thickness or gauge No.
1 Steel 3 Stainless steel 5 Fiberglass (7)	PVC 9 ABS 11 Other (specify)
2 Brass 4 Galvanized steel 6 Concrete tile 8	RM (SR) 10 Asbestos-Cement 12 None used (open hole)
CODEEN OD DEDEOD ATION ODENINGS ADE:	
1 Continuous slot 3 Mill slot 5 Gauze v	wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) rapped 8 Saw Cut 10 Other (specify)
SCREEN-DERFORATED INTERVALS: From	19.30 ft. to 34.30 ft. From ft. to ft.
From	ft. to ft. From ft. to ft.
GRAVEL PACK INTERVALS: From	17 ft. to 35.00 ft. From ft. to ft.
From	ft. to ft. From ft. to ft.
6 GROUT MATERIAL: 1 Neat cement (2) Cemer	of grout 3 Bentonite (4)Other Concrete: 0-1 ft
Grout Intervals From 1 ft. to 14 ft. Fr	on 14 ft. to 17 ft. From ft. to ft.
What is the nearest source of possible contamination:	
1 Septic tank 4 Lateral lines 7 Pit privy	10 Livestock pens 13 Insecticide Storage 16 Other (specify
2 Sewer lines 5 Cess pool 8 Sewage l	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard Direction from well? N	12 Fertilizer storage 15 Oil well/ gas well How many feet? ~75 ft
FROM TO LITHOLOGIC LOG	FROM TO PLUGGING INTERVALS
0 20 Grass on top; brown silty clay 20 35 Gray silty clay	
20 33 Gray sitty clay	
	Flushmount waiver from BOW
	ICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged
under my jurisdiction and was completed on (mo/day/year) Kansas Water Well Contractor's License No. 757	1/18/13 and this record is true to the best of my knowledge and belief. This Water Well Record was completed on (mo/day/year) 2/4/13
under the business name of Larsen & Associates, Inc.	by (signature)
Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666	Send top three copies to Kansas Department of Health and Environment, Bureau of Water, 512-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for