				TER WELL F	RECORD	Form WWC		SA 82a-1			
		R WELL:		NINAZ		1	Section 1				Range Number
County: Distance and		ine n nearest tow	NE ½ n or city street a			W 1/4	23		T 14	S	R 3 v
Distance and	ancodon nor	in ricarest tom	ir or only street t			awford, Sa		S			
2 WATER W	ELL OWNER	R: Salina	Gas and Fo	ood LLC			, , , , , ,				
			I. Crawford						Board of Agr	iculture, Divi	sion of Water Resources
Sity State 71	P Code	Salina	KS 67401						Application N	lumber.	
LOCATE	VELL'S LOC	ATON WITH	4				20			4	228.18
AN "X" IN	SECTION BO	OX:	DEPTH OF	COMPLET	ED WELL		30 1	ft. ELEV	ATION:		228.18
	~ "		Deptit(s) Groun	idwater Line	Journale	1.5	.=	14.	·		۲
	^										yr 05/08/13
 	-NW	- NE									umpingGpm
Mile N	ł		Est. Yield	Gpm	: Well w	ater was		F	t. after	Hours p	oumping Gpm
₹ W —		<u> </u>	Bore Hole Dian	neter 6.	0 ∠5 In.1	to S Public wate	3U		ft. and	in Oning 11	. toFt
	sw	SE	1 Domes	tic 3 Fee	d lot 6	Oil field wa	ter suppiy	ly	9 Dewaterin	g 12	to Ft I Injection well Other (Specify below)
	1		2 Irrigatio	n 4 Indu	ıstrial 7	7 Lawn and o	arden (d	domestic) 10 Monitorir	ng well	MW-7
* <u></u>											mo/day/yr sample was
	S		Submitted		giodi odinip	no odbinicod	о вори				No X
TYPE OF	BLANK CAS		Cacinitica	5 Wro	ught Iron	8 Co	ocrete til				d Clamped
			SR)		J	nent 9 Oth				Welde	
2 PVC		7 4 ABS	J. 1,	7 Fibe							aded X
		₩.			-				· · · · · · · · · · · · · · · · · · ·		
3lank casing o	diameter	2	in. to2	0 Dia	a		n. to 🕎		ft., Dia		in. toft.
Casing height	above land	surface	FLUSH	In., weigh	t	SCH 40		Lbs./ft.	Wall thickness of	or gauge No.	
YPE OF SC	REEN OR PE	RFORATION							10 Ast		
1 Steel		3 Stainle:	ss steel	5 Fibe	rglass		8 RMF	(SR)	11 Oth	er (specify)	
2 Brass		4 Galvan	ized steel	6 Con	crete tile		9 ABS		12 Nor	ne used (ope	n hole)
		ON OPENING				auzed wrappe					11 None (open hole)
	nuous slot	_	Mill slot			ire wrapped rch cut			9 Drilled holes		
		4 / NTERVALS:	Key punched	20				# F	To Other (sper		
CREEN-FER	KPORATEDI	NIERVALS.									ft.
SVID	PACK INTE	DV/ALS:	From	18	II. 10	30		.	rom	ft to	Ft.
SAND	FACRINIL	INVALS.	From	'-	ft. to			'\'. [ˈˈ 	rom	ft to	Ft.
S CROUT M	ATEDIAL:	1 Neat ce		2 Cement o	- 1						
				Et.		F	∓†				
3rout Intervals	s From2	0.5 f	t. to 16	From	3	16 t	0	18	ft. From		ft. toft.
Vhat is the ne	arest source	of possible co	ontamination:				10	Livest	ock pens	14 Aba	ndoned water well
1 Seption	c tank		4 Lateral lines	;	7 Pit pr	ivy	11	Fuel s	torage	15 <u>Oil v</u>	well/ Gas well
2 Sewe	r lines		5 Cess pool		8 Sewa	ige lagoon	12	Fertiliz	er storage	16 Othe	er (specify below)
3 Water	rtight sewer li	nes	6 Seepage pit	t	9 Feed	yard	13	Insecti	icide storage	Cor	ntaminated Site
irection from	well?						Hov	v many 1	eet?		
FROM		CODE		LOGIC LOC	3	FRO	и ⁻	ТО	PL	UGGING IN	TERVALS
0	0.5		ncrete	· · · · · · · · · · · · · · · · · · ·							- colonia de la colonia de
0.5	30		y Clay								
30	TD	Enc	of Boreho	пе							
									<u>-</u>		
											
											
							_				1
CONTRAC	TOR'S OR L	ANDOWNER'	S CERTIFICAT	ION: This v	water well	was (x) cons	ructed.	2) recor	nstructed, or (3) r	olugaed unde	erray jurisdiction and w
											je and belief. Kansas
				585		This	Water \	Nell Red	ord was comple	ted on (mo/d	aylyr) 05/24/13
nder the busi			Associa	 .					(signature) Bi		
INSTRUC	TIONS:. Plea	se fill in blanks	and circle the cor	rrect answers	. Send thre	ee copies to Ka		partment	of Health and Env		eau of Water, Topeka,
			296-5545. Send								·