

WATER WELL RECORD

Form WWC-5

Division of Water Resources App. No.

1 LOCATION OF WATER WELL: County: <u>Saline</u>	Fraction <u>NE ¼ NW ¼ NE ¼ NW ¼</u>	Section Number <u>14</u>	Township No. <u>T 14 S</u>	Range Number <u>R 3</u> <input type="checkbox"/> E <input checked="" type="checkbox"/> W
---	--	-----------------------------	-------------------------------	---

Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here <input type="checkbox"/> . Prime Time #123 100 North Broadway, Salina, KS 67401	Global Positioning System (GPS) information: Latitude: <u>.38,840744</u> (in decimal degrees) Longitude: <u>97.624689</u> (in decimal degrees) Elevation: <u>1222.23</u> Datum: <input type="checkbox"/> WGS 84, <input checked="" type="checkbox"/> NAD 83, <input type="checkbox"/> NAD 27 Collection Method: <input type="checkbox"/> GPS unit (Make/Model:)) <input type="checkbox"/> Digital Map/Photo, <input type="checkbox"/> Topographic Map, <input checked="" type="checkbox"/> Land Survey Est. Accuracy: <input checked="" type="checkbox"/> <3 m, <input type="checkbox"/> 3-5 m, <input type="checkbox"/> 5-15 m, <input type="checkbox"/> >15 m
--	---

2 WATER WELL OWNER: Primetime Stores of Kansas RR#, Street Address, Box #: <u>PO Box 1720</u> City, State, ZIP Code : <u>Forsyth, MO 65653</u>	
---	--

3 LOCATE WELL WITH AN "X" IN SECTION BOX:

N

	<input checked="" type="checkbox"/>		
W	-- NW --	-- NE --	E
	-- SW --	-- SE --	
	S		

|-----1 mile-----|

4 DEPTH OF COMPLETED WELL 30 ft.

Depth(s) Groundwater Encountered (1) 18.5 ft. (2) N/A ft. (3) N/A ft.

WELL'S STATIC WATER LEVEL 18.48 ft. below land surface measured on mo/day/yr. 3-20-14

Pump test data: Well water was N/A ft. after N/A hours pumping. N/A gpm

EST. YIELD N/A gpm. Well water was N/A ft. after N/A hours pumping. N/A gpm

Bore Hole Diameter 10.62 in. to 30 ft., and N/A in. to N/A ft.

WELL WATER TO BE USED AS: Public water supply Geothermal Injection well
 Domestic Feedlot Oil field water supply Dewatering Other (Specify below)
 Irrigation Industrial Domestic-lawn & garden Monitoring well MW-1

Was a chemical/bacteriological sample submitted to Department? Yes No

If yes, mo/day/yr sample was submitted N/A

Water well disinfected? Yes No

5 TYPE OF CASING USED: Steel PVC Other

CASING JOINTS: Glued Clamped Welded Threaded

Casing diameter 4 in. to 10 ft., Diameter N/A in. to N/A ft., Diameter N/A in. to N/A ft.

Casing height above land surface 0 in., Weight N/A lbs./ft., Wall thickness or gauge No. Schedule 40

TYPE OF SCREEN OR PERFORATION MATERIAL:
 Steel Stainless Steel PVC Other (Specify)
 Brass Galvanized Steel None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:
 Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)
 Louvered shutter Key punched Wire wrapped Saw cut Other (specify)

SCREEN-PERFORATED INTERVALS: From 10 ft. to 30 ft., From N/A ft. to N/A ft.
 From N/A ft. to N/A ft., From N/A ft. to N/A ft.

GRAVEL PACK INTERVALS: From 8 ft. to 30 ft., From N/A ft. to N/A ft.
 From N/A ft. to N/A ft., From N/A ft. to N/A ft.

6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Concrete 0 to 2-feet

Grout Intervals: From 2 ft. to 8 ft., From N/A ft. to N/A ft., From N/A ft. to N/A ft.

What is the nearest source of possible contamination:
 Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)
 Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well
 Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well

Direction from well Southeast Distance from well <50-feet

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHO. LOG (cont.) or PLUGGING INTERVALS
0	0.5	4" concrete 2" Sand	19.5	22	CLAY brown slightly moist stiff
0.5	5.5	Silty CLAY dark brown, slightly moist medium stiff plastic	22	24.5	Clayey SILT reddish brown very moist soft medium plastic
5.5	8.0	Silty CLAY grayish brown slightly moist medium stiff plastic	24.5	30	Clayey SILT reddish brown saturated very soft medium plastic.
8.0	8.5	Silty CLAY grayish brown moist soft			
8.5	15	CLAY dark gray slightly moist medium stiff to stiff highly plast			
15	19.5	Silty CLAY gray slightly moist medium stiff medium plastic			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) 3-18-2014 and this record is true to the best of my knowledge and belief.

Kansas Water Well Contractor's License No. 759 This Water Well Record was completed on (mo/day/year) 4-29-2014 under the business name of RAZEK Environmental, LLC by (signature) *[Signature]*

INSTRUCTIONS: Use typewriter or ball point pen. **PLEASE PRESS FIRMLY** and **PRINT** clearly. Please fill in blanks and check the correct answers. Send one copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at <http://www.kdheks.gov/waterwell/index.html>