<b>X</b>	ECORD Form WWC-5		Division of Water	I .		
Original Record  LOCATION OF W	ACCOUNTY E		esources App. No. lection Number	Township Number	Well ID Range Number	
County: SA	LINE SWYS	C14SE14 NG	23	T / 4 S	$R \mathcal{J} \square E \mathbf{X} W$	
2 WELL OWNER: L. Business: SUNF	ast Name: FLOWKO BANK			re well is located (in rection): If at owner's	f unknown, distance and address, check here:	
Address: P.O. BOX 80C						
City: SALI	がA State: 大S ZIP: G	1101		). OFFIC		
3 LOCATE WELL	4 DEPTH OF COMPLETE	WELL: 49	ft 5 Latitude:		(4-:1 4)	
WITH "X" IN	Depth(s) Groundwater Encountere	ed: 1) <b>&amp;.O</b> ft.			(decimal degrees)(decimal degrees)	
SECTION BOX:	2) ft. 3)	ft., or 4) $\square$ Dry Well		WGS 84 □ NAD 8		
.,	WELL'S STATIC WATER LEVE	EL: <b>2.0</b> ft.	Sauras for	Latitude/Longitude:		
	below land surface, measured	on (mo-day-yr)	GPS (		)	
NW NE	above land surface, measured on (mo-day-			(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map		
w E	after hours pumping					
SW SE	Well water was					
	after hours pumping Estimated Yield:gpm		6 Elevation	ı:ft. [	☐ Ground Level ☐ TOC	
S	Bore Hole Diameter: in.	to			S Topographic Map	
mile	in.	. to ft.		Other		
7 WELL WATER TO			<b>_</b>			
1. Domestic:	5. Public Water Supply:				se	
Household  Lawn & Garden	<ul><li>6. ☐ Dewatering: how ma</li><li>7. ☐ Aquifer Recharge: w</li></ul>			: well ID		
Livestock	8. Monitoring: well ID					
2. Irrigation	<ol><li>Environmental Remedia</li></ol>		a) Closed	Loop  Horizontal	☐ Vertical	
3. ☐ Feedlot 4. ☐ Industrial		Soil Vapor Extraction			harge  Inj. of Water	
		Injection				
Water well disinfected?	riological sample submitted to k	WHE! I Yes KIN	o II yes, date sar	npie was submitted:	•••••	
8 TYPE OF CASING	USED: ☐ Steel MOPVC ☐ Othe	T CAS	SING IOINTS: N	Glued [] Clamped [	☐ Welded ☐ Threaded	
Casing diameter	in. to 3 ft., Diameter	<u>in</u> . to	ft., Diameter	in. to		
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter in to ft., Diameter in to ft., Diameter in to ft. Casing height above land surface in Weight Weight Wall thickness or gauge No. S.D.C. 17.						
Casing height above land	surface	ht <b>2. 5</b> . <b></b> lbs./f	t. Wall thickness	s or gauge No. &. D.	<i>u1:1.</i>	
TYPE OF SCREEN OF	R PERFORATION MATERIAL:	_				
TYPE OF SCREEN OF ☐ Steel ☐ Stail	R PERFORATION MATERIAL: nless Steel	<b>P</b> VC	Other (	Specify)		
TYPE OF SCREEN OF  ☐ Steel ☐ Stai ☐ Brass ☐ Galv	R PERFORATION MATERIAL: nless Steel ☐ Fiberglass vanized Steel ☐ Concrete tile	_	Other (			
TYPE OF SCREEN OF  Steel Stai  Brass Galv  SCREEN OR PERFOR  Continuous Slot	R PERFORATION MATERIAL: nless Steel ☐ Fiberglass vanized Steel ☐ Concrete tile ATION OPENINGS ARE:  Mill Slot. 125 ☐ Gauze Wrapi	PVC □ None used (open h	Other (Sole)	Specify) Other (Specify)		
TYPE OF SCREEN OF  Steel Stai  Brass Galv  SCREEN OR PERFOR  Continuous Slot	R PERFORATION MATERIAL: nless Steel	PVC  None used (open h  ped ☐ Torch Cut ☐ ed ☐ Saw Cut ☐	Other (Sole)    Drilled Holes       None (Open Hole)	Specify) Other (Specify)		
TYPE OF SCREEN OF  Steel Stai  Brass Galv  SCREEN OR PERFOR  Continuous Slot	R PERFORATION MATERIAL: nless Steel	PVC  None used (open h  ped ☐ Torch Cut ☐ ed ☐ Saw Cut ☐	Other (Sole)    Drilled Holes       None (Open Hole)	Specify) Other (Specify)		
TYPE OF SCREEN OF  Steel Stai  Brass Galv  SCREEN OR PERFOR  Continuous Slot  Louvered Shutter  SCREEN-PERFORAT  GRAVEL PAGE	R PERFORATION MATERIAL: nless Steel	PVC None used (open he ped Saw Cut ft. to	Other (Sole)  Drilled Holes  None (Open Hole)  n	Specify)            Other (Specify)	ft. to ft.	
TYPE OF SCREEN OF  Steel Stai Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PAGE  9 GROUT MATERIA	R PERFORATION MATERIAL: nless Steel	PVC None used (open he ped Saw Cut ft. to	Other (Sole)    Drilled Holes       None (Open Hole)     n	Specify)            Other (Specify)	ft. to ft ft.	
TYPE OF SCREEN OF  Steel Stai Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PAG  GROUT MATERIA Grout Intervals: From Nearest source of possible	R PERFORATION MATERIAL: nless Steel	PVC None used (open h  ped Torch Cut ed Saw Cut ft. to ft., Fror ft. to ft., Fror rout Bentonite ft. to ft.	Other (Sole)  Drilled Holes  None (Open Hole)  n	Other (Specify)	ft. to ft	
TYPE OF SCREEN OF  Steel Stai Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PAG  GROUT MATERIA Grout Intervals: From Nearest source of possib	R PERFORATION MATERIAL: nless Steel	PVC None used (open h  ped Torch Cut ed Saw Cut ft. to ft., Fror ft. to ft., Fror rout Bentonite  Pit Privy	Other (Sole)    Drilled Holes       None (Open Hole)     n	Other (Specify)  ft., From  ft., From  ft. to	ft. to ft ft. to ft ft.	
TYPE OF SCREEN OF  Steel Stai Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PAG  GROUT MATERIA Grout Intervals: From Nearest source of possib Septic Tank Sewer Lines	R PERFORATION MATERIAL: nless Steel	PVC None used (open h  ped Torch Cut ed Saw Cut ft. to	Other (Sole)    Drilled Holes       None (Open Hole)     None (T. to	Other (Specify)  ft., From  ft., From  ft. to	ft. to ft ft. to ft ft ft. le Storage ed Water Well	
TYPE OF SCREEN OF  Steel Stai Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PAG  GROUT MATERIA Grout Intervals: From Nearest source of possib Septic Tank Sewer Lines Watertight Sewer Lines	R PERFORATION MATERIAL: nless Steel	PVC None used (open h  ped Torch Cut ed Saw Cut ft. to ft., Fror ft. to ft., Fror rout Bentonite ft. to  Pit Privy Sewage Lagoon Feedyard	Other (Sole)    Drilled Holes     None (Open Hole)   None (Open Hole)   Other   Other	Other (Specify)  ft., From  ft., From  ft. to	ft. to ft ft. to ft ft ft. le Storage ed Water Well	
TYPE OF SCREEN OF  Steel Stai Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PAGE  GROUT MATERIA Grout Intervals: From Nearest source of possib Septic Tank Sewer Lines Watertight Sewer Lit Other (Specify) Direction from well?	R PERFORATION MATERIAL: nless Steel	PVC None used (open h  ped Torch Cut ed Saw Cut ft. to ft., Fror ft. to ft., Fror rout Bentonite ft. to ft.  Pit Privy Sewage Lagoon Feedyard  ance from well?	Other (Sole)    Drilled Holes     None (Open Hole)   None (Open Hole)   Other   Other	Other (Specify)	ft. to ft.  ft. ft.  ft	
TYPE OF SCREEN OF  Steel Stai Brass Galver Screen OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PAR  GRAVEL PAR  GROUT MATERIA Grout Intervals: From Nearest source of possib Septic Tank Sewer Lines Watertight Sewer Line Other (Specify) Direction from well?  10 FROM TO	R PERFORATION MATERIAL: nless Steel	PVC None used (open h  ped Torch Cut ed Saw Cut ft. to ft., Fror ft. to ft., Fror rout Bentonite ft. to  Pit Privy Sewage Lagoon Feedyard	Other (Sole)    Drilled Holes     None (Open Hole)   None (Open Hole)   Other   Other	Other (Specify)	ft. to ft ft. to ft ft ft. le Storage ed Water Well	
TYPE OF SCREEN OF  Steel Stai Brass Galver Screen OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PACE  GROUT MATERIA Grout Intervals: From Nearest source of possib Septic Tank Sewer Lines Watertight Sewer Lines Other (Specify) Direction from well?  10 FROM TO	R PERFORATION MATERIAL: nless Steel	PVC None used (open helped Torch Cut ed Saw Cut fit. to fit. to fit. from the fit. to fit. from the fit. to fit. to fit. from the fit. to fit. fit. to fit. fit. to fit. fit. fit. fit. fit. fit. fit. fit.	Other (Sole)    Drilled Holes     None (Open Hole)   None (Open Hole)   Other   Other	Other (Specify)	ft. to ft.  ft. ft.  ft	
TYPE OF SCREEN OF  Steel Stai Brass Galver Screen OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PAR  GRAVEL PAR  GROUT MATERIA Grout Intervals: From Nearest source of possib Septic Tank Sewer Lines Watertight Sewer Line Other (Specify) Direction from well?  10 FROM TO	R PERFORATION MATERIAL: nless Steel	PVC None used (open head)  Pod Torch Cut ded Saw Cut file. From the file. From the file. From the file. No. 1 file. From the file. The file. From the file. The file. The file. From the file. The file. From the file. The file. From the file. From the file. From the file. The file. From the f	Other (Sole)    Drilled Holes     None (Open Hole)   None (Open Hole)   Other   Other	Other (Specify)	ft. to ft.  ft. ft.  ft	
TYPE OF SCREEN OF  Steel Stai Brass Galver SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PAR  GROUT MATERIA Grout Intervals: From Nearest source of possib Septic Tank Sewer Lines Watertight Sewer Line Other (Specify) Direction from well?  10 FROM TO	R PERFORATION MATERIAL: nless Steel	PVC None used (open has ped Torch Cut ed Saw Cut fit. to fit. to fit. from the fit to fit. fit. fit. fit. fit. fit. fit. fit.	Other (Sole)    Drilled Holes     None (Open Hole)   None (Open Hole)   Other   Other	Other (Specify)	ft. to ft.  ft. ft.  ft	
TYPE OF SCREEN OF  Steel Stai Brass Galver SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PACE  GROUT MATERIA Grout Intervals: From Nearest source of possib Septic Tank Sewer Lines Waterlight Sewer Lines Other (Specify) Direction from well?  TO FROM TO	R PERFORATION MATERIAL: nless Steel	PVC None used (open helped Torch Cut led Saw Cut fit. to	Other (Sole)    Drilled Holes     None (Open Hole)   None (Open Hole)   Other   Other	Other (Specify)	ft. to ft.  ft. ft.  ft	
TYPE OF SCREEN OF  Steel Stai Brass Galver SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PAR  GROUT MATERIA Grout Intervals: From Nearest source of possib Septic Tank Sewer Lines Watertight Sewer Li Other (Specify) Direction from well?  10 FROM TO	R PERFORATION MATERIAL: nless Steel	PVC None used (open has ped Torch Cut ed Saw Cut fit. to fit. to fit. from the fit to fit. fit. fit. fit. fit. fit. fit. fit.	Other (Sole)    Drilled Holes     None (Open Hole)   None (Open Hole)   Other   Other	Other (Specify)	ft. to ft.  ft. ft.  ft	
TYPE OF SCREEN OF  Steel Stai Brass Galver SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PACE  GROUT MATERIA Grout Intervals: From Nearest source of possib Septic Tank Sewer Lines Waterlight Sewer Lines Other (Specify) Direction from well?  TO FROM TO	R PERFORATION MATERIAL: nless Steel	PVC None used (open h  ped Torch Cut ed Saw Cut ft. to ft., Fror ft. to ft., Fror rout Bentonite ft. to  Pit Privy Sewage Lagoon Feedyard  FROM	Other (Sole)    Drilled Holes     None (Open Hole)   None (Open Hole)   Other   Other	Other (Specify)	ft. to ft.  ft. ft.  ft	
TYPE OF SCREEN OF  Steel Stai Brass Galver SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PAR  GROUT MATERIA Grout Intervals: From Nearest source of possib Septic Tank Sewer Lines Watertight Sewer Li Other (Specify) Direction from well?  10 FROM TO	R PERFORATION MATERIAL: nless Steel	PVC None used (open h  ped Torch Cut ed Saw Cut ft. to	Other (Sole)    Drilled Holes     None (Open Hole)   None (Open Hole)   Other   Other	Other (Specify)	ft. to ft.  ft. ft.  ft	
TYPE OF SCREEN OF  Steel Stai  Brass Galver SCREEN OR PERFOR  Continuous Slot  Louvered Shutter  SCREEN-PERFORAT  GRAVEL PAR  GROUT MATERIA  Grout Intervals: From  Nearest source of possib  Septic Tank  Sewer Lines  Watertight Sewer Li  Other (Specify)  Direction from well?  10 FROM TO  0  3  44  45	R PERFORATION MATERIAL: nless Steel	PVC None used (open helped   Torch Cut   T	Other (Sole)    Drilled Holes   None (Open Hole)   None (Open Hole)   Other	Other (Specify)  ft., From  ft., From  ft. to    Insecticid   Abandone   Oil Well/    HO. LOG (cont.) or P.	fl. to ft.	
TYPE OF SCREEN OF  Steel Stai  Brass Galver SCREEN OR PERFOR  Continuous Slot  Louvered Shutter  SCREEN-PERFORAT  GRAVEL PAR  GROUT MATERIA  Grout Intervals: From  Nearest source of possib  Septic Tank  Sewer Lines  Watertight Sewer Li  Other (Specify)  Direction from well?  10 FROM TO  0  3  44  45	R PERFORATION MATERIAL: nless Steel	PVC None used (open helped   Torch Cut   T	Other (Sole)    Drilled Holes   None (Open Hole)   None (Open Hole)   Other	Other (Specify)  ft., From  ft., From  ft. to    Insecticid   Abandone   Oil Well/    HO. LOG (cont.) or P.	fl. to ft.	
TYPE OF SCREEN OF  Steel Stai  Brass Galver SCREEN OR PERFOR  Continuous Slot  Louvered Shutter  SCREEN-PERFORAT  GRAVEL PAR  GROUT MATERIA  Grout Intervals: From  Nearest source of possib  Septic Tank  Sewer Lines  Watertight Sewer Lines  Watertight Sewer Lines  To ther (Specify)  Direction from well?  10 FROM TO  0  11 CONTRACTOR'S  under my jurisdiction at Kansas Water Well Contraction of the	R PERFORATION MATERIAL: nless Steel	PVC None used (open helped   Torch Cut   T	Other (Sole)    Drilled Holes   None (Open Hole)   None (Open Hole)   Other	Other (Specify)  ft., From  ft., From  ft. to    Insecticid   Abandone   Oil Well/    HO. LOG (cont.) or P.	fl. to ft.	
TYPE OF SCREEN OF  Steel Stai  Brass Galver Screen OR PERFOR  Continuous Slot  Louvered Shutter  SCREEN-PERFORAT  GRAVEL PAR  GRAVEL PAR  GRAVEL PAR  GRAVEL PAR  GRAVEL PAR  GRAVEL PAR  Other (Specify)  Direction from well?  To FROM TO  To To To To To To To To To To To To To T	R PERFORATION MATERIAL: nless Steel	PVC None used (open has ped Torch Cut led Saw Cut fit. to fit.	Other (Sole)    Drilled Holes     None (Open Hole)   None (Open Hole)   Other   Other	Other (Specify)	fl. to ft ft. to ft ft. le Storage ed Water Well Gas Well  LUGGING INTERVALS  structed, or  plugged knowledge and belief.	

KSA 82a-1212

Revised 9/10/2012

Visit us at http://www.kdheks.gov/waterwell/index.html