

WATER WELL RECORD Form WWC-5

Original Record  Correction  Change in Well Use

Division of Water Resources App. No.  Well ID

1 LOCATION OF WATER WELL: County: SALINA Fraction SE 1/4 NE 1/4 SW 1/4 Section Number 36 Township Number T 14 S Range Number R 3  E  W

2 WELL OWNER: Last Name: ROBERTS First: KATHY Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:  Business: Address: 2949 TASKER LAKE City: SALINA State: KS ZIP: 67401

3 LOCATE WELL WITH "X" IN SECTION BOX: N W E S

4 DEPTH OF COMPLETED WELL: 62 ft. Depth(s) Groundwater Encountered: 1) 25 ft. 2) ft. 3) ft. or 4)  Dry Well WELL'S STATIC WATER LEVEL: 25 ft.  below land surface, measured on (mo-day-yr) 07-21-14  above land surface, measured on (mo-day-yr) Pump test data: Well water was 28 ft. after 7 hours pumping 20 gpm Well water was ft. after hours pumping gpm Estimated Yield: gpm Bore Hole Diameter: 9 in. to 6.2 ft. and in. to ft.

5 Latitude: (decimal degrees) Longitude: (decimal degrees) Datum:  WGS 84  NAD 83  NAD 27 Source for Latitude/Longitude:  GPS (unit make/model: ) (WAAS enabled?  Yes  No)  Land Survey  Topographic Map  Online Mapper: 6 Elevation: ft.  Ground Level  TOC Source:  Land Survey  GPS  Topographic Map  Other

7 WELL WATER TO BE USED AS: 1. Domestic:  Household  Lawn & Garden  Livestock 2.  Irrigation 3.  Feedlot 4.  Industrial 5.  Public Water Supply: well ID 6.  Dewatering: how many wells? 7.  Aquifer Recharge: well ID 8.  Monitoring: well ID 9. Environmental Remediation: well ID  Air Sparge  Soil Vapor Extraction  Recovery  Injection 10.  Oil Field Water Supply: lease 11. Test Hole: well ID  Cased  Uncased  Geotechnical 12. Geothermal: how many bores? a) Closed Loop  Horizontal  Vertical b) Open Loop  Surface Discharge  Inj. of Water 13.  Other (specify):

Was a chemical/bacteriological sample submitted to KDHE?  Yes  No If yes, date sample was submitted: Water well disinfected?  Yes  No

8 TYPE OF CASING USED:  Steel  PVC  Other CASING JOINTS:  Glued  Clamped  Welded  Threaded Casing diameter 5 in. to 5.7 ft. Diameter 14 in. to 160 lbs./ft. Wall thickness or gauge No. 22.26 TYPE OF SCREEN OR PERFORATION MATERIAL:  Steel  Stainless Steel  Fiberglass  PVC  Other (Specify) SCREEN OR PERFORATION OPENINGS ARE:  Continuous Slot  Mill Slot .025  Gauze Wrapped  Torch Cut  Drilled Holes  Other (Specify) SCREEN-PERFORATED INTERVALS: From 5.7 ft. to 6.4 ft. GRAVEL PACK INTERVALS: From 22 ft. to 6.4 ft.

9 GROUT MATERIAL:  Neat cement  Cement grout  Bentonite  Other Grout Intervals: From 0 ft. to 22 ft. Nearest source of possible contamination:  Septic Tank  Lateral Lines  Pit Privy  Livestock Pens  Insecticide Storage  Sewer Lines  Cess Pool  Sewage Lagoon  Fuel Storage  Abandoned Water Well  Watertight Sewer Lines  Seepage Pit  Feedyard  Fertilizer Storage  Oil Well/Gas Well  Other (Specify) Direction from well? NORTH Distance from well? 40 ft.

10 FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHO. LOG (cont.) or PLUGGING INTERVALS
0	3	FILL DIRT			
3	34	CLAY TAN SILTY			
34	62	SAND FINE TO MED. TAN			
62		SHALE GRAY			
Notes:					

11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was  constructed,  reconstructed, or  plugged under my jurisdiction and was completed on (mo-day-year) 07-21-14 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 388 This Water Well Record was completed on (mo-day-year) 07-21-14 under the business name of PEST, WORM, PUMP SERVICE