WATER WELL RECORD	Form WWC-5	Division of Wate	r Resources App. N	io.	
1 LOCATION OF WATER WELL: County: Saline	Fraction SE 1/4 NW 1/4 NW 1/4 1/4	Section Number 26	Township No. T 14 S	Range Number R 03 ☐E ☑W	
Street/Rural Address of Well Location		Global Positioning	System (GPS) ir	nformation:	
from nearest town or intersection: If at owner's address, check here .		Latitude: 38.80889 (in decimal degrees)			
The dead end of Dover Drive along fence boundry		Longitude: .97:628056 (in decimal degrees)			
2 WATER WELL OWNER: City of Salina		Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27 Collection Method:			
RR#, Street Address, Box #:		GPS unit (Make/Model:)			
	Kansas 67401	☐ Digital Map/Ph Est. Accuracy: ☐ <	oto, ☐ Topographi 3 m, ☐ 3-5 m, ☐	ic Map, ☐ Land Survey] 5-15 m, ☐ >15 m	
3 LOCATE WELL	COMPLETED WELL 35'	£.			
		ft. (2) ft. (3) ft.			
		ft. below land surface measured on mo/day/yr			
	Pump test data: Well water wasft. after hours pumping gpm				
NW NE EST. YIELD	gpm. Well water was	s ft. after hours pumping gpm			
W E Bore Hole Dia		ft., andin. toft.			
	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well				
SWSE Domestic	☐ Domestic ☐ Feedlot ☐ Oil field water supply ☐ Dewatering ☐ Other (Specify below) ☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☑ Monitoring well				
	Was a chemical/bacteriological sample submitted to Department? Yes V No				
S If yes, mo/day/yr sample was submitted					
1 mile Water well disinfected? ☐ Yes ☑ No					
5 TYPE OF CASING USED: Steel PVC Other					
CASING JOINTS: Glued Clamped Welded Threaded					
Casing diameter .2					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
☐ Steel ☐ Stainless Steel					
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE: ☐ Continuous slot					
☐ Continuous slot ☑ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)					
SCREEN-PERFORATED INTERVALS: From					
	From ft. to	ft., From	ft. 1	to ft.	
GRAVEL PACK INTERVALS: From. 23 ft. to35 ft., From ft. to ft.					
From					
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other Grout Intervals: From .23					
Grout Intervals: From .23 ft. to .1 ft., From ft. to ft., From ft. to ft. What is the nearest source of possible contamination:					
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)					
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well					
☐ Watertight sewer lines ☐ Seepage					
Direction from well		from well		ICODIO DITERDITA I	
FROM TO LITHOLO	GIC LOG FROM	TO LITHO. LO	or PLU	IGGING INTERVALS	
unknown					
				·	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged					
under my jurisdiction and was completed on (mo/day/year) .7/23/2014 and this record is true to the best of my knowledge and belief.					
Kansas Water Well Contractor's License No709					
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send one copy to					
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suffee 420, Topeka, Kansas 66612-1367.					
Telephone 785-296-5524. Send one copy to WAT	TER WELL OWNER and retain one for your r	ecords. Include fee of \$5	.00 for each construct	ted well. Visit us at	

http://www.kdheks.gov/waterwell/index.html