WATER WELL RE	cord 2	A Form V	VWC-5	Division of Wate	r Resources App. No	0.	
1 LOCATION OF WATER WELL: Fraction			Section Number				
County: SA (INE SE'45W 4 N W/4 1/4  Street/Rural Address of Well Location; if unknown, distance & direction			12	T 14 (S)	R S □E QW		
		Global Positioning	Global Positioning System (GPS) information:  Latitude: 38 50 56 (in decimal degrees)  Longitude: 97 36 34 (in decimal degrees)				
from nearest town or		Lantide:					
501 N. SANTE FE.				Elevation: 1222' (in decimal degrees)			
SALINA KS 67401					Datum: WGS 84, NAD 83, NAD 27		
2 WATER WELL OWNER:  RR#, Street Address, Box #:  City, State, ZIP Code  City, State, ZIP Code  Digital Map/Photo, Topographic Map, Land Survey							
RR#, Street Address,	5 37th SH.	GPS unit (Mak	GPS unit (Make/Model:)				
City, State, ZIP Code: Digital Map/Photo, Topographic Map, Land Surve							
3 LOCATE WELL					3 m, ∐ 3-5 m, ∐	5-15 m, ∐>15 m	
WITH AN "X" IN	4 DEPTH OF	COMPLETED WE	LL. 3	23'			
SECTION BOX:							
N	Depth(s) Groundwater Encountered (1)						
Pump test data: Well water wasft. after hours pumpinggp							
EST. YIELDgpm. Well water wasft. afterhours pumpinggp  Bore Hole Diameter							
W K	Bore Hole Dian	neterin. to	<u></u> .3.3	ft., andin.	to		
SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☑ Monitoring well							
Was a chemical/bacteriological sample submitted to Department? Yes No  If yes, mo/day/yr sample was submitted							
water well disinfected?   Yes   Ye							
5 TYPE OF CASING USED:   Steel □ PVC □ Other							
Casing diameter							
Casing height above land surface. Q' in., Weight							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)							
SCREEN OR PERFORATION OPENINGS ARE:							
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)  SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft.							
From							
From							
From							
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Class H. Silica Flava G. MO.							
Grout Intervals: From							
What is the nearest source of possible contamination:							
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)							
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well							
Direction from well			_	from well	,		
FROM TO	LITHOLOG	GIC LOG	FROM	TO LITHO. LO	OG (cont.) or PLU	GGING INTERVALS	
0 6" 00	NCNETE						
6" 27" MAIN	4 SHY CL	y to Clay					
	Brown	2					
871 331 S.	AMO						
						<del></del>	
7 CONTRA CERCENCE	D I A SIDATEDITI	nic Chinarian Ame	ON This			nated on C =11	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, or plugged							
under my jurisdiction and was completed on (mo/day/year) . S. L. L							
under the business name	of Calons	7 Ser	, water well R	by (signature)		4 h 10 6	
INSTRUCTIONS: Use types	writer or ball point be	n. PLEASE PRESS FIRM	LY and PRINT cl	early. Please fill in blanks	and check the correct	answers Send one copy to	
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.  Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at							

