WATER WELL RECORD &S-C3 Form	WWC-5	Division of Water Resources App. No.
1 LOCATION OF WATER WELL: Fraction		Section Number Township No. Range Number
County: SALINE SE 45W 4N	W 1/4 1/4	$T 19(5) R 3 \square E \square W$
Street/Rural Address of Well Location; if unknown, distance	e & direction	Clobal Positioning System (CPS) information: Latitude: 36 56 0 (in decimal degrees) Longitude: 97 36 35 0 (in decimal degrees) Elevation: 4227
from nearest town or intersection: If at owner's address, che	eck here 🔲.	Latitude:30
501 N. SANTE FE		Longitude: 97. 36 35 W. (in decimal degrees)
SAliNA KS 67401		Elevation:
2 WATER WELL OWNER: 4 Cottle Co.		Datum: WGS 84, NAD 83, NAD 27 Collection Method:
2 WATER WELL OWNER: MATA don CATILE Co.  RR#, Street Address, Box #: 4111 E. 37 Th ST. North  City, State, ZIP Code: 4111 E. 37 Th ST. North  Digital Map/Photo,  Topographic Map, Land Survey		
City, State, ZIP Code  Wick: +A, KS G7220  Est. Accuracy:   3 m,   3-5 m,   5-15 m,   >15 m		
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 30'		
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL		
SECTION BOX: Depth(s) Groundwater Encountered (1)		
WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr  Pump test data: Well water was		
FOR ARELD WITH	ater was	f offer hours pumping gpm
EST. YIELDgpm. Well water wasft. after		
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well		
Demostic Decider Dil field water graphy Deventoring Other (Specify below)		
SWSE   Domestic   Feeding   Domestic lawn & garden   Monitoring well & TRACTION		
Was a chemical/bacteriological sample submitted to Department?   Yes  No		
S If yes, mo/day/yr sample was submitted		
1 mile  Water well disinfected? ☐ Yes ☑ No		
5 TYPE OF CASING USED: Steel PVC	Other\$7	AIN JESS STEET
CASING JOINTS: Glued   Clamped   Welded Mathreaded		
Casing diameter		
Casing diameter		
TYPE OF SCREEN OR PERFORATION MATERIAL:		
Steel Stainless Steel PVC Other (Specify)		
Brass Galvanized Steel None used (open hole)		
SCREEN OR PERFORATION OPENINGS ARE:  Gauze wrapped Torch cut Drilled holes None (open hole)		
I anyered shutter Key nunched Wire wrapped	Saw cut	Other (specify)
Louvered shutter Key punched Wire wrapped SCREEN-PERFORATED INTERVALS: From	ft. to30	ft. From ft. to
From	ft. to	ft., From ft. to ft.
From		
From		
6 GROUT MATERIAL: Neat cement Cement gro	out 🔲 Bentor	nite Other CLASS HI SILICA Flour GROUT
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Class H. Silica Flour Grout Intervals: From Office ft., From ft. to ft., From ft. to ft.		
What is the nearest source of possible contamination:	_	*
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoor	Livestock p	
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoor ☐ Sewage lagoor ☐ Sewage lagoor ☐ Sewage lagoor ☐ Feedyard	Fertilizer st	· · · · · · · · · · · · · · · · · · ·
Direction from well Distance from well		
FROM TO LITHOLOGIC LOG	FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS
O 69 CON CMETE		
6" 271 CLAY / SIH+ C/AV BAOWA		
27' 30' SANO		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, □ reconstructed, or □ plugged under my jurisdiction and was completed on (mo/day/year)		
under my jurisdiction and was completed on (mo/day/year)		
Kansas Water Well Contractor's License No		
under the business name of Canay Pump Solval by (signature) by (signature)		
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and cyck the correct answer. Send one copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 429, Topeka, Kansas 66612-1367.		
Kansas Department of Heatin and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 42 g 1 Opera, Kansas 30012-1307.		

