WATER WELI	RECORD VO	C4 Form W	VWC-5	Div	ision of Water	r Resources App. No	,		
1 LOCATION O	F WATER WELL:	Fraction	,	Sectio	n Number	Township No.	Range Numb	er	
County: SA		SE "SW " NI		/6	3	T 14 (S)	R 3 □I	. ∠w	
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here									
501 N. SANTE FE Longitude: 920 36 347 2 (in decimal degrees)								legrees)	
	Elevat	Elevation: 1222!							
SALINA KS 6740/ Elevation:/222/ Datum: WGS 84, NAD 83, NAD 27									
2 WATER WELL OWNER: MATA don Cattle Co. RR#, Street Address, Box #: City, State, ZIP Code 2 WATER WELL OWNER: MATA don Cattle Co. Collection Method: GPS unit (Make/Model:									
City, State, ZIP	Code : 4111		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey						
	Wicki	ta, KS 6	ס פבר			3 m, 🔲 3-5 m, 🔲			
3 LOCATE WELI	A DEPTH OF	COMBLETED WEI		50°	Δ.				
WITH AN "X" I SECTION BOX:									
N N									
Pump test data: Well water wasft. after									
- NW NF -	NW NE EST. YIELD								
w x	W E Bore Hole Diameter 8. in. to								
WELL WATER TO BE USED AS. Paolic water supply Geometical Injection well									
SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)									
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well . CATRACT. (.O.)									
Was a chemical/bacteriological sample submitted to Department? Yes X No If yes, mo/day/yr sample was submitted									
1 mile		ifected? Yes			•••••				
5 TYPE OF CASING USED: Steel PVC Other STAIN IFSS STEEL									
CASING IOINTS: Glued Clammed Welded Threaded									
Casing diameter									
Casing diameter									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel Stainless Steel ☐ PVC ☐ Other (Specify)									
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:									
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)									
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From 3.5.6 ft. to 50.6 ft., From ft. to ft.									
SCREEN-PERFORATED INTERVALS: From 3.5. ft. to 50 ft., From ft. to ft.									
		From	ft. to	········	. ft., From	ft. t	0	ft.	
From ft. to ft., From ft. to GRAVEL PACK INTERVALS: From 33' ft. to 50' ft., From ft. to						ft.			
From. ft. to ft., From ft. to ft. 6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Class H. Silica Flour Grout									
Grout Intervals: From									
What is the nearest source of possible contamination:									
☐ Septic tank		es 🔲 Pit privy	Livestock	pens [Insecticide	storage Othe	r (specify below	7)	
Sewer lines	Cesspool	Sewage lagoon	Fuel storage	_	Abandoned		'A		
	☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Distance from well ☐								
FROM TO	LITHOLOG	IC LOG	FROM	TO Wel		OG (cont.) or PLUC	CONC DITE	DY/AT C	
0' 6"	CONCRETE	ile Lod	FROM	10	LITHO. LC	AG (COIII.) OF PLUC	JOING IN LEI	CVALS	
	nown Siltz Ck	w /C/a1	1						
87' 501	SAMO	91009			- 13				
			1						
7 CONTENA CITOD	OD LANDOWNER	AC CEPTIFICATIO			77 8				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was reconstructed, or plugged									
under my jurisdiction and was completed on (mo/day/year) and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 7.9.3 This Water Well Record was completed on my knowledge and belief.									
under the business name of Linear Fund Service by (signature)									
INSTRUCTIONS: Us	e typewriter or ball point pen	PLEASE PRESS FIRML	Yand PRINT cl				nswers. Send one	copy to	
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.									

