WATE	R WE	LL RECORD)d=8)	XSD9 Form	WWC-5	Г	division of Wate	r Resources App. No			
		OF WATER WI		Fraction			ion Number				
		AliNE		SE 45W 41	بر بر الا	1	12		R 3 □E ØW		
Stree	t/Rural	Address of Well Lo	ocation: if	unknown, distance	ce & direction	Glob	al Positioning	System (GPS) in	formation:		
	from nearest town or intersection: If at owner's address, check here . Latitude: 38° 50' 56° N. (in decimal degrees)										
	501 N. SANTE FE							Clobal Positioning System (GPS) information: Latitude: 36.50.56.0 (in decimal degrees) Longitude: 97.3635.4 (in decimal degrees)			
				7401		Elev	ration: /2.	اجرح			
DATINA KO O TOTAL											
2 WATER WELL OWNER: MATA don CATILE Co. RR#, Street Address, Box #: City, State, ZIP Code 2 WATER WELL OWNER: MATA don CATILE Co. Collection Method: GPS unit (Make/Model: PLINE) Digital Map/Photo, Topographic Map, Land Survey											
KK!	RR#, Street Address, Box #: 4111 6. 37 1 87. North City, State, ZIP Code Digital Map/Photo, Topographic Map, Land Survey										
City	, State,	ZIP Code :	ا ما د	A KS	0 25 6						
1 LOCATE WELL											
	H AN "X	"IN 4 DEP	TH OF C	OMPLETED W	ELL	301	ft.				
i	WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered (1)										
	N WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr										
	Pump test data: Well water wasft. after hours pumping										
N	EST. YIELD										
w x											
		WELL Y	WATER 1	TO BE USED AS	: 🔲 Public wa	ter supp	oly 🗌 Ge	othermal 🔲 Ir	ijection well		
57	SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)										
		☐ Irrig	ation	☐ Industrial [Domestic-la	wn & g	arden 🔲 Mo	onitoring well .£.	KTRÁCTĪOA)		
<u> </u>	Was a chemical/bacteriological sample submitted to Department? Yes No										
	S			ay/yr sample was		· · · · · · · · · · ·					
	l mile	Water w	ell disinfe	ected? Yes	•						
5 TYPE OF CASING USED: Steel PVC Other STAIN IESS STEE!											
CASING JOINTS: Glued Clamped Welded X Threaded											
Casing diameter 4" in to 5 ft Diameter in to ft Diameter in to ft											
Casing height above land surface											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
Steel Stainless Steel PVC Other (Specify)											
Brass Galvanized Steel None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
Continuous slot											
SCREEN-PERFORATED INTERVALS: From											
From											
GRAVEL PACK INTERVALS: From											
From											
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Cother CLASS H. Silica Flour Grout											
Grout Intervals: From Q. ft. to 2. ft., From ft. to ft., From ft. to ft.											
What is the nearest source of possible contamination:											
	Septic ta	nk 🔲 L	ateral lines	Fit privy	Livestock	pens	Insecticide	storage Othe	er (specify below)		
	Sewer li		esspool	Sewage lagoo			Abandoned		A		
			eepage pit	Feedyard	Fertilizer s		Oil well/ga		3/7 4		
		m well	TOLOGIC	71.00			ell		CODIO DIFFERENCE		
FROM	TO		HOLOGIC	LUG	FROM	TO	LITHO. LC	JG (cont.) or PLU	GGING INTERVALS		
00	•	CONCRETE		10.7							
324	37,	Brown Solo	A CASA	CIAX							
37'	30	SAMO					-				
							_				
	TD : 67	ODIG OD V		ORD THE	101						
7 CONT	KACT	UR'S OR LANDO	WNER'S	SCERTIFICAT	ION: This wat	er well	was 🕰 constri	icted, ∐ reconstru	cted, or plugged		
under m	y jurisdi	cuon and was comp	pieted on ((mo/day/year) .7.	i.s. j.s.v Z a	nd this i	record is true t	o the best of my kr	nowledge and belief.		
Kansas \	water W	ell Contractor's Li	cense No.		is Water Well R	ecord v	vas completed	on/pho/day/year	12 104/14		
under the	busine	ss name of Cami		NYLVA	ACK	by (signature)		nswers. Send one copy to		
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 426, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at											

