WATER WELL RE	CORD ⋉⊅-	F 3 Form W	WC-5	Di	ivision of Wate	r Resources App. No).	
1 LOCATION OF WA		Fraction				Township No.		
County: SALIN	E	SE 45W 4Nu	1/4 1/4	1	a	T 14 (S)	R 3 □E 2 W	
Street/Rural Address				Globa	al Positioning	System (GPS) in	formation:	
from nearest town or intersection: If at owner's address, check here					Global Positioning System (GPS) information: Latitude: 3.8. 56. (in decimal degrees) Longitude: 97. 36. 35. (in decimal degrees)			
SALINA KS 67401					Elevation: 12221			
2 WATER WELL OWNER: MATER dom CATILE Co. Collection Method:								
2 WATER WELL OWNER: MATA don CATILE Co. RR#, Street Address, Box #: City, State, ZIP Code 2 WATER WELL OWNER: MATA don CATILE Co. Collection Method: GPS unit (Make/Model: Phone) Digital Map/Photo, Topographic Map, Land Survey								
City, State, ZIP Code	Wickit	A KS 6-	7220		Digital Map/Ph	oto, Topographic 3 m, 3-5 m,	: Map, [] Land Survey	
WITH AN "X" IN								
SECTION BOX:	Depth(s) Groundwater Encountered (1)							
	Pump test data: Well water wasft. after hours pumping							
NWNE	EST. YIELDgpm. Well water was							
	w							
WELL WATER TO BE USED AS: □ Public water supply □ Geothermal □ Injection well								
Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
	☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well . C.A.T.R.A.C.T.(.Q.A.)							
Was a chemical/bacteriological sample submitted to Department? Yes No								
S If yes, mo/day/yr sample was submitted								
Water well disinfected? ☐ Yes ☑ No								
5 TYPE OF CASING USED: Steel PVC Other STAIN IESS STEE!								
CASING JOINTS: ☐ Glued ☐ Clamped ☐ Welded ▼ Threaded								
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter								
Casing height above land surface								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel Stainless Steel ☐ PVC ☐ Other (Specify)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From								
SCREEN-PERFORATED INTERVALS: From								
From								
GRAVEL PACK INTERVALS: From 3.8. ft. to 56. ft., From ft. to ft. to ft.								
From								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Cother SASS HISTIGA Flow GASS TO								
Grout Intervals: From								
What is the nearest source of possible contamination:								
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)								
Sewer lines	Cesspool	Sewage lagoon	Fuel stora			water well	. 1 . 4	
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well								
Direction from well								
FROM TO	LITHOLOGI	C LOG	FROM	TO	LITHO. LO	OG (cont.) or PLU	GGING INTERVALS	
	oncrote					- 17		
6" 27' Rne	SUN Clay	Solty Chy						
27 59 8	ano '							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☑ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) 9/13/20/4 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 7.13 This Water Well Record was completed on my day/year								
Kansas Water Well Contr	ractor's License No	7.13 This V	Vater Well R	ecord w	vas completed	on modern viveary	19/24/14	
under the business name	of Cahou	PUMO SON	CR	hv (s	signature)	of the	Ala	
INSTRUCTIONS: Use types	writer or ball point/pen.	PLEASE PRESS FIRMLY	and PRINT c	early. Ple	ase fill in blanks	and neck the correct a	answers. Send one copy to	
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 470, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								

httn://www.kdheks.gov/waterwell/index.html

