WATER WELL RECORD & S- E4 Form WWC-5	Division of Water Resources App. No.
1 LOCATION OF WATER WELL: Fraction	Section Number Township No Range Number
County: SALINE SE 45W 4NW 4 4	12 T 19 (S) R 3 DE MW
Street/Rural Address of Well Location; if unknown, distance & direction	Global Positioning System (GPS) information:
from nearest town or intersection: If at owner's address, check here	Latitude: 38 50 56" (in decimal degrees) Longitude: 970 36" 34" (in decimal degrees)
	Elevation: 12.3.2/
SALINA KS 67401	<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27
2 WATER WELL OWNER: MATA don CATILE Co. RR#, Street Address, Box #: 4111 6. 37 70 87. NORTH City, State, ZIP Code : 4111 6. 37 70 87.	Collection Method:  GPS unit (Make/Model: F. Pho N.E)
City. State. ZIP Code 4111 6. 37 LA ST. NORTH	Digital Map/Photo, Topographic Map, Land Survey
City, State, ZIP Code Wick ita, KS 67220	Est. Accuracy: □ <3 m, □ 3-5 m, □ 5-15 m, □ >15 m
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL	
WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered (1)	ft. (2) ft. (3) ft.
N WELL'S STATIC WATER I EVEL 6	below land surface measured on mo/day/yr
Pump test data: Well water was	ft. after hours pumping gpm
EST. YIELDgpm. Well water was	ft. after hours pumping gpm
WELL WATER TO BE USED AS: D Public wa	ft. after
WELL WATER TO BE OSED AS. [ ] Table wa	
	er supply Dewatering Other (Specify below)
	wn & garden Monitoring well .E. ATRACTION
Was a chemical/bacteriological sample submitted t  If yes, mo/day/yr sample was submitted	
Water well disinfected? ☐ Yes ☑ No	
· · · · · · · · · · · · · · · · · · ·	TAIN IESS STEE!
CASING IOINTS:  Glued  Clamped  Welded  Threade	d
Casing diameter 4" in to 5 ft. Diameter in.	to ft., Diameter in. to ft.
CASING JOINTS:  Glued  Clamped  Welded  Threaded  Casing diameter  in. to  ft., Diameter  in. to  ft., Diameter  ft., Diameter	
TYPE OF SCREEN OR PERFORATION MATERIAL:	
☐ Steel	Other (Specify)
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)  SCREEN OR PERFORATION OPENINGS ARE:	
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)	
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut SCREEN-PERFORATED INTERVALS: From	Other (specify)
SCREEN-PERFORATED INTERVALS: From. ft. to	ft., From ft. to ft.
From ft. to	ft. to ft.
GRAVEL PACK INTERVALS: From	C
From	mits Flother Class H Siles Flour Gast
Grout Intervals: From	ft. toft., Fromft. toft.
What is the nearest source of possible contamination:	it to
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock	pens Insecticide storage Other (specify below)
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel stora	
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer s	• •
the same of the sa	TO LITHO. LOG (cont.) or PLUGGING INTERVALS
FROM TO LITHOLOGIC LOG FROM  O' 6" CONCANTE	TO LITHO. LOG (cont.) or PLUGGING INTERVALS
6" 27' Brown Sity Chy Iclay	
27' 30' Samo	
3. 2. 24700	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION; This wat	er well was constructed, reconstructed, or plugged
under my jurisdiction and was completed on (mo/day/year) 910/2014. a	nd this record is true to the best of my knowledge and belief.
Kansas Water Well Contractor's License No. 1793 This Water Well Funder the business name of Another Tempo Slaved	
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT c	
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 429, Topeka, Kansas 66672-1367.  Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at	

