WATER WELL RE	ECORD &S-	FS Form V	VWC-5	D	Division of Water Resources App. No.	
1 LOCATION OF W		Fraction			tion Number Township No. Range Number	
County: SALIA	SE	SE 45W 4 N	w/1/4 1/4		12 T 14 (S) R 3 DE 21W	
Street/Rural Address				Glob	oal Positioning System (GPS) information:	
from nearest town or		owner's address, che	ck here 🔲.	Latit	tude: 38 56' 56' M (in decimal degrees) gitude: 97' 36' 75' W (in decimal degrees) vation: 1232'	
501 N. SANTE FE				Long	gitude: .97 36 25 W (in decimal degrees)	
SAlina KS 67401				Eleva	/ation:/233	
2 WATER WELL OWNER: MATER des Cattle Co.					m: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27 ection Method:	
2 WATER WELL OWNER: MATA don CATILE Co. RR#, Street Address, Box #: 4111 E. 37 Th St. North City, State, ZIP Code: 4111 E. 37 Th St. North						
City, State, ZIP Cod	e :4111 c	L VC	7-20-5		Digital Map/Photo, Topographic Map, Land Survey	
	Wi Ck i	HA, KS G	7 22 0	Est. A	Accuracy:	
3 LOCATE WELL	A DEPTH OF A	COMDITETED WE		301	Δ	
WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL					
N N	WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr.					
	Pump test data: Well water wasft. after hours pumping					
NW NE	EST. YIELD gpm. Well water was					
· · · · · · · · · · · · · · · · · ·	Dom Holo Diameter 201 A and in to					
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well						
SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)						
	☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well					
Was a chemical/bacteriological sample submitted to Department? Yes No						
S 1 mile		day/yr sample was su		• • • • • • • • • • • • • • • • • • • •		
	Water well disin	fected? 🗌 Yes 🔽				
5 TYPE OF CASING		☐ PVC ☐	Other\$.7	AIN	I JESS STEE!	
CASING JOINTS: ☐ Glued ☐ Clammed ☐ Welded ▼ Threaded						
Casing diameter						
Casing neight above land surface						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
☐ Steel ☑ Stainless Steel ☐ PVC ☐ Other (Specify)						
SCREEN OR PERFORATION OPENINGS ARE:						
Continuous slot						
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft.						
From						
GRAVEL PACK INTERVALS: From 3. ft. to 30' ft., From ft. to ft.						
From						
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Class H Silica Flour GAOUT						
Grout Intervals: From Q' ft. to 3 ft., From ft. to ft., From ft. to ft., From ft. to ft.						
What is the nearest source of possible contamination: ☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)						
Sewer lines	Cesspool	Sewage lagoon	Fuel storage		Abandoned water well	
☐ Watertight sewer		it Feedyard	Fertilizer s	•	Oil well/gas well	
Direction from well.			Distance	from we	vell	
FROM TO	LITHOLOGI	IC LOG	FROM	TO	LITHO. LOG (cont.) or PLUGGING INTERVALS	
0' 6"	CONCMETE					
6" 27" Bro	wn Sitty Ch	ay /clay				
27' 30' S	ano					
			+			
			+			
			-			
			+			
7 CONTRACTOR S	D.F. I.M. OFFI	to certain	<u></u>			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) 19.1.4.1.4.1.4.1.4.1.4.1.4.1.4.1.4.1.4.1						
under the business name	ractor's License No		water well R	ecora w	was completed on (moday/year)	
INSTRUCTIONS: Lice time	writer or hall point hen	PLEASE PRESS FIRM	Y and PRINT ale	early Pla	lease fill in blanks and check the correct answers. Send one copy to	
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 20, Topeka, Kansas 6612-1367.						
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at						

