WATER WELL RE	CORD XS-6	Form W	WC-5	Division of Wate	r Resources App. No	. [
1 LOCATION OF WA	TER WELL: Fra	action		Section Number	Township No.	Range Number	
County: SALL		14 5W 14 NA				R 3 □E XW	
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here							
from nearest town or intersection: If at owner's address, check here . Latitude:						(in decimal degrees)	
	Longitude:						
SALINA RS 67401				Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: 44 a 4 a 4 a 4 a 4 a 4 a 4 a 4 a 4 a 4							
RR#, Street Address, Box #: //// F 2776				GPS unit (Make/Model: T-PLONC			
City, State, ZIP Code							
3 LOCATE WELL	A DEPTH OF CO.		•	30'			
WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL 30 ft. Depth(s) Groundwater Encountered (1) ft. (2) ft. (3) ft.						
SECTION BOX:	WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr						
	Pump test data: Well water was ft. after hours pumping gpm						
W ST. YIELD							
	Bore Hole Diameter						
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well							
Domestic							
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well ENTINGET 1000							
Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted							
S If yes, mo/day/yr sample was submitted							
water well distincted: 1105 25 110							
5 TYPE OF CASING					Wice.		
CASING JOINTS: Glued Clamped Welded Threaded							
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in., Weight lbs./ft., Wall thickness or gauge No. 3.0.4							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Steel ☐ PVC ☐ Other (Specify)							
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
Continuous slot							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From							
From ft. to ft., From ft. to ft.							
From							
From							
6 GROUT MATERIA	.: Neat cement	Cement grout	☐ Benton	ite 🛮 Other C.I.A.	82 H 1 24 H 64	Flour GAO"	
Grout Intervals: From							
What is the nearest source of possible contamination:							
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well							
☐ Watertight sewer			Fertilizer st			A	
Direction from well.			Distance 1	from well			
FROM TO	LITHOLOGIC I	.OG	FROM	TO LITHO. LO	OG (cont.) <u>or</u> PLUC	GGING INTERVALS	
06 6"	oncrete						
6" 271 MAIN	1 H 27+y Cla	y to clay					
2-1 22 0	Brown						
07' 30' SA			-				
	*		 				
			 				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged							
under my jurisdiction and was completed on (mo/day/year) 1.7.129.14 and this record is true to the best of my knowledge and belief,							
Kansas Water Well Cont	ractor's License No	7.9.3 This V	Vater Well Re	ecord was completed	on morday/year/	1.4124114	
under the business name	of Ca. hour Buy	wa Illuu	<u>کی</u>	. by (signature)	J. 11(M	n.bs/	
INSTRUCTIONS: Use type	writer or ball point pen. PL	Bureau of Water Gan	and <u>PRINT</u> cle	arty. Please fill in blanks	and check the correct a	nsweet. Send one copy to 66612-1367	
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 424, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at							

