WAIL	K WEI	L RECORD	Form W	WC-5	Division of Water	· Resources App. N	o. L	
1 LOCATION OF WATER WELL:		Fraction		Section Number		Range Number		
County: SALINE			NE 1/4 NE 1/4 SW			T 14 S	R 3 DE VW	
Street/Rural Address of Well Location; if unknown, distance & direction					Global Positioning System (GPS) information:			
1	from nearest town or intersection: If at owner's address, check here .					Latitude: 38,787028 (in decimal degrees)		
813	813 RITTGERS LANE, SALINA, KS					Longitude: 97.599853 (in decimal degrees) Elevation: 1231 FT.		
					Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: KELLY DUNN CONSTRUCTION						Collection Method:		
RR#	, Street A		JAIL CREEK RD	11011	GPS unit (Make/Model:)			
Charles and Charles			, KS 67401			Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey		
			. 100 07 401		Est. Accuracy: <	3 m, 🔲 3-5 m, 🗀] 5-15 m, □ >15 m	
3 LOCATE WELL								
	WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 51 ft.							
SEC	Depth(s) Groundwater Encountered (1)							
well 5 STATIC WATER DEVEL								
Pump test data: Well water wasft. after hours pumping							ping gpm	
	EST. YIELD. 50+gpm. Well water was							
w								
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
SV	SW SE							
☐ Irrigation ☐ Industrial ☑ Domestic-lawn & garden ☐ Monitoring well								
S If yes, mo/day/yr sample was submitted								
Water well disinfected? ✓ Yes □ No								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter .5								
Casing height above land surface. 12 in., Weight 2.37. Ibs./ft., Wall thickness or gauge No214								
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel PVC Other (Specify)								
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot ☑ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From31 ft. to51 ft., From ft. to ft.								
From								
GRAVEL PACK INTERVALS: From 20 ft. to 51 ft., From ft. to ft.								
From								
6 GROUT MATERIAL: Neat cement Cement grout Dentonite Other								
Grout Intervals: From .0								
What is the nearest source of possible contamination:								
Septic tank								
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well								
Direc	ction from	n well SOUTH	it recayura		from well100.F.T	, wen		
FROM	ТО	LITHOLOG	ICLOG	FROM		G (cont.) or PLU	JGGING INTERVALS	
0	1	TOP SOIL		1110111	10 11110.20	/G (COME) OF THE	AGUITO MITERIALES	
1	19	CLAY-BROWN		 				
19	34	SAND, FINE TO MEDIL	INA	 			· · · · · · · · · · · · · · · · · · ·	
34	55	SAND, MEDIUM W/SO						
		CAND, MEDION WICE	ME OOMIOE			·		
 	1							
	 			 				
 	 		······································	 				
			· · · · · · · · · · · · · · · · · · ·	-				
	 			-				
7.CON/2	FD A CT	ADIC OD I ANDOWNED	e CEDTIFICATIO	No. This was				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, or plugged								
under my jurisdiction and was completed on (mo/day/year) .01/02/2015 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No897								
under the business name of PETERSON MCNETT DRILLING, INC. by (signature)								
INSTRIM	CTIONS	Use typewriter or hall noint non	PLEASE PRESS EIDMA	and PRINT of	. by (signature)	and check the correct	answers Send one convite	
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send one copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								

http://www.kdheks.gov/waterwell/index.html