WATE	R WE	LL RECORD	Form W	WC-5	Division of Wa	iter Resources App. N	lo. L	
1 LOCATION OF WATER WELL: County: Saline			Fraction NE 1/4 SE 1/4 SE	1/4 1/4	Section Number	Township No.	Range Number	
	Street/Rural Address of Well Location; if unknown, distance & direction					34 T 14 S R 3 ☐E ☑W Global Positioning System (GPS) information:		
		town or intersection: If at o		Latitude: .38,7867(in decimal degrees)				
1	2816 Centennial Rd, Salina, Ks Vacant parking lot					Longitude: -97.6325 (in decimal degrees) Elevation:		
A WATER WILL OWNER.					<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27			
2 WATER WELL OWNER: City of Salina RR#, Street Address, Box #:					Collection Method:  GPS unit (Make/Model: iphone app			
		TD C 1	(ansas 67401		Digital Map/Photo, Topographic Map, Land Survey			
	, 5, 2	Salina r			Est. Accuracy:			
3 LOCATE WELL								
1	Η AN "X ΓΙΟΝ ΒΟ							
SEC	N N	Depth(s) Groundwater Encountered (1). na. ft. (2). ft. (3). ft. WELL'S STATIC WATER LEVEL. ft. below land surface measured on mo/day/yr.						
	<del></del>	Pump test data: Well water was						
	EST. YIELDgpm. Well water wasft. after hours pumpinggpm							
w	Bore Hole Diameter 8							
		WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well						
sv	v   s	SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)						
	l	☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☑ Monitoring well						
S If yes, mo/day/yr sample was submitted								
Water well disinfected? ☐ Yes ₩ No								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: ☐ Glued ☐ Clamped ☐ Welded 🗹 Threaded								
Casing diameter .2								
Casing height above land surface0								
Steel Stainless Steel PVC Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot ☑ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)								
SCREEN-PERFORATED INTERVALS: From45								
From							to ft	
	GRAV	EL PACK INTERVALS:	From. 43	ft. to50	ft., From	ft.	to ft.	
			From	ft. to	ft., From	ft.	to ft.	
6 GROUT MATERIAL: Neat cement Cement grout P Bentonite C Other								
Grout Intervals: From .1								
What is the nearest source of possible contamination:  ☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)								
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well							ici (specify below)	
		ht sewer lines		Fertilizer st				
FROM	TO	n well			rom well			
0	10	LITHOLOG gravel/sand	IC LOG	FROM	TO LITHO.	LOG (cont.) or PLU	GGING INTERVALS	
1	30	clav						
30	50	wet slitty clay						
		wording old					***************************************	
					_			
			747.47 W. A. W					
			***************************************	ļ				
			<del></del>			****		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☑ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) .6/29/15 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No709 This Water Well Record was completed on (mo/day/wear), 7/23/15								
under the business name of . Plains Environmental Services by (signature)								
INSTRUC	TIONS:	Use typewriter or ball point pen.	PLEASE PRESS FIRMLY	and PRINT cle	arly. Please fill in blam	and check the correct	answers. Send one conv to	
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.  Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								
http://www.kdheks.gov/waterwell/index.html								