WATER	R WEL	L RECORD	Form W	WC-5	Div	ision of Wate	r Resources App. No	o	
1 LOCATION OF WATER WELL:			Fraction		Sectio	n Number	Township No.	Range Number	
County: Saline Street/Rural Address of Well Location; i			NW ¼ SW ¼ NW			$\begin{array}{c ccccccccccccccccccccccccccccccccccc$			
				Global Positioning System (GPS) information: Latitude:38.81969					
from nearest town or intersection: If at owner's address, check here						Longitude: 97.61269 (in decimal degrees)			
Elevation: 1237.35									
2 WATER WELL OWNER: Suburban TV						Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: Suburban TV RR#, Street Address, Box #: 1900 S. 9th St					Collection Method:				
City, State, ZIP Code : Salina, KS 67401					☐ Digital Map/Photo, ☐ Topographic Map, ☑ Land Survey				
Est. Accuracy: □ <3 m, □ 3-5 m, □ 5-15 m, □ >15 m									
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 40.0 ft.									
1	ION BO	BOX: Depth(s) Groundwater Encountered (1).29.62 ft. (2) ft. (3) ft.							
	WELL'S STATIC WATER LEVEL. 29.62ft. below land surface measured on mo/day/yr. 09-24-15								
_Y	Pump test data: Well water wasft. after								
w NW	1-14W 14D D 17 1 D:								
"	WELL WATER TO BE USED AS:								
sw	ow or Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
	Irrigation Industrial Domestic-lawn & garden ▶ Monitoring well								
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No S If yes, mo/day/yr sample was submitted									
	1 mile		fected? Yes						
5 TYPE OF CASING USED: Steel V PVC Other									
CASING JOINTS: Glued Clamped Welded Threaded									
Casing diameter 2.0. in. to .25.0 ft., Diameter in. to ft., Diameter in. to ft.									
Casing height above land surface4.80 in., Weight									
TYPE OF SCREEN OR PERFORATION MATERIAL: ☐ Steel ☐ Stainless Steel									
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous slot ☑ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)									
SCREEN-PERFORATED INTERVALS: From									
From									
GRAVEL PACK INTERVALS: From									
From									
Grout Intervals: From 1.0 ft. to .23.0 ft., From									
What is the nearest source of possible contamination:									
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)									
	☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well ☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well								
Direction from well									
FROM	TO	LITHOLOG	GIC LOG	FROM	TO	LITHO. L	OG (cont.) <u>or</u> PLU	JGGING INTERVALS	
0	1	Concrete							
3	3 13	Clay, silty Silt, clayey							
13	15	Clay, silty							
15	20	Silt, Clayey				MW9			
20	21	Sand, very fine							
21	25	Silty, clay							
25 35	35 40	Clay, silty	lium						
33	40	Sand, very fine to med	iiuiII	1					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged									
under my jurisdiction and was completed on (mo/day/year) .09-24-2015 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 594 This Water Well Record was completed on pro/day/geat 11-92-2015									
under the business name ofCoranco Great Plains, Inc									
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.									
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									
http://www.kdheks.gov/waterwell/index.html									