WATER WELL R		m WWC-5 hange in Well Use		vision of Water ources App. No		Well ID
1 LOCATION OF WA	ATER WELL:	Fraction NW, NW, NE		ction Number		and the second sec
2 WELL OWNER: Last Name: Business: FIRST BANK KANSAS Address: D.2.50 dANCA FE						
Address: 235 S, SANJA FK Address: 235 S, SANJA FK City: SALINDA State: KS ZIP: 67401 2860 S. 97N						
3 LOCATE WELL WITH "X" IN 4 DEPTH OF COMPLETED WELL:						
WITH "X" IN	Depth(s) Groundw	ater Encountered: 1)		5 Latitue		(decimal degrees) (decimal degrees)
SECTION BOX: N	$\begin{array}{c c} 2) \dots & \text{ft.} & 3) \dots & \text{ft.} & \text{of } \mathcal{A} \\ \hline \end{array} \square \text{ Dry Well} \\ \hline \begin{array}{c} \text{Horizontal Datum:} \\ \hline \end{array} \square \text{ WGS 84 } \square \text{ NAD 83 } \\ \hline \end{array} \text{ NAD 27}$					
	WELL'S STATIC WATER LEVEL:					
NW NE		-yı)	(WAAS enabled? [] Yes [] No)			
w E	Pump test data: W after1		□ Land Survey □ Topographic Map □ Online Mapper:			
SW SE	Well water was ft.					
	Estimated Vield		6 Elevation:ft. Ground Level TOC			
S	Bore Hole Diamete	r:		Source:		GPS 🔲 Topographic Map
7 WELL WATER TO BE USED AS:						
1. Domestic: 5. Dublic Water Supply: well ID 10. Oil Fiel						ase
Household						
	8. 🗌 Moni		12. Geothermal: how many bores?			
2. Irrigation 3. Feedlot	9. Environmental Remediation: well II Air Sparge Soil Vapor I			a) Closed Loop [] Horizontal [] Vertical b) Open Loop [] Surface Discharge [] Inj. of Water		
4. Industrial Recovery Injection 13. Other (specify):						
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:						
8 TYPE OF CASING USED: Steel X PVC Other CASING JOINTS: Glued Clamped Welded Threaded						
Casing diameter						
Casing height above land surface						
□ Steel □ Stainless Steel □ Fiberglass 🕅 PVC □ Other (Specify)						
□ Brass □ Galvanized Steel □ Concrete tile □ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:						
Continuous Slot 🛛 Mill Slot, D20 Gauze Wrapped 🔲 Torch Cut 🗌 Drilled Holes 🔲 Other (Specify)						
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole) SCREEN-PERFORATED INTERVALS: From						
GRAVEL PACK INTERVALS: From						
9 GROUT MATERIAL: Deat cement Cement grout A Bentonite Other						
Nearest source of possible contamination:						
Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well						
🔀 Watertight Sewer Lines 🗌 Seepage Pit 🔄 Feedyard 🔄 Fertilizer Storage 🗌 Oil Well/Gas Well						
Direction from well?						
10 FROM TO	LITHO	LOGIC LOG	FROM			PLUGGING INTERVALS
2 4	BILL DIET					
4 39		DE TO MED. TA	b			
5/ 52		AY HARD				
			Notes:			
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION:, This water well was a constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year)						
under my jurisdiction an	id was completed of	n (mo-day-year) 0.7-	14-16 and	this record is	true to the best of my	y knowledge and belief.
under the business name	of PESTIN	o. 381 This W GEL PUMP	R. I.C. Si	gnature	auf A Hist	
Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.						
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015						

.