

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: Saline	NE ¼ SW ¼ NE ¼	9	T 14 S	R 3 E	(EW)
Distance and direction from nearest town or city street address of well if located within city? 1112 N. Halstead Rd., Salina					
2 WATER WELL OWNER: Bunge North America, Inc. RR#, St. Address, Box # : 11720 Borman Drive City, State, ZIP Code : St. Louis, MO 63146 Board of Agriculture, Division of Water Resources Application Number:					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL 70 . . . ft. ELEVATION:			
<p>NW X NE SW SE</p>		Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr Pump test data: Well water was NA . . . ft. after . . . hours pumping . . . gpm Est. Yield NA . . . gpm; Well water was . . . ft. after . . . hours pumping . . . gpm Bore Hole Diameter . . . 4 . . . in. to . . . 70.5 . . . ft., and . . . in. to . . . ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only (10) Monitoring Was a chemical/bacteriological sample submitted to Department? Yes.....No✓ ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No ✓			
5 TYPE OF BLANK CASING USED:					
1 Steel (2) PVC Blank casing diameter 4 . . . in. to . . . 39.5 . . . ft, Dia . . . 4 . . . in. to . . . 70 . . . ft, Dia . . . in. to . . . ft. Casing height above land surface 36 . . . in.; weight . . . lbs./ft Wall thickness or gauge No. Sch.. 40		3 RMP (SR) 4 ABS 5 Wrought iron 6 Asbestos-Cement 7 Fiberglass		8 Concrete tile 9 Other (specify below) CASING JOINTS: Glued . . . Clamped . Welded . Threaded. ✓	
TYPE OF SCREEN OR PERFORATION MATERIAL					
1 Steel 2 Brass SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 2 Louvered shutter (3) Mill slot 4 Key punched		3 Stainless steel 4 Galvanized steel 5 Fiberglass 6 Concrete tile 5 Gauzed wrapped 6 Wire wrapped 7 Torch cut		7 PVC 8 RMP (SR) 9 ABS 10 Asbestos-cement 11 Other (specify) 12 None used (open hole)	
SCREEN-PERFORATED INTERVALS: From . . . 39.5 . . . ft to . . . 69.5 . . . ft, From . . . ft to . . . ft					
GRAVEL PACK INTERVALS: From . . . 34 . . . ft to . . . 70.5 . . . ft, From . . . ft to . . . ft					
6 GROUT MATERIAL: 1 Neat cement (2) Cement grout (3) Bentonite 4 Other					
Grout Intervals: From . . . 0 . . . ft to . . . 1 . . . ft, From . . . 1 . . . ft to . . . 34 . . . ft, From . . . ft to . . . ft					
What is the nearest source of possible contamination:					
1 Septic tank 2 Sewer lines 3 Watertight sewer lines		4 Lateral lines 5 Cess pool 6 Seepage pit		7 Pit privy 8 Sewage lagoon 9 Feedyard 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage How many feet?	
Direction from well?					
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	7	Sand (f-m), some silt, Dark Brown			
7	36	Silt, some clay, Dark Brown			
36	70.5	Sand (m), Dark Gray			
					PW2 , Abovegrade
					Project Name: BM - Cargill Salina
					GeoCore # 1143 , #
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 9/9/2008 . . . and this record is true to the best of my knowledge and belief.					
Kansas Water Well Contractor's License No. 527 . . . This Water Well Record was completed on (mo/day/yr) . . . 2/25/2009 . . . under the business name of GeoCore, Inc. by (signature) Dale A. Bluff					
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.					

7/