	ECORD Form WWC-5	Division of Water	
	Correction	Resources App. N	
1 LOCATION OF W.	ATER WELL: Fraction	Section Number	
County: SALINE SW4NE4SE4JW4 36 T14S R3 DEXW			
2 WELL OWNER: La	ast Name: TOHWSON First: CURTIS S	treet or Rural Address v	where well is located (if unknown, distance and
Business: Address: 2928			intersection): If at owner's address, check here:
Address: 0	Zi MAT	2928	E. KAY
Address: SALIN	013 State: NV ZIP: 67401	9/00	C, (P)
3 LOCATE WELL	4 DEPTH OF COMPLETED WELL:	102 A 5 Tation	J
WITH "X" IN	Depth(s) Groundwater Encountered: 1) 25	f Landi	de: (decimal degrees) tude: (decimal degrees)
SECTION BOX:	2) ft. 3) ft., or 4)		ntal Datum: WGS 84 NAD 83 NAD 27
N	WELL'S STATIC WATER LEVEL: 2.5.	, ft. Source	for Latitude/Longitude:
	below land surface, measured on (mo-day-ye	' \(\rightarrow\)	PS (unit make/model:)
NW NE	above land surface, measured on (mo-day-yi	·	(WAAS enabled? ☐ Yes ☐ No)
	Pump test data: Well water was30 ft.		nd Survey
W	after hours pumpingg	om U Or	nline Mapper:
SW SE	after hours pumping g	om	
	Estimated Yield:gpm	6 Elevat	tion:ft. Ground Level TOC
S	Bore Hole Diameter:		: Land Survey GPS Topographic Map
mile	in. to	ft.	Other
7 WELL WATER TO BE USED AS:			
1. Domestic:	5. Public Water Supply: well ID		Field Water Supply: lease
☐ Household ✓ Lawn & Garden	6. ☐ Dewatering: how many wells?7. ☐ Aquifer Recharge: well ID		sed Uncased Geotechnical
Livestock	8. Monitoring: well ID		ermal: how many bores?
2. Irrigation	9. Environmental Remediation: well ID		osed Loop
3. Feedlot	☐ Air Sparge ☐ Soil Vapor Ex		en Loop Surface Discharge Inj. of Water
4. Industrial	☐ Recovery ☐ Injection	13. 🗌 Otl	ner (specify):
Was a chemical/bacteriological sample submitted to KDHE? The Yes No If yes, date sample was submitted:			
Water well disinfected? Ves No			
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded			
Casing diameter			
Casing height above land surface			
	nless Steel Fiberglass PVC	□ Oth	er (Specify)
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:			
☐ Continuous Slot 🔀 Mill Slot. 🙉 Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)			
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole) SCREEN-PERFORATED INTERVALS: From			
SCREEN-PERFORATI	ED INTERVALS: From	. ft., From ft. to	
	CK INTERVALS: From22 ft. to		tt., From tt. to tt.
9 GROUT MATERIA	AL: Neat cement Cement grout Ben	tonite U Other	Δ
Grout Intervals: From			
□ Septic Tank □ Lateral Lines □ Pit Privy □ Livestock Pens □ Insecticide Storage			
Sewer Lines	☐ Cess Pool ☐ Sewage Lago		☐ Abandoned Water Well
Watertight Sewer Lin		☐ Fertilizer Stor	rage
Other (Specify)	1/220 = 1.1		0
Direction from well?	NORTH Distance from wel	FROM TO	ft. LITHO. LOG (cont.) or PLUGGING INTERVALS
10 FROM TO (3)	LITHOLOGIC LOG	FROM 10	LITHO. LOG (cont.) of PLOGGING INTERVALS
1 5 1 V	FILL DIET CLAY BROWN SILTY		
18 21	SARIOY LOOM		F1-604A
21 34	Chay TAN FIEM		
34 60		1N	
40 42	SARD LARGE HEAVY TA		
4	V =	Notes:	
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, or plugged under my jurisdiction and was completed on (mo-day year) and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No.			
under my jurisdiction and was completed on (mo-day year) and this record is true to the best of my knowledge and belief.			
Kansas water well contractor's License No. 200 Inis water well kecord was completed on (mo-day-year) &			
under the business name of PLST.Ind.GILL. PNMPSERVICAC Signature			
1000 SW Jackson St	L, Suite 420, Topeka, Kansas 66612-1367. Mail one to W	ater Well Owner and retain or	ne for your records. Telephone 785-296-5524.