WATER WELL R		WWC-5		sion of Water		mw 2	
Original Record		ge in Well Use		irces App. No.		Well ID	
1 LOCATION OF W	ATER WELL:	Fraction		ion Number	Township Numb		
County: Saline NE¼ NW¼ NW¼ NW¼ 23 T 14 S R 3 □ E ■ W							
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and							
Business: Former Westside Laundry direction from nearest town or intersection): If at owner's address, check here:							
Address: 1515 W. C	rawtord St.						
City: Salina	State: KS	ZIP: 67401					
3 LOCATE WELL			45		20.0000	0.7	
WITH "X" IN		MPLETED WELL:		5 Latitude	. 38.8268	87(decimal degrees)	
SECTION BOX:	Depth(s) Groundwater		Longitude: -97.629559 (decimal degrees)				
N	2)π. 3)π., or 4) □ Dry well				Horizontal Datum: WGS 84 NAD 83 NAD 27		
X	WELL'S STATIC WATER LEVEL: ft. below land surface, measured on (mo-day-yr)				Source for Latitude/Longitude:		
	above land surface		☐ GPS (unit make/model:				
NW NE	Pump test data: Well v		Land Survey Topographic Map				
w E	afterhour		Online Mapper: Google				
	Well						
SW SE	after hours pumping gpm				1779 740		
	Estimated Yield:gpm			6 Elevation: 1.229.3.4ft. Ground Level X TOC			
S	Bore Hole Diameter: 8.25 in. to 45 ft. and			Source:			
1 mile 11. 10 11.							
7 WELL WATER TO BE USED AS: 1. Domestic: 5. Public Water Supply: well ID							
1. Domestic:							
Household	6. Dewatering: how many wells?			11. Test Hole: well ID			
☐ Lawn & Garden☐ Livestock	/. ☐ Aquiter R	techarge: well ID	<i>l</i> -2	12. Geothermal: how many bores?			
2. Irrigation	9. Environmental Remediation: well ID						
3. Feedlot		e Soil Vapor E				ischarge Inj. of Water	
4. Industrial	☐ Recovery						
Water well disinfected? Yes No							
8 TYPE OF CASING	in to 25 # PV	Diameter	in to	f Diamete	J Glued 🔲 Clampe	d ☐ weided ☐ Threaded	
8 TYPE OF CASING USED: ☐ Steel ☐ PVC ☐ Other							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel ☐ Fiberglass ■ PVC ☐ Other (Specify)							
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
☐ Continuous Slot ■ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)							
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)							
SCREEN-PERFORATED INTERVALS: From .25							
GRAVEL PACK INTERVALS: From 23 ft. to 45 ft., From ft. to ft., From ft. to ft.							
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other							
Grout Intervals: From							
Nearest source of possible contamination:							
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage							
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well							
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well							
☐ Other (Specify)							
10 FROM TO	LITHOLO		FROM			r PLUGGING INTERVALS	
	Topsoil	0.0 0.00	1 ACIVI	.0 1	200 (0011.) 0	. 12000IIIO II 11EKYALD	
	Silty Clay, dark brown						
	Silty Clay, brown						
	Silty Clay, brown						
	Silty Clay, orangish b	rown	1				
	only Grangish b	7711					
	at the state of th		Notes:				
110165.							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged							
under my jurisdiction and was completed on (mo-day-year) 5-23-2018 and this record is true to the best of my knowledge and belief							
Kansas Water Well Contractor's License No. 604. This Water Well Record was completed on (mo-day-year)							
under the business name	e of Environmental P	riority Service	Sig	nature	4. d. 17.		
Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section,							
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your relords. Telephone 785-296-5524.							
Visit us at http://www.kdhcks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015							