

Corrected

WATER WELL RECORD Form WWC-5

Original Record Correction Change in Well Use

Division of Water Resources App. No.

49225

Well ID

1 LOCATION OF WATER WELL: County: Saline Fraction SW 1/4 SW 1/4 SW 1/4 SW 1/4 Section Number 10 Township Number T 14 S Range Number R 3 E W

2 WELL OWNER: Last Name PHIZENMAIER First: DAVID Business: Pfizenmaier Address: 787 20TH RD City: CLAY CENTER State: KANS ZIP: 67432 Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): 500 FT NORTH ON N FAIRCHILDS ROAD FROM STATE ST SALINA. KS THEN 60 FT EAST OF FAIRCHILDS RD

3 LOCATE WELL WITH "X" IN SECTION BOX: N W E S X

4 DEPTH OF COMPLETED WELL: 77 ft. Depth(s) Groundwater Encountered: 1) 43 ft. 2) ft. 3) ft. or 4) Dry Well WELL'S STATIC WATER LEVEL: 20 ft. below land surface, measured on (mo-day-yr) 12/26/2019

5 Latitude: 38.841835 Longitude: 97.649308 Datum: WGS 84 Source for Latitude/Longitude: GPS (unit make/model) (WAAS enabled?) Land Survey Topographic Map Online Mapper Elevation: 1218 ft. Ground Level TOC Source: Land Survey GPS Topographic Map Other KOLAR

7 WELL WATER TO BE USED AS: 1. Domestic: Household Lawn & Garden Livestock 2. Irrigation 3. Feedlot 4. Industrial 5. Public Water Supply: well ID 6. Dewatering: how many wells? 7. Aquifer Recharge: well ID 8. Monitoring: well ID 9. Environmental Remediation: well ID Air Sparge Soil Vapor Extraction Recovery Injection 10. Oil Field Water Supply: lease 11. Test Hole: well ID Cased Uncased Geotechnical 12. Geothermal: how many bores? a) Closed Loop Horizontal Vertical b) Open Loop Surface Discharge Inj. of Water 13. Other (specify):

Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted: Water well disinfected? Yes No

8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter 6 in. to 77 ft. Diameter in. to ft. Diameter in. to ft. Casing height above land surface 34 in. Weight lbs./ft. Wall thickness or gauge No. SCH-40

TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel PVC Other (Specify) Brass Galvanized Steel None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE: Continuous Slot Mill Slot Gauge Wrapped Torch Cut Drilled Holes Other (Specify) Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)

SCREEN-PERFORATED INTERVALS: From 37 ft to 77 ft. From ft. to ft. From ft. to ft. GRAVEL PACK INTERVALS: From 25 ft. to 77 ft. From ft. to ft. From ft. to ft.

9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From 0 ft. to 25 ft. From ft. to ft. From ft. to ft.

Nearest source of possible contamination: No potential source of contamination within 200 ft. Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well Other (Specify)

10 FROM TO LITHOLOGIC LOG FROM TO LITHO. LOG (cont.) or PLUGGING INTERVALS

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHO. LOG (cont.) or PLUGGING INTERVALS
0	3	TOP SOIL			
3	32	CLAY			
32	47	FINE SAND			
47	71	MED SAND			
71	77	GREY SHALE			

Notes:

11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) 12/26/2019 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 914 This Water Well Record was completed on (mo-day-year) 12/28/2019 under the business name of Flint Hills Drilling