


WATER WELL RECORD				Form WWC-5	KSA 82a-1212	Township Number		Range Number	
Section Number				2		T 14 S		R 3	
LOCATION OF WATER WELL:				Fraction		NE 1/4 NE 1/4 NE 1/4		2	
County				Saline		Distance and direction from nearest town or city street address of well if located within city?		MW 6	
1745 N 9th, Salina, Ks.				Board of Agriculture, Division of Water Resources		Application Number:			
2 WATER WELL OWNER: C.L. Clark				RR#, St. Address, Box #		129 S 8th		City, State, ZIP Code	
Salina, Ks. 67401				3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL		35 ft. ELEVATION:	
				Depth(s) Groundwater Encountered		1		ft. 2	
WELL'S STATIC WATER LEVEL				30.41		ft. below land surface measured on mo/day/yr		8-21-91	
Pump test data: Well water was				Est. Yield		gpm		Well water was	
Bore Hole Diameter				7 5/8 in. to		35		ft. after	
WELL WATER TO BE USED AS:				5 Public water supply		8 Air conditioning		11 Injection well	
1 Domestic				3 Feedlot		6 Oil field water supply		9 Dewatering	
2 Irrigation				4 Industrial		7 Lawn and garden only		10 Monitoring well	
Was a chemical bacteriological sample submitted to Department? Yes				No		X		If yes, mo/day/yr sample was sub-	
mitted				Water Well Disinfected? Yes		No		X	
5 TYPE OF BLANK CASING USED:				3 Wrought iron		8 Concrete tile		CASING JOINTS: Glued	
1 Steel				6 Asbestos-Cement		9 Other (specify below)		Welded	
2 PVC				7 Fiberglass				Threaded	
Blank casing diameter				2 in. to		25		ft. Dia	
Casing height above land surface				24		in. weight		lbs./ft. Wall thickness or gauge No. Sch. 40	
TYPE OF SCREEN OR PERFORATION MATERIAL:				5 Fiberglass		8 RMP (SR)		10 Asbestos-cement	
1 Steel				6 Concrete tile		9 ABS		11 Other (specify)	
2 Brass				5 Gauzed wrapped		8 Saw cut		12 None used (open hole)	
SCREEN OR PERFORATION OPENINGS ARE:				6 Wire wrapped		9 Drilled holes		11 None (open hole)	
1 Continuous slot				7 Torch cut		10 Other (specify)			
2 Louvered shutter				3 Mill slot		4 Key punched			
SCREEN-PERFORATED INTERVALS:				From		25		ft. to	
GRAVEL PACK INTERVALS:				From		22.5		ft. to	
6 GROUT MATERIAL:				1 Neat cement		2 Cement grout		3 Bentonite	
Grout intervals: From				0		ft. to		17 (cement)	
What is the nearest source of possible contamination:				7 Pit privy		8 Sewage lagoon		9 Feedyard	
1 Septic tank				4 Lateral lines		5 Cess pool		6 Seepage pit	
2 Sewer lines				10 Livestock pens		11 Fuel storage		12 Fertilizer storage	
3 Watertight sewer lines				13 Insecticide storage		14 Abandoned water well		15 Oil well/Gas well	
Direction from well? NE				LITHOLOGIC LOG		FROM		TO	
FROM				TO		NE		PLUGGING INTERVALS	
0				4		Clay, black, silty			
4				10		Gravel, coarse			
10				16		Clay, brown, fine sand, silt			
16				25		Sand, brown, fine, silt			
25				35		Silt, brown, fine sand			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was				1 constructed		(2) reconstructed, or (3) plugged under my jurisdiction and was			
completed on (mo/day/year)				7-23-91		and this record is true to the best of my knowledge and belief. Kansas		8-21-91	
Water Well Contractor's License No.				527		This Water Well Record was completed on (mo/day/yr)			
under the business name of				GeoCore Services, Inc.		by (signature)			
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.									