	WATER	R WELL RECORD F	orm WWC-5	KSA 82a	1-1212			
LOCATION OF WATER WELL:	Fraction		Sect	ion Number	1	umber	Range Number	
County: SALINE	SW 1/4	SW 1/4 SE	1/4	7	T 14	<u> </u>	R 3 EW	
Distance and direction from nearest to	_		within city?					
*	96 W. STAT S	T.		***************************************				
WATER WELL OWNER: BRUCE								
RR#, St. Address, Box # : 4296 W. STATE ST.				Board of Agriculture, Division of Water Resources				
City, State, ZIP Code : SALTNA, KS. 67401				Application Number:				
LOCATE WELL'S LOCATION WITH	4 DEPTH OF C	OMPLETED WELL	_62	. ft. ELEVA	TION:			
AN "X" IN SECTION BOX:	Depth(s) Ground	water Encountered 1,	14.5	ft. 2	2 <i>.</i>	ft. 3		
Company of Color of C	WELL'S STATIC	WATER LEVEL 14	•5 ft. be	elow land sur	rface measured or	mo/day/yr	5-23-91	
504 505	Pump	test data: Well water	was31	ft. a	ifter 2	. hours pu	mping 30 gpm	
acc acc NW acc acc acc NE acc acc							mping gpm	
	Bore Hole Diame	eter9in. to	62		and	in.	. to	
E F	: I		Public water		8 Air conditioning		Injection well	
	1 Domestic	3 Feedlot 6	Oil field wat	er supply	9 Dewatering	12	Other (Specify below)	
case case SW come asset and acres SE and acre	2 Irrigation							
x	Was a chemical/b				to to		, mo/day/yr sample was sub-	
Contraction of the contraction o	mitted			-	ter Well Disinfecte	-	X No	
TYPE OF BLANK CASING USED:	***************************************	5 Wrought iron	8 Concre				d . X Clamped	
」 1 Steel 3 RMP (\$	SR)	6 Asbestos-Cement		specify below			ed	
2 PVC 4 ABS	,	7 Fiberglass	,				aded	
Blank casing diameter5	in. to 52 .						in. to ft.	
Casing height above land surface								
TYPE OF SCREEN OR PERFORATION		, .	7 PV0			estos-ceme		
1 Steel 3 Stainless steel 5 Fiberglass						Other (specify)		
2 Brass 4 Galvan	6 Concrete tile	9 ABS			ne used (op			
SCREEN OR PERFORATION OPENI		wrapped				11 None (open hole)		
1 Continuous slot 3 Mill slot .035 6 Wire wra					9 Drilled holes			
					v)			
SCREEN-PERFORATED INTERVALS	6: From56	3 ft. to	60	ft Fro	m	, , , , , ft. t	oft.	
							oft.	
GRAVEL PACK INTERVALS	S: From	20 ft. to	62	ft., Fro	m	ft. t	:o	
	From						o ft.	
GROUT MATERIAL: 1 Neat	t cement		3 Bento					
Grout Intervals: From0	. ft. to 20	ft., From	ft. 1	to	ft., From		ft. to	
What is the nearest source of possible							bandoned water well	
1 Septic tank 4 Lateral lines		7 Pit privy		· •		15 Oil well/Gas well		
2 Sewer lines 5 Cess pool		8 Sewage lagoon		12 Fertilizer storage		16 Other (specify below)		
3 Watertight sewer lines 6 Seepage pit		9 Feedyard		13 Insecticide storage				
Direction from well? EAST		•		How ma	iny feet?	OVER 5	0	
FROM TO	LITHOLOGIC	LOG	FROM	TO	P	LUGGING I	NTERVALS	
0 3 TOP SC)IL							
3 35 CLAY E	BROWN							
35 40 SAND F	'INE			The second secon				
40 50 CLAY G	RAY	***************************************						
	SAND							
		707No. 11110No. 1111						

				77. 77.77 A.M. San and Abanesa Assaulta				
					1.401			
						V		
	···							
CONTRACTOR'S OR LANDOWNI	ER'S CERTIFICATI	ON: This water well wa	(1) construe	cted, (2) reco	onstructed, or (3)	plugged und	der my jurisdiction and was	
completed on (mo/day/year)	5-23-91			and this reco	ord is true to the be	est of my kr	nowledge and belief. Kansas	
Water Well Contractor's License No.	388	This Water We	Il Record wa	s completed	oh (mo/glay/yr)	9 5- 3 73-	29	
	STINGER PUMP			by (signa	Van and All A	MU	lates B	