


USE TYPEWRITER OR ALL
POINT PEN ONLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:	County <u>SALINE</u>	Fraction <u>NE 1/4 NE 1/4 NE 1/4</u>	Section number <u>11</u>	Township number T <u>14</u> S R	Range number <u>3</u> EW
2. Distance and direction from nearest town or city: <u>SALINA- LIMITS</u>			3. Owner of well: <u>FARMERS CO-OP ASSOC.</u>		
Street address of well location if in city: <u>821 NORTH BROADWAY</u>			R.R. or street: <u>821 N. BROADWAY</u>		
City, state, zip code: <u>SALINA, KS. 67401</u>					
4. Locate with "X" in section below: Sketch map: 			6. Bore hole dia. <u>10</u> in. Completion date <u>4-22-78</u> Well depth <u>40</u> ft.		
			7. <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input checked="" type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary		
			8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input checked="" type="checkbox"/> Other		
			9. Casing: Material <input type="checkbox"/> Height: Above or below <u>XXXX</u> Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface <u>24</u> in. RMP <input type="checkbox"/> PVC <input checked="" type="checkbox"/> Weight <u>10</u> lbs./ft. Dia. <u>5</u> in. to <u>40</u> ft. depth Wall Thickness: inches or Dia. <u>5</u> in. to <u>40</u> ft. depth gage No. <u>250</u>		
5. Type and color of material			From	To	10. Screen: Manufacturer's name <u>JOHNSON MFG.</u>
TOPSOIL			0	9	Type <u>PVC</u> Dia. <u>5"</u>
CLAY, RED BROWN SOFT SANDY			10	13	Slot/gauze <u>40/10000</u> Length <u>10'</u>
CLAY, SANDY, BROWN VERY SOFT, WET			14	24	Set between <u>20</u> ft. and <u>30</u> ft.
SAND, VERY FINE TO FINE BROWN			25	37	ft. and <u> </u> ft.
SAND, FINE TO MED. COARSE, BROWN			38	40	Gravel pack <u>yes</u> Size range of material <u>med. co.</u>
					11. Static water level: <u>22.9</u> mo./day/yr. below land surface Date <u>4-22-78</u>
					12. Pumping level below land surfaces: ft. after <u> </u> hrs. pumping <u> </u> g.p.m. ft. after <u> </u> hrs. pumping <u> </u> g.p.m. Estimated maximum yield <u>no pumping</u> g.p.m.
					13. Water sample submitted: <u> </u> mo./day/yr. Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date <u> </u>
					14. Well head completion: <u>NO</u> <input type="checkbox"/> Pitless adapter <u> </u> Inches above grade
					15. Well grouted? <u>yes</u> With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From <u>0</u> ft. to <u>1</u> ft.
					16. Nearest source of possible contamination: ft. <u> </u> Direction <u> </u> Type <u> </u> Well disinfected upon completion? <u> </u> Yes <input type="checkbox"/> No <input type="checkbox"/>
					17. Pump: Manufacturer's name <u>MYERS</u> Not installed Model number <u> </u> HP <u>1/3</u> Volts <u>230</u> Length of drop pipe <u>25</u> ft. capacity <u>1</u> g.p.m. Type: <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other
18. Elevation:			20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. <u>PESTINGER DRILLING CO.</u> Business name <u>1105 S. 9TH</u> License No. <u>328</u> Address <u> </u> Signed <u> </u> Date <u> </u> Authorized representative <u> </u>		
19. Remarks: THIS WELL WAS DRILLED STRICKLY FOR A RECOVERY WELL. ACCORDING TO SOURCES APPROX. 5-8,000 GALS. OF GASOLINE HAS BEEN LOST. AFTER PROPER PUMPING AND 100% OF TRIAL RECOVERY, WELL WILL BE FILLED AND SEALED, ACCORDING TO LAW. (WELL GROUTED 1' ONLY BECAUSE OF SURROUNDING CONCRETE SLAB)					

Forward the white, blue and pink copies to the Department of Health and Environment

Form WW