

1 LOCATION OF WATER WELL: County: <u>Saline</u>	Fraction <u>NE</u> $\frac{1}{4}$ <u>SE</u> $\frac{1}{4}$ <u>SE</u> $\frac{1}{4}$	Section Number <u>11</u>	Township Number <u>T 14</u> <u>S</u>	Range Number <u>R 3</u> <u>W</u>
--	---	-----------------------------	---	-------------------------------------

Distance and direction from nearest town or city street address of well if located within city?

In City Limits2 WATER WELL OWNER: Saline County Commission on AgingRR#, St. Address, Box # : 245 N. 9th Ave.

Board of Agriculture, Division of Water Resources

City, State, ZIP Code : Salina, Ks. 67401

Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

4 DEPTH OF COMPLETED WELL: 63 ft. ELEVATION:Depth(s) Groundwater Encountered 1. 35 ft. 2. 35 ft. 3. 35 ft.WELL'S STATIC WATER LEVEL 35 ft. below land surface measured on mo/day/yr 10/30/86Pump test data: Well water was 37 ft. after 2 hours pumping 30 gpmEst. Yield 75-100 gpm: Well water was 37 ft. after 2 hours pumping 30 gpmBore Hole Diameter 8 in. to 63 ft., and 63 in. to 63 ft.

WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well

1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)

2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation wellWas a chemical/bacteriological sample submitted to Department? Yes X No X; If yes, mo/day/yr sample was submittedWater Well Disinfected? Yes X No

5 TYPE OF BLANK CASING USED:

1 Steel

3 RMP (SR)

5 Wrought iron

8 Concrete tile

CASING JOINTS: Glued X Clamped2 PVC

4 ABS

6 Asbestos-Cement

9 Other (specify below)

Welded

7 Fiberglass

Threaded

Blank casing diameter 5 in. to 43 ft., Dia. 43 in. to 43 ft., Dia. 43 in. to 43 ft.Casing height above land surface 12 in., weight 2.91 lbs./ft. Wall thickness or gauge No. 2.65

TYPE OF SCREEN OR PERFORATION MATERIAL:

1 Steel

3 Stainless steel

5 Fiberglass

7 PVC

10 Asbestos-cement

2 Brass

4 Galvanized steel

6 Concrete tile

8 RMP (SR)

11 Other (specify)

9 ABS

12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

1 Continuous slot

3 Mill slot

5 Gauzed wrapped

8 Saw cut

11 None (open hole)

2 Louvered shutter

4 Key punched

6 Wire wrapped

9 Drilled holes

7 Torch cut

10 Other (specify)

SCREEN-PERFORATED INTERVALS: From 43 ft. to 63 ft., From 43 ft. to 63 ft., From 43 ft. to 63 ft.GRAVEL PACK INTERVALS: From 15 ft. to 63 ft., From 15 ft. to 63 ft., From 15 ft. to 63 ft.From 15 ft. to 63 ft., From 15 ft. to 63 ft., From 15 ft. to 63 ft.From 15 ft. to 63 ft., From 15 ft. to 63 ft., From 15 ft. to 63 ft.From 15 ft. to 63 ft., From 15 ft. to 63 ft., From 15 ft. to 63 ft.From 15 ft. to 63 ft., From 15 ft. to 63 ft., From 15 ft. to 63 ft.From 15 ft. to 63 ft., From 15 ft. to 63 ft., From 15 ft. to 63 ft.From 15 ft. to 63 ft., From 15 ft. to 63 ft., From 15 ft. to 63 ft.From 15 ft. to 63 ft., From 15 ft. to 63 ft., From 15 ft. to 63 ft.From 15 ft. to 63 ft., From 15 ft. to 63 ft., From 15 ft. to 63 ft.From 15 ft. to 63 ft., From 15 ft. to 63 ft., From 15 ft. to 63 ft.From 15 ft. to 63 ft., From 15 ft. to 63 ft., From 15 ft. to 63 ft.From 15 ft. to 63 ft., From 15 ft. to 63 ft., From 15 ft. to 63 ft.From 15 ft. to 63 ft., From 15 ft. to 63 ft., From 15 ft. to 63 ft.From 15 ft. to 63 ft., From 15 ft. to 63 ft., From 15 ft. to 63 ft.From 15 ft. to 63 ft., From 15 ft. to 63 ft., From 15 ft. to 63 ft.From 15 ft. to 63 ft., From 15 ft. to 63 ft., From 15 ft. to 63 ft.From 15 ft. to 63 ft., From 15 ft. to 63 ft., From 15 ft. to 63 ft.From 15 ft. to 63 ft., From 15 ft. to 63 ft., From 15 ft. to 63 ft.From 15 ft. to 63 ft., From 15 ft. to 63 ft., From 15 ft. to 63 ft.From 15 ft. to 63 ft., From 15 ft. to 63 ft., From 15 ft. to 63 ft.From 15 ft. to 63 ft., From 15 ft. to 63 ft., From 15 ft. to 63 ft.From 15 ft. to 63 ft., From 15 ft. to 63 ft., From 15 ft. to 63 ft.From 15 ft. to 63 ft., From 15 ft. to 63 ft., From 15 ft. to 63 ft.From 15 ft. to 63 ft., From 15 ft. to 63 ft., From 15 ft. to 63 ft.From 15 ft. to 63 ft., From 15 ft. to 63 ft., From 15 ft. to 63 ft.From 15 ft. to 63 ft., From 15 ft. to 63 ft., From 15 ft. to 63 ft.From 15 ft. to 63 ft., From 15 ft. to 63 ft., From 15 ft. to 63 ft.From 15 ft. to 63 ft., From 15 ft. to 63 ft., From 15 ft. to 63 ft.From 15 ft. to 63 ft., From 15 ft. to 63 ft., From 15 ft. to 63 ft.From 15 ft. to 63 ft., From 15 ft. to 63 ft., From 15 ft. to 63 ft.From 15 ft. to 63 ft., From 15 ft. to 63 ft., From 15 ft. to 63 ft.From 15 ft. to 63 ft., From 15 ft. to 63 ft., From 15 ft. to 63 ft.From 15 ft. to 63 ft., From 15 ft. to 63 ft., From 15 ft. to 63 ft.7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 10/30/86 and this record is true to the best of my knowledge and belief. KansasWater Well Contractor's License No. 138 This Water Well Record was completed on (mo/day/yr) 11/3/86under the business name of Peterson Irrigation, Inc. by (signature) Mike Peterson

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Office of Oil Field and Environmental Geology, Regulation and Permitting Section, Topeka, Kansas 66620-7500, Telephone: 913-862-9360. Send one to WATER WELL OWNER and retain one for your records.