LICOATIC	كالمتعارض والمتراث والم والمتراث والمتراث والمتراث والمتراث والمتر	WAT		rm WWC-5		a-1212	<del>i jagan kanala da ka</del>	
	ON OF WATE				tion Number	V 200 C 1 C 1 C 1 C 1 C 1 C 1 C 1 C 1 C 1 C	Α .	Range Number
County:	Saline		14 SW 14 SW		13	T /	<u> </u>	R S EMD
		om nearest town or city street	address of well if located v	vithin city?				
1	220 U	V. Crawford		onena artikaria.				
WATER	WELL OWNE							
RR#, St. A	Address, Box #	t: 29, Greenwo	ay Plaza			Board o	f Agriculture, D	ivision of Water Resources
City, State,		: Houston	Tx 77046				ion Number:	
		CATION WITH 4 DEPTH OF		39,2	f FIFW			
ĀÑ "X" Ī	IN SECTION I		ndwater Encountered 1.					
	<del></del>		C WATER LEVEL 32					
1				1.1				
-	- NW  -	= Nr == 1	mp test data: Well water v					(4) (4) (4)
			gpm: Well water v					147, 147.
<u>*</u> w			meter & in. to					
Σ				Public wate		8 Air condition		njection well
	_ sw	- SF 1 Domesti						Other (Specify below)
I I I		2 Irrigation						ena kanadan panakan kanakaran
l l×	<u> </u>	l Was a chemica	ıl/bacteriological sample sub	mitted to D	epartment?	/esNo	,; If yes,	mo/day/yr sample was sub-
L	S	mitted			W	ater Well Disinfe	cted? Yes	(No)
TYPE O	F BLANK CA	SING USED:	5 Wrought iron	8 Concr	ete tile	CASING .	IOINTS: Glued	Clamped
ر 1 Ste		3 RMP (SR)	6 Asbestos-Cement	9 Other	(specify belo	ow)	Welde	d.,,
(2)PV		4 ABS	7 Fiberglass		**** and the	್ಲಾದೆ - ೬೯೩೯೩ - ೩೪೩೪ - ೩೪೩೪ - ೩೪೩೪ - ೩೪೩೪ - ೩೪೩೪ - ೩೪೩೪ - ೩೪೩೪ - ೩೪೩೪ - ೩೪೩೪ - ೩೪೩೪ - ೩೪೩೪ - ೩೪೩೪ - ೩೪೩೪ - ೩೪೩೪ - ೩೪೩	Thread	ded F. J
		2in. to24	t ft., Dia					
		d surface	F					de des intresentantes en
	The same of the sa	A STATE OF THE STA	REMANDING TO STATE OF THE STATE	<i>€</i> 2₽v			s or gauge included	
		PERFORATION MATERIAL:	ėl į į į į į į į į į į į į į į į į į į į	****				
1 Ste		3 Stainless steel	5 Fiberglass		1P (SR)		마스 보고 자연하다. 기업 취임.	
2 Bra		4 Galvanized steel	6 Concrete tile	9 AB	8		lone used (op€	
		TION OPENINGS ARE:	5 Gauzed	The state of the s				11 None (open hole)
	ntinuous slot	€3/Mill slot	6 Wire wra	4.4		9 Drilled hole		
	uvered shutter		7 Torch cu	it you		10 Other (spe	cify)	
SCREEN-F	PERFORATED	INTERVALS: From						ta a na ana ang atang at na an <mark>aft</mark> o
		From	ft. to	. (1.63	ft., Fr	omiennen nach	ft. to	(
G	BRAVEL PACE	(INTERVALS: From	. <b>22</b> ft. to	39.	ft., Fr	om;	ft. to	
<u> </u>		From	ft, to		ft., Fr	om		ft.
GROUT			AMERICAN.					
and the second second second	MATERIAL:	1 Neat cement	2)Cement grout	(3)Bento	onite 4	Other		******
	MATERIAL: vals: From.	1 Neat cement	2)Cement grout	<b>∄</b> Bento	onite 4 to	Other ft., From		i ft. to seemen v ft.
Grout Inter	vals: From	1 Neat cement  O ft. to 22 ree of possible contamination:	2)Cement grout	③Bento	to,	Other ft., From stock pens	*******	ft. to
Grout Inter What is the	vals: From. e nearest sour	Øft. to22	ft., From	<b>③</b> Bento	to	ft., From stock pens	14 Ab	. ft. to
Grout Inter What is the 1 Sep	vals: From, e nearest sour ptic tank	ce of possible contamination: 4 Lateral lines	7 Pit privy	tt.	to	ft., From stock pens I storage	14 Ab 15 Oi	ft. to
Grout Inter What is the 1 Sej 2 Sej	vals: From. e nearest sour ptic tank wer lines	ce of possible contamination: 4 Lateral lines 5 Cess pool	7 Pit privy 8 Sewage lagoor	tt.	to	ft., From stock pens I storage ilizer storage	14 Ab 15 Oi 16 Ot	ft. toft. vandoned water well I well/Gas well her (specify below)
Grout Inter What is the 1 Sej 2 Sev 3 Wa	vals: From. e nearest sour ptic tank wer lines atertight sewer	ce of possible contamination: 4 Lateral lines	7 Pit privy	tt.	to	ft., From stock pens I storage ilizer storage octicide storage	14 Ab 15 Oi 16 Ot	ft. to
Grout Inter What is the 1 Sej 2 Sej	vals: From. e nearest sour ptic tank wer lines atertight sewer	rce of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit	7 Pit privy 8 Sewage lagooi 9 Feedyard	tt.	to	ft., From stock pens I storage ilizer storage	14 Ab 15 Oi 16 Ot	ft. toft.  pandoned water well  I well/Gas well  her (specify below)
Grout Inter What is the 1 Sep 2 Sep 3 Wa Direction fr FROM	vals: From. e nearest sour ptic tank wer lines atertight sewer rom well?	ce of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit	7 Pit privy 8 Sewage lagooi 9 Feedyard	ft.	to	ft., From stock pens I storage ilizer storage octicide storage	14 Ab 15 Qi 16 Ot	ft. toft.  pandoned water well  I well/Gas well  her (specify below)
Grout Inter What is the 1 Se 2 Se 3 Wa Direction fr	vals: From. e nearest sour ptic tank wer lines atertight sewer rom well? TO	ce of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit LITHOLOGI	7 Pit privy 8 Sewage lagoor 9 Feedyard	ft.	to	ft., From stock pens I storage ilizer storage octicide storage	14 Ab 15 Qi 16 Ot	ft. toft.  pandoned water well  I well/Gas well  her (specify below)
Grout Inter What is the 1 Sep 2 Sep 3 Wa Direction fr FROM	vals: From. e nearest sour ptic tank wer lines atertight sewer rom well?	ce of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit  LITHOLOGIC  CONCRETE  Blown Siffy	7 Pit privy 8 Sewage lagoor 9 Feedyard C LOG	ft.	to	ft., From stock pens I storage ilizer storage octicide storage	14 Ab 15 Qi 16 Ot	ft. toft.  pandoned water well  I well/Gas well  her (specify below)
Grout Inter What is the 1 Sep 2 Sep 3 Wa Direction fr FROM	rvals: From. e nearest sour ptic tank wer lines atertight sewer rom well? TO  15  8  27	ce of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit  LITHOLOGIC  CANCELE  BROWN Siffy	7 Pit privy 8 Sewage lagoor 9 Feedyard C LOG	ft.	to	ft., From stock pens I storage ilizer storage octicide storage	14 Ab 15 Qi 16 Ot	ft. toft.  pandoned water well  I well/Gas well  her (specify below)
Grout Inter What is the 1 Sep 2 Sep 3 Wa Direction fr FROM	vals: From. e nearest sour ptic tank wer lines atertight sewer rom well?	ce of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit  LITHOLOGIC  CONCRETE  Blown Siffy	7 Pit privy 8 Sewage lagoor 9 Feedyard C LOG	ft.	to	ft., From stock pens I storage ilizer storage octicide storage	14 Ab 15 Qi 16 Ot	ft. toft.  pandoned water well  I well/Gas well  her (specify below)
Grout Inter What is the 1 Sep 2 Sep 3 Wa Direction fr FROM	rvals: From. e nearest sour ptic tank wer lines atertight sewer rom well? TO  15  8  27	ce of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit  LITHOLOGIC  CANCELE  BROWN Siffy	7 Pit privy 8 Sewage lagoor 9 Feedyard C LOG	ft.	to	ft., From stock pens I storage ilizer storage octicide storage	14 Ab 15 Qi 16 Ot	ft. toft.  pandoned water well  I well/Gas well  her (specify below)
Grout Inter What is the 1 Sep 2 Sep 3 Wa Direction fr FROM	rvals: From. e nearest sour ptic tank wer lines atertight sewer rom well? TO  15  8  27	ce of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit  LITHOLOGIC  CANCELE  BROWN Siffy	7 Pit privy 8 Sewage lagoor 9 Feedyard C LOG	ft.	to	ft., From stock pens I storage ilizer storage octicide storage	14 Ab 15 Qi 16 Ot	ft. toft.  pandoned water well  I well/Gas well  her (specify below)
Grout Inter What is the 1 Sep 2 Sep 3 Wa Direction fr FROM	rvals: From. e nearest sour ptic tank wer lines atertight sewer rom well? TO  15  8  27	ce of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit  LITHOLOGIC  CANCELE  BROWN Siffy	7 Pit privy 8 Sewage lagoor 9 Feedyard C LOG	ft.	to	ft., From stock pens I storage ilizer storage octicide storage	14 Ab 15 Qi 16 Ot	ft. toft.  pandoned water well  I well/Gas well  her (specify below)
Grout Inter What is the 1 Sep 2 Sep 3 Wa Direction fr FROM	rvals: From. e nearest sour ptic tank wer lines atertight sewer rom well? TO  15  8  27	ce of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit  LITHOLOGIC  CANCELE  BROWN Siffy	7 Pit privy 8 Sewage lagoor 9 Feedyard C LOG	ft.	to	ft., From stock pens I storage ilizer storage octicide storage	14 Ab 15 Qi 16 Ot	ft. toft.  pandoned water well  I well/Gas well  her (specify below)
Grout Inter What is the 1 Sep 2 Sep 3 Wa Direction fr FROM	rvals: From. e nearest sour ptic tank wer lines atertight sewer rom well? TO  15  8  27	ce of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit  LITHOLOGIC  CANCELE  BROWN Siffy	7 Pit privy 8 Sewage lagoor 9 Feedyard C LOG	ft.	to	ft., From stock pens I storage ilizer storage octicide storage	14 Ab 15 Qi 16 Ot	ft. toft.  pandoned water well  I well/Gas well  her (specify below)
Grout Inter What is the 1 Sep 2 Sep 3 Wa Direction fr FROM	rvals: From. e nearest sour ptic tank wer lines atertight sewer rom well? TO  15  8  27	ce of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit  LITHOLOGIC  CANCELE  BROWN Siffy	7 Pit privy 8 Sewage lagoor 9 Feedyard C LOG	ft.	to	ft., From stock pens I storage ilizer storage octicide storage	14 Ab 15 Qi 16 Ot	ft. toft.  pandoned water well  I well/Gas well  her (specify below)
Grout Inter What is the 1 Sep 2 Sep 3 Wa Direction fr FROM	rvals: From. e nearest sour ptic tank wer lines atertight sewer rom well? TO  15  8  27	ce of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit  LITHOLOGIC  CANCELE  BROWN Siffy	7 Pit privy 8 Sewage lagoor 9 Feedyard C LOG	ft.	to	ft., From stock pens I storage ilizer storage octicide storage	14 Ab 15 Qi 16 Ot	ft. toft.  pandoned water well  I well/Gas well  her (specify below)
Grout Inter What is the 1 Sep 2 Sep 3 Wa Direction fr FROM	rvals: From. e nearest sour ptic tank wer lines atertight sewer rom well? TO  15  8  27	ce of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit  LITHOLOGIC  CANCELE  BROWN Siffy	7 Pit privy 8 Sewage lagoor 9 Feedyard C LOG	ft.	to	ft., From stock pens I storage ilizer storage octicide storage	14 Ab 15 Qi 16 Ot	ft. toft.  pandoned water well  I well/Gas well  her (specify below)
Grout Inter What is the 1 Sep 2 Sep 3 Wa Direction fr FROM	rvals: From. e nearest sour ptic tank wer lines atertight sewer rom well? TO  15  8  27	ce of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit  LITHOLOGIC  CANCELE  BROWN Siffy	7 Pit privy 8 Sewage lagoor 9 Feedyard C LOG	ft.	to	ft., From stock pens I storage ilizer storage octicide storage	14 Ab 15 Qi 16 Ot	ft. toft.  pandoned water well  I well/Gas well  her (specify below)
Grout Inter What is the 1 Sep 2 Sep 3 Wa Direction fr FROM	rvals: From. e nearest sour ptic tank wer lines atertight sewer rom well? TO  15  8  27	ce of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit  LITHOLOGIC  CANCELE  BROWN Siffy	7 Pit privy 8 Sewage lagoor 9 Feedyard C LOG	ft.	to	ft., From stock pens I storage ilizer storage octicide storage	14 Ab 15 Qi 16 Ot	ft. toft.  pandoned water well  I well/Gas well  her (specify below)
Grout Inter What is the 1 Sep 2 Sep 3 Wa Direction fr FROM	rvals: From. e nearest sour ptic tank wer lines atertight sewer rom well? TO  15  8  27	ce of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit  LITHOLOGIC  CANCELE  BROWN Siffy	7 Pit privy 8 Sewage lagoor 9 Feedyard C LOG	ft.	to	ft., From stock pens I storage ilizer storage octicide storage	14 Ab 15 Qi 16 Ot	ft. toft.  pandoned water well  I well/Gas well  her (specify below)
Grout Inter What is the 1 Sei 2 Sei 3 Wa Direction fr FROM O 27 27	rvals: From. e nearest sour ptic tank wer lines atertight sewer rom well? TO  45 27 4 (	Content to 22 rece of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit  LITHOLOGIC  Convicte  Brown Siffy  Brown Med	7 Pit privy 8 Sewage lagoor 9 Feedyard C LOG Clay Sand	FROM	to	t ft., From stock pens I storage illizer storage exticide storage any feet?	14 Ab 15 Oi 16 Ot	ft. toft. pandoned water well I well/Gas well her (specify below) ITERVALS
Grout Inter What is the 1 Sei 2 Sei 3 Wa Direction fr FROM O 27 27	rvals: From. e nearest sour ptic tank wer lines atertight sewer rom well? TO  45 27 4 (	Control of the contamination:  4 Lateral lines  5 Cess pool  Ilines 6 Seepage pit  LITHOLOGIC  Brown Siffy  Brown Med	7 Pit privy 8 Sewage lagoor 9 Feedyard C LOG Clay Sand	FROM	to	t ft., From stock pens I storage ilizer storage icticide storage any feet?	14 Ab 15 Qi 16 Qt PLUGGING IN	ft. toft.  pandoned water well I well/Gas well her (specify below)  ITERVALS  er my jurisdiction and was
Grout Inter What is the 1 Sei 2 Sei 3 Wa Direction fr FROM O 27 CONTF completed	rvals: From. e nearest sour ptic tank wer lines atertight sewer rom well? TO  / 5  2.7  4 [	Control of the contamination:  4 Lateral lines  5 Cess pool  lines 6 Seepage pit  LITHOLOGI  Control  Brown Siff  Brown Med  R LANDOWNER'S CERTIFICA  ear) 3-30-94	7 Pit privy 8 Sewage lagoor 9 Feedyard C LOG  Clay Sand	FROM  (1) constru	to	stock pens I storage ilizer storage acticide storage any feet?  constructed, or (sord is true to the	14 Ab 15 Qi 16 Qt PLUGGING IN PLUGGING IN PLUGGING IN PLUGGING IN	ft. toft. pandoned water well I well/Gas well her (specify below) ITERVALS
Grout Inter What is the 1 Sei 2 Sei 3 Wa Direction fr FROM O 27 CONTF completed	rvals: From. e nearest sour ptic tank wer lines atertight sewer rom well? TO  / 5  2.7  4 [	Control of the contamination:  4 Lateral lines  5 Cess pool  Ilines 6 Seepage pit  LITHOLOGI  Control  Brown Siff  Brown Med	7 Pit privy 8 Sewage lagoor 9 Feedyard C LOG Clay Sand	FROM  (1) constru	to	stock pens I storage ilizer storage acticide storage any feet?  constructed, or (sord is true to the	14 Ab 15 Qi 16 Qt PLUGGING IN PLUGGING IN PLUGGING IN PLUGGING IN	ft. toft.  pandoned water well I well/Gas well her (specify below)  ITERVALS  er my jurisdiction and was
Grout Inter What is the 1 Sep 2 Sep 3 Water Direction from CO SE 27 CONTE Completed Water Wel	rvals: From. e nearest sour ptic tank wer lines atertight sewer rom well? TO  / 5  2.7  4 [	Continue of possible contamination:  4 Lateral lines  5 Cess pool  lines 6 Seepage pit  LITHOLOGIC  CACTER  Brown Silly  Brown Med  R LANDOWNER'S CERTIFICA  ear) 3.30-94.  License No. 529	7 Pit privy 8 Sewage lagoor 9 Feedyard C LOG C Cay San of San of TION: This water well was	FROM  (1) constru	to	stock pens I storage ilizer storage acticide storage any feet?  constructed, or (sord is true to the	14 Ab 15 Qi 16 Qt PLUGGING IN PLUGGING IN PLUGGING IN PLUGGING IN	ft. toft.  pandoned water well I well/Gas well her (specify below)  ITERVALS  er my jurisdiction and was
Grout Inter What is the 1 Sep 2 Sep 3 Water Direction fr FROM 27 27 CONTF completed Water Wel under the	rvals: From. e nearest sour ptic tank wer lines atertight sewer rom well? TO 6 2.7 4.1  RACTOR'S OF on (mo/day/yo II Contractor's business nam	Continue of possible contamination:  4 Lateral lines  5 Cess pool  lines 6 Seepage pit  LITHOLOGIC  CACTER  Brown Silly  Brown Med  R LANDOWNER'S CERTIFICA  ear) 3.30-94.  License No. 529	7 Pit privy 8 Sewage lagoor 9 Feedyard C LOG Clay Sound ATION: This water well was This Water Well	FROM  (1) constru	to	t ft., From stock pens at storage illizer storage illizer storage acticide storage any feet?	14 Ab 15 Oi 16 Ot PLUGGING IN PLUGGING IN 3) plugged und best of my kno	er my jurisdiction and was