

KSA 82a-1212

LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: Saline	in the city 1/4	NE 1/4	13	T 14 S	R 3
Distance and direction from nearest town or city street address of well if located within city?					
Within the city limits of Salina, KS. 1114 So. Ohio					
WATER WELL OWNER:		B. W. Griffith			
R#, St. Address, Box # :		114 So. Ohio			
City, State, ZIP Code :		Salina, KS.			
		Board of Agriculture, Division of Water Resources			
		Application Number:			
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		DEPTH OF COMPLETED WELL 47 ft. ELEVATION:			
<div><div><div><div>NW</div><div>NE</div><div>SW</div><div>SE</div></div></div></div>		Depth(s) Groundwater Encountered 1. 29 ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL 29 ft. below land surface measured on mo/day/yr 10-4-82			
		Pump test data: Well water was ft. after hours pumping gpm			
		Est. Yield 15-30 gpm: Well water was ft. after hours pumping gpm			
		Bore Hole Diameter 8 in. to 47 ft. and in. to ft.			
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well			
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)			
		2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well			
		Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? Yes No			
TYPE OF BLANK CASING USED:		CASING JOINTS: Glued Clamped			
1 Steel 3 RMP (SR)		5 Wrought iron 8 Concrete tile			
XX 2 PVC 4 ABS		6 Asbestos-Cement 9 Other (specify below)			
Blank casing diameter 5 in. to 37 ft. Dia 2.91 in. to ft. Dia in. to ft. Dia		7 Fiberglass Threaded			
Casing height above land surface 12 in. weight 2.91 lbs./ft. Wall thickness or gauge No. 265					
TYPE OF SCREEN OR PERFORATION MATERIAL:		XX 7 PVC 10 Asbestos-cement			
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)					
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped 8 Saw cut 11 None (open hole)			
1 Continuous slot XX 3 Mill slot 6 Wire wrapped 9 Drilled holes					
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)					
SCREEN-PERFORATED INTERVALS: From 37 ft. to 47 ft. From ft. to ft. From ft. to ft. From ft. to ft.					
GRAVEL PACK INTERVALS: From 15 ft. to 47 ft. From ft. to ft. From ft. to ft. From ft. to ft.					
GROUT MATERIAL: XX 1 Neat cement 2 Cement grout 3 Bentonite 4 Other					
Grout intervals: From 5 ft. to 15 ft. From ft. to ft. From ft. to ft. From ft. to ft.					
What is the nearest source of possible contamination:		10 Livestock pens 14 Abandoned water well			
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well					
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)					
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage					
Direction from well? WEST		How many feet? 75 ft			
FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	3	Top soil			
3	13	Clay loose			
13	22	Clay hard dark			
22	29	Sand fine			
29	39	Sand medium			
39	47	Sand medium to coarse			
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 10-4-82 and this record is true to the best of my knowledge and belief. Kansas					
Water Well Contractor's License No. 138 This Water Well Record was completed on (mo/day/yr) 10-4-82					
Under the business name of Peterson Irrigation, Inc. by (signature) Mike Peterson					
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.					