-9*			WATE	R WELL RECORD	Form WWC	5 KSA 82a	a-1212	1212 90 CR 1074				B-10	
		TER WELL:	Fraction	4-		ection Number		vnship Nun		_	ge Num	ber	
County:	Sa/		- 74	ddress of well if locat	1/4	15	T	14	S	R	3	EM)	
Distance and		lithin City		D' N DE		& CRAY	SECTION OF THE SECTIO						
WATER V			er Truck		2 20	7 6 764							
		x # : 5.46	Westport	Bird.			R/	oard of Agi	riculture D	ivision of	Water 6	Resource	
City, State, Z		: Salin	,	740/				oplication N		IVISION O	vvalor r	10300100	
LOCATE \	WELL'S L	OCATION WITH		OMPLETED WELL.	23.0	ft FLEVA							
AN "X" IN	I SECTIO	N BOX:	Depth(s) Ground	water Encountered	1	19t.	2		ft. 3.				
, [!	1	WELL'S STATIC	WATER LEVEL /	5. 5 ft.	below land su	rface mea	sured on n	no/day/yr	5/4	190		
	. NW			test data: Well wat							• • • • • • •	gpm	
ļ [1	,,,,,,	Est. Yield	gpm: Well wat	ter was	ft. a	after		hours pur	nping		gpm	
* w -	_!	E		eter 6, 0in. to			and		in.	to	.	ft.	
2	-	*		O BE USED AS:	5 Public wa		8 Air con	•		njection w			
	- SW	SE	1 Domestic 2 Irrigation	3 Feedlot 4 Industrial	6 Oil field w		9 Dewate			other (Spe	•	•	
	!		•	bacteriological sample		garden only							
<u> </u>	<u>'</u>		mitted	oactoriological sample	Submitted to			isinfected?	_	no/day/yr	<u> </u>	was suc	
TYPE OF	BLANK (CASING USED:		5 Wrought iron	8 Cond	rete tile		ING JOIN				l	
1 Steel	I	3 RMP (S	R)	6 Asbestos-Cement	9 Othe	r (specify below				d	•		
2 PVC	_	4 ABS	ISE.	7 Fiberglass					Thread				
		2.0	c ,	🗱 ft., Dia									
		and surface		.in., weight			ft. Wall th	ickness or	gauge No.	. ۲۰۰۰	540	·	
		R PERFORATIO		5 Fib	(7 P				tos-cemen				
1 Steel 2 Brass		 Stainless Galvaniz 		5 Fiberglass 6 Concrete tile	8 H 9 A	MP (SR)			(specify) .				
		RATION OPENIN			g A zed wrapped	99	8 Saw		used (ope	n noie) 11 None	(open l	nolo)	
	inuous slo		ill slot		wrapped		9 Drille			TT NOTE	(open i	1010)	
2 Louve	ered shut		ey punched	7 Torc	h cut		10 Other	r (specify)			<i></i>		
SCREEN-PE	RFORATI	ED INTERVALS:	From. 15.5	ft. to	20.5 83	🚅ft., Fro	m		ft. to			ft.	
			From			ft., Fro							
GR	AVEL PA	CK INTERVALS:			2.3	. Ф ft., Fro						ft.	
CROUTA	AATEDIAL	. 1 Neat o	From	ft. to	0.0	ft., Fro			ft. to			ft.	
GROUT M Grout Interva		(a)	ft. to	2 Cement grout	3 Bent	to / 3							
		ource of possible					tock pens	1 10111		andoned			
1 Septi		4 Later		7 Pit privy			storage			well/Gas		0.11	
2 Sewer lines 5 Cess		pool	8 Sewage lagoon		12 Fertil	e	16 Other (specify below)						
3 Wate	ertight sew	er lines 6 Seep	age pit	9 Feedyard			ticide stor	•				· 	
Direction from		West					ny feet?						
FROM	TO	C 2	LITHOLOGIC		FROM	ТО		Lľ	THOLOGIC	CLOG			
	16			SAND Hard, and brown CLAY		1							
		some SIL		in Jrown CLA	' + 	+							
10	15			lry brown 5.1	tu								
		CLAY, mi	th fuel oc	der	7								
15	20	grades to	medium d	ense, wet,									
		brown, s	ilty very	fine JAND	ind								
				y fine sand,									
		Slight to		4 1 5									
20	23	grades t	s loose m	et brown JIL	1								
		some very	fine sac	·					· <u> </u>				
CONTRAC	CTOR'S	OR LANDOWNER	R'S_CERTIFICATION	ON: This water well w	vas (1) constr	ucted, (2) reco	nstructed.	or (3) plus	ged unde	r mv iuris	diction	and was	
completed on			5-3-90										
Vater Well C	contractor'	s License No	399	This Water V	Vell Record w	as completed of	on (mo/da	y/ y5)		8-9.		<i>p</i> ·····	
inder the bus		me of Wea	dward-clu	ide Consult	ants	by (signat	ture)	who	of A	M	lenle		
Department	ONS: Use ty of Health ar	pewriter or ball poin of Environment Bur	t pen. PLEASE PRES eau of Water Protecti	S FIRMLY and PRINT cle ion, Topeka, Kansas 6662	arly. Please fill in 20-7320. Telepho	blanks, underline one: 913-862-936	e or circle th	e correct and	wers. Send	top three o	opies to K	(arsas	
records.												. ,ou	

B-10