

1 LOCATION OF WATER WELL:

County: Saline

Fraction

NW 1/4 NE 1/4 NW 1/4

Section Number

23

Township Number

T 14 S

Range Number

R 3 E

Distance and direction from nearest town or city street address of well if located within city?

700 South Broadway

2 WATER WELL OWNER:

David Payne

RR#, St. Address, Box # :

410 W. North

City, State, ZIP Code :

Salina, Ks. 67401

Board of Agriculture, Division of Water Resources

Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

1 Mile

N

W

E

S

4 DEPTH OF COMPLETED WELL: 33' ft. ELEVATION:

Depth(s) Groundwater Encountered

1. 23' ft. 2. 3. ft.

WELL'S STATIC WATER LEVEL 13.46 ft. below TOC measured on mo/day/yr 08-05-93

Pump test data: Well water was ft. after hours pumping gpm

Est. Yield gpm: Well water was ft. after hours pumping gpm

Bore Hole Diameter 7.5/8 in. to 33 ft., and in. to ft.

WELL WATER TO BE USED AS:

5 Public water supply

8 Air conditioning

11 Injection well

1 Domestic

3 Feedlot

6 Oil field water supply

9 Dewatering

12 Other (Specify below)

2 Irrigation

4 Industrial

7 Lawn and garden only

10 Monitoring well

Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes No X

5 TYPE OF BLANK CASING USED:

1 Steel

3 RMP (SR)

6 Asbestos-Cement

9 Other (specify below)

2 PVC

4 ABS

7 Fiberglass

CASING JOINTS: Glued Clamped Welded Threaded X

Blank casing diameter 2 in. to 13 ft., Dia in. to ft., Dia in. to ft.

Casing height above land surface in., weight lbs./ft. Wall thickness or gauge No. Sch. 40

TYPE OF SCREEN OR PERFORATION MATERIAL:

1 Steel

3 Stainless steel

5 Fiberglass

8 RMP (SR)

10 Asbestos-cement

2 Brass

4 Galvanized steel

6 Concrete tile

9 ABS

11 Other (specify)

12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

1 Continuous slot

3 Mill slot

6 Wire wrapped

9 Drilled holes

2 Louvered shutter

4 Key punched

7 Torch cut

10 Other (specify)

8 Saw cut

11 None (open hole)

SCREEN-PERFORATED INTERVALS:

From 13 ft. to 33 ft., From ft. to ft.

From ft. to ft., From ft. to ft.

GRAVEL PACK INTERVALS:

From 11 ft. to 33 ft., From ft. to ft.

From ft. to ft., From ft. to ft.

6 GROUT MATERIAL:

1 Neat cement

2 Cement grout

3 Bentonite

4 Other

Grout Intervals: From 0 ft. to 1.5 ft., From 1.5 ft. to 11 ft., From ft. to ft.

What is the nearest source of possible contamination:

1 Septic tank

4 Lateral lines

7 Pit privy

10 Livestock pens

14 Abandoned water well

2 Sewer lines

5 Cess pool

8 Sewage lagoon

11 Fuel storage

15 Oil well/Gas well

3 Watertight sewer lines

6 Seepage pit

9 Feedyard

12 Fertilizer storage

16 Other (specify below)

13 Insecticide storage

Direction from well? North

How many feet? 175

FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS

0 7' Dk. Brown, Clay, Mod. Silty

7' 13' Med. Brown, Clay, Mod.-very-silty

13' 19' Med. GY/GR Clay, Mod. Silty, Mottled Brown

19' 24' Med. Red, Brown, Clay, Dk. Brown, Carb. Mat., dism. throughout

24' 30' Red/Brown, Clay, Very Silty

30' 33' Red/Brown, Sand, Very Fine Grain, Very Clayey

Flush cover

Site ID # 00080402

NW10

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 07-29-93 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 527 This Water Well Record was completed on (mo/day/yr) 08-10-93 under the business name of GeoCore Services, Inc. by (signature) Doug Ray

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-295-5545. Send one to WATER WELL OWNER and retain one for your records.