


1 LOCATION OF WATER WELL:		Fraction	Section Number		Township Number	Range Number
County: Saline		NW 1/4 NW 1/4 NE 1/4	23		T 14 S	R 3 EW
Distance and direction from nearest town or city street address of well if located within city? 537 Montrose						
2 WATER WELL OWNER: W. A. Peterson						
RR#, St. Address, Box #: 537 Montrose				Board of Agriculture, Division of Water Resources		
City, State, ZIP Code: Salina, Ks. 67401				Application Number:		
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 64 ft. ELEVATION: 1100				
		Depth(s) Groundwater Encountered 1. 36 ft. 2. ft. 3. ft.				
		WELL'S STATIC WATER LEVEL 36 ft. below land surface measured on mo/day/yr 9-24-87				
		Pump test data: Well water was 46 ft. after 1 hours pumping 25 gpm				
		Est. Yield 60+ gpm: Well water was ft. after hours pumping gpm				
		Bore Hole Diameter 7 1/2 in. to 53 ft., and in. to ft.				
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well				
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)				
		2 Irrigation 4 Industrial XX Lawn and garden only 10 Observation well				
		Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted				
		Water Well Disinfected? Yes X No				
5 TYPE OF BLANK CASING USED:						
1 Steel		3 RMP (SR)		5 Wrought iron		8 Concrete tile
X PVC		4 ABS		6 Asbestos-Cement		9 Other (specify below)
				7 Fiberglass		
Blank casing diameter 5 in. to 58 ft., Dia						
Casing height above land surface 12 in., weight 160 lbs./ft.						Wall thickness or gauge No. SDR 26
TYPE OF SCREEN OR PERFORATION MATERIAL:						
1 Steel		3 Stainless steel		5 Fiberglass		8 RMP (SR)
2 Brass		4 Galvanized steel		6 Concrete tile		9 ABS
						10 Asbestos-cement
						11 Other (specify)
						12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:						
1 Continuous slot		3 Mill slot		5 Gauzed wrapped		X Saw cut
2 Louvered shutter		4 Key punched		6 Wire wrapped		9 Drilled holes
				7 Torch cut		10 Other (specify)
SCREEN-PERFORATED INTERVALS:						
From 58 ft. to 64 ft.						
From ft. to ft.						
GRAVEL PACK INTERVALS:						
From none ft. to ft.						
From ft. to ft.						
6 GROUT MATERIAL: X Neat cement 2 Cement grout 3 Bentonite 4 Other						
Grout intervals: From 1 ft. to 20 ft., From ft. to ft., From ft. to ft.						
What is the nearest source of possible contamination:						
1 Septic tank		4 Lateral lines		7 Pit privy		10 Livestock pens
2 Sewer lines		5 Cess pool		8 Sewage lagoon		11 Fuel storage
X Water tight sewer lines		6 Seepage pit		9 Feedyard		12 Fertilizer storage
						13 Insecticide storage
Direction from well? South						How many feet? 20
LITHOLOGIC LOG						
FROM	TO	LITHOLOGIC LOG				
1	4	Top Soil				
4	36	Clay				
36	51	Sand & Gravel				
51	53	Clay				
53	64	Med. To Heavy Sand				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (X) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 9-24-87 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 388 This Water Well Record was completed on (mo/day/yr) 9-24-87 under the business name of Pestinger Pump Service by (signature) Paul Pestinger						
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send to three copies to Kansas Department of Health and Environment, Bureau of Water Protection, Topeka, Kansas 66620-7320, Telephone: 913-862-9360. Send one to WATER WELL OWNER and retain one for your records.						

OFFICE USE ONLY

T

R

EW

SEC.

1/4

1/4

1/4