Distance and direction from nearest town or city street address of well if located within city? 533 Montrose WATER WELL OWNER: John Waldschmidt RR#, St. Address, Box # : 533 Montrose Board of Agriculture, Division of Water Res	1
Distance and direction from nearest town or city street address of well if located within city? 533 Montrose WATER WELL OWNER: John Waldschmidt RR#, St. Address, Box # : 533 Montrose Board of Agriculture, Division of Water Res	₩)
533 Montrose WATER WELL OWNER: John Waldschmidt RR#, St. Address, Box # : 533 Montrose Board of Agriculture, Division of Water Res	
WATER WELL OWNER: John Waldschmidt RR#, St. Address, Box # : 533 Montrose Board of Agriculture, Division of Water Res	-
RR#, St. Address, Box # : 533 Montrose Board of Agriculture, Division of Water Res	
the state of the s	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	Jurces
LOCATE WELL'S LOCATION WITH 4 DEPTH OF COMPLETED WELL]
AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 136	ft.
WELL'S STATIC WATER LEVEL 36 ft. below land surface measured on mo/day/yr 9-25-87	
Pump test data: Well water was	
Est. Yield .OUT gpm; Well water was ft. after hours pumping	
Bore Hole Diameter	ft.
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specity below	
2 Irrigation 4 Industrial XXX awn and garden only 10 Observation well	
Was a chemical/bacteriological sample submitted to Department? Yes	s sub-
s mitted Water Well Disinfected? Yes X No	-
TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued . X Clamped	- 1
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded	
XX PVC 4 ABS 7 Fiberglass Threaded	
Blank casing diameter	
Casing height above land surface . 14	• • • •
TYPE OF SCREEN OR PERFORATION MATERIAL: XXXVC 10 Asbestos-comment	
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)	• • • •
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)	
SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 3808aw cut 11 None (open hole)
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes	
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)	
SCREEN-PERFORATED INTERVALS: From55 ft. to61	
From ft. to ft., From ft., From ft. to	
GRAVEL PACK INTERVALS: From. none ft. to	- 1
From ft. to ft., From ft. to	
GROUT MATERIAL: xxtxxxeat cement 2 Cement grout 3 Bentonite 4 Other	
Grout Intervals: Fromft., ft. toft. toft., Fromft. toft., From	ft.
What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water well	
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well	ļ
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)	
3: XVatertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage	• • • • [
Direction from well? Northwest How many feet? 15	
FROM TO LITHOLOGIC LOG FROM TO LITHOLOGIC LOG	
1 4 Top Soil	\dashv
4 36 Clay	
36 51 Sand & Gravel	
51 53 Clay	
53 61 Med. To Heavy Sand	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \$\text{X}\$\text{X}\$constructed. (2) reconstructed. or (3) plugged under my jurisdiction and	1 was
Z CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ***********************************	
completed on (mo/day/year) 9-25-87 and this record is true to the best of pro knewledge and belief. K	ansas
completed on (mo/day/year)	
completed on (mo/day/year) 9-25-87 and this record is true to the best of pro knewledge and belief. K	ansas ,