			WATER	WELL RECORD	Form WWC-	KSA 82a-				
LOCATIO	ON OF WAT		Fraction NE 1/4	NW 14 SI	ויי	ction Number 23	Township	Number	1 -	Number
County: Distance an			74	dress of well if located	74		T -	S S	l R	E (W)
Diolarioc ar	ia direction		006 HIGHLANI		2 William Ony:					
2 WATER	WELL OW	NER: Gerald								
			IGHLAND CIRC	I.E			Board o	f Agriculture,	Division of W	ater Resource
City, State,	ZIP Code	: SALINA	. KS. 67401				Applica	tion Number:		
LOCATE	WELL'S L	OCATION WITH	4 DEPTH OF CO	MPLETED WELL	60	ft. ELEVA	rion: 1.1	.00		
AN "X" I	N SECTIO	N BOX:	Depth(s) Groundwa	ater Encountered 1.	38	ft. 2		ft. 3	3	.
ī	!	ī	WELL'S STATIC V	VATER LEVEL3	3 ft. t	elow land surf	ace measured	on mo/day/yr		
1 1	_ \ <u>\</u>	, L		test data: Well wate						
l [-:	- NW	NE		gpm: Well wate						
<u>.</u> L	i		Bore Hole Diamete	er8 <u>.</u> 2in. to.	60		ınd	in	. to	
[‡] w ├	-	Î KX	WELL WATER TO	BE USED AS:	5 Public wate	er supply	8 Air condition	ing 11	Injection well	
7	CW/	SE	1 Domestic	3 Feedlot	6 Oil field wa	iter supply	9 Dewatering	12	Other (Speci	fy below)
"	- 347	3;	2 Irrigation	4 Industrial	7 Lawn and	garden only 1	0 Monitoring v	vell		
L	i		Was a chemical/ba	cteriological sample s	ubmitted to D	epartment? Ye	sNo	X; If yes	, mo/day/yr s	ample was sut
			mitted			Wat	er Well Disinfe	cted? Yes	X No	
TYPE O	F BLANK C	ASING USED:		5 Wrought iron	8 Concr	ete tile	CASING	JOINTS: Glue	d 🗶 . Cla	ımped
1 Stee		3 RMP (SF	R) (6 Asbestos-Cement	9 Other	(specify below	·)	Weld	led	
2 PVC		4 ABS		7 Fiberglass						
				ft., Dia						
				n., weight <u>1</u> .60	0	lbs./f	t. Wall thicknes	ss or gauge N	lo SDR .	26
		R PERFORATIO			7 PV			Asbestos-ceme		
	1 Steel 3 Stainless steel			5 Fiberglass 8 RMP (SR)			11 Other (specify)			
2 Bras		4 Galvaniz		6 Concrete tile	9 AB	S		None used (or	•	
		RATION OPENIN			ed wrapped		8 Saw cut		11 None (d	open hole)
	ntinuous slo		ill slot	6 Wire v	wrapped		9 Drilled hole			
	vered shutt		ey punched 54	/ Torch	cut 60		10 Other (spe	• •		
SCHEEN-P	EHFOHAII	ED INTERVALS:		· · ·						
G	DAVEL DA	CK INTERVALS:		ft. to ft. to						
Ģ	HAVEL FA	CK INTERVALS.	From			ft Fron		_		π. ft.
GBOUT	MATERIAL	: TNeat o	· · · · · · · · · · · · · · · · · · ·	Cement grout			n Other			
Grout Interv	vals: From	n 85		ft., From	ft.	to.	ft From		ft to	ft
		ource of possible				10 Livest			bandoned w	
1 Septic tank 4 Late		al lines	7 Pit privy	7 Pit privy		•		15 Oil well/Gas well		
2 Sewer lines 5 Ces							izer storage 16 Other (specify			
3 Wat	tertight sew	er lines 6 Seep	age pit	9 Feedyard			icide storage			
Direction fro	om well?	EAST		-		How man	y feet?	25		
FROM	TO		LITHOLOGIC LO	OG	FROM	то		PLUGGING I	NTERVALS	
1	3	TOP SOIL								
3	36	CLAY								
36	54	MED. SAN	D & GRAVEL							
54	55	CLAY								
55	60	MED. SAN	D & GRAVEL							
						 				
	·····									
						ļ				
										
										M. v.
						<u> </u>			 	
1 1						LL				
7 CONTR	ACTOR'S	OR LANDOWNER	R'S CERTIFICATIO	N: This water well wa	as (1) constru	cted, (2) recor	nstructed, or (3	B) plugged und	der my jurisd	iction and was
combiered o	on (mo/day/	year)				and this recor	d is true to the	best of my kn	Owledge and	belief. Kansas
		s License No		This Water W	ell Record wa			10 77	リダ	
under the b	ousiness na	me of PESTT	NGER PUMP SE	RVICE		by (signati	ure) Jan		esli	
				RMLY and PRINT clearly. Ple						Department
oi rieaith	and Environm	ent, bureau of water	riolection, Topeka, Kansa	as 66620-7320. Telephone:	513-2 50- 3314. 58	IN ONE TO WATER	**CLL OWNER an	u retain one for yo	our records.	