


1 LOCATION OF WATER WELL: County: Saline		Fraction NE 1/4 SE 1/4 SW 1/4		Section Number 23		Township Number T 14 S		Range Number R 3 E/W	
Distance and direction from nearest town or city street address of well if located within city? 1113 Windsor Drive									
2 WATER WELL OWNER: Al Serrault RR#, St. Address, Box # : 1113 Windsor Drive City, State, ZIP Code : Salina, Ks. 67401					Board of Agriculture, Division of Water Resources Application Number:				
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: <div style="text-align: center;"></div>			4 DEPTH OF COMPLETED WELL: 62 ft. ELEVATION: 1100 Depth(s) Groundwater Encountered 1. 33 ft. 2. 56 ft. 3. 56 ft. WELL'S STATIC WATER LEVEL 32 ft. below land surface measured on mo/day/yr 5-3-85 Pump test data: Well water was 40 ft. after 4 hours pumping 15 gpm Est. Yield 25 gpm: Well water was 40 ft. after 4 hours pumping 15 gpm Bore Hole Diameter 8 in. to 57 ft., and 57 in. to 57 ft. WELL WATER TO BE USED AS: 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial XXX Lawn and garden only 10 Observation well Was a chemical/bacteriological sample submitted to Department? Yes.....No... X; If yes, mo/day/yr sample was submitted 5-3-85 Water Well Disinfected? Yes X No						
5 TYPE OF BLANK CASING USED: 1 Steel XX PVC 3 RMP (SR) 4 ABS Blank casing diameter 5 in. to 59 ft., Dia 59 in. to 59 ft., Dia 59 in. to 59 ft. Casing height above land surface 12 in., weight 160 lbs./ft. Wall thickness or gauge No. SDR 26			5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped 6 Asbestos-Cement 9 Other (specify below) Welded 7 Fiberglass Threaded						
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 10 Asbestos-cement SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 6 Wire wrapped 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)			11 Other (specify) 12 None used (open hole)						
SCREEN-PERFORATED INTERVALS: From 59 ft. to 62 ft., From 59 ft. to 62 ft., From 59 ft. to 62 ft.			GRAVEL PACK INTERVALS: From None ft. to None ft., From None ft. to None ft., From None ft. to None ft.						
6 GROUT MATERIAL: 1 Neat cement XX Cement grout 3 Bentonite 4 Other Grout Intervals: From 1 ft. to 10 ft., From 1 ft. to 10 ft., From 1 ft. to 10 ft.			What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well XX Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) Direction from well? South How many feet? 20						
FROM TO LITHOLOGIC LOG			FROM TO LITHOLOGIC LOG						
1 4 Top Soil									
5 32 Clay									
33 48 Hard Dry Sand									
49 51 Clay									
52 56 Sand									
57 58 Brown Clay									
59 62 Small Gravel									
62 Shell									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was XX constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 5-3-85 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 388 This Water Well Record was completed on (mo/day/yr) 5-3-85 under the business name of Pestinger Pump Service by (signature) <i>Paul S. Pestinger</i> INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.									

OFFICE USE ONLY

T

R

E/W

SEC.

1/4

1/4

1/4