

1 LOCATION OF WATER WELL: County: Saline		Fraction SE 1/4 NE 1/4 NW 1/4		Section Number 24		Township Number T 14 S		Range Number R 3 E	
Distance and direction from nearest town or city street address of well if located within city? 701 Guernsey									
2 WATER WELL OWNER: Edwin Simmelink RR#, St. Address, Box #: 701 Guernsey City, State, ZIP Code: Salina, Ks. 67401									
Board of Agriculture, Division of Water Resources Application Number:									
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:			4 DEPTH OF COMPLETED WELL: 66 ft. ELEVATION: 1100						
			Depth(s) Groundwater Encountered 1. 37 ft. 2. 56 ft. 3. ft.						
			WELL'S STATIC WATER LEVEL 37 ft. below land surface measured on mo/day/yr 12-2-87						
			Pump test data: Well water was 38 ft. after 1 hours pumping 30 gpm						
			Est. Yield 75+ gpm: Well water was ft. after hours pumping gpm						
			Bore Hole Diameter 8 1/2 in. to 66 ft., and in. to						
WELL WATER TO BE USED AS:			5 Public water supply 8 Air conditioning 11 Injection well						
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)									
2 Irrigation 4 Industrial 10 Observation well									
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted									
Water Well Disinfected? Yes X No									
5 TYPE OF BLANK CASING USED:									
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped									
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded									
Blank casing diameter 5 in. to 60 ft., Dia in. to ft., Dia in. to ft.									
Casing height above land surface 12 in., weight 160 lbs./ft. Wall thickness or gauge No. SDR 26									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement									
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify)									
12 None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
1 Continuous slot 3 Mill slot 5 Gauzed wrapped X Saw cut 11 None (open hole)									
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes									
7 Torch cut 10 Other (specify)									
SCREEN-PERFORATED INTERVALS: From 60 ft. to 66 ft., From ft. to ft.									
GRAVEL PACK INTERVALS: From none ft. to ft., From ft. to ft.									
6 GROUT MATERIAL: X Neat cement 2 Cement grout 3 Bentonite 4 Other									
Grout Intervals: From 1 ft. to 20 ft., From ft. to ft., From ft. to ft.									
What is the nearest source of possible contamination:									
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well									
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well									
X Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)									
13 Insecticide storage									
Direction from well? South How many feet? 75									
FROM TO LITHOLOGIC LOG FROM TO LITHOLOGIC LOG									
1 5 Top Soil									
5 22 Clay									
22 35 Sandy loam									
35 56 Med. Sand & Gravel									
56 57 Clay									
57 66 Med. Sand & Gravel									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was X constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 12-2-87 and this record is true to the best of my knowledge and belief. Kansas									
Water Well Contractor's License No. 388 This Water Well Record was completed on (mo/day/yr) 12-3-87									
under the business name of Pestinger Pump Service by (signature) [Signature]									
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send two copies to Kansas Department of Health and Environment, Bureau of Water Protection, Topeka, Kansas 66620-7320, Telephone: 913-862-9360. Send one to WATER WELL OWNER and retain one for your records.									