LOCATION OF WA			WELL RECORD	Form WWC-5			
County: SALINE	TER WELL:	Fraction SW 1/4	SW _{1/} 1	बा बा	tion Number	Township Number	Range Number
County: SALLINE Distance and direction	from pearant tour	74		74	24	T S	R 3 EW)
distance and direction		-		itea within city?			
WATER WELL OF		802 MELLINGE AURA McGOWAN					
RR#, St. Address, Bo						Doord of Agriculture	Division of Water Because
city, State, ZIP Code	AT.TNA	N. KS. 67401				Application Number	, Division of Water Resource
	OCATION WITH	A DEDTH OF COL	ADLETED WELL	61	4 ELEVAT	1250	
AN "X" IN SECTIO	N BOX:	Depth of Con	tor Englishment	40	π. ELEVAI	ION:	36-3-89
	? !	WELL'S STATIC W	ATED LEVEL	40 # 5		ace measured on mo/day/	6-3-89
i i	1 ; 11						oumping 30 gpm
NM	NE	Fet Viold 60+	anm: Well wa	ater was	ft aff	er hours	oumping gpm
. !	x	Rore Hole Diameter	8½ in t	60	ft a	nd	in. to
w		WELL WATER TO		5 Public water			1 Injection well
i	1 i 1	1 Domestic	3 Feedlot		, , ,	Dewatering 1:	•
sw	SE	2 Irrigation	4 Industrial			_	
	1 : 1 1	•					es, mo/day/yr sample was sub
<u> </u>		mitted				er Well Disinfected? Yes	
TYPE OF BLANK			Wrought iron	8 Concre		CASING JOINTS: GIL	edX Clamped
1 Steel	3 RMP (SF		Asbestos-Cemen	nt 9 Other	(specify below		lded
2 PVC	4 ABS	7	Fiberglass				eaded
lank casing diamete	r 5	.in. to 54	ft., Dia	in. to		ft., Dia	. in. to ft.
asing height above	land surface12	? in.	, weight 160		Ibs./f	. Wall thickness or gauge	No. SDR 26
YPE OF SCREEN C	R PERFORATION	N MATERIAL:		7. PV	<u></u>	10 Asbestos-cer	ment
1 Steel	3 Stainless	s steel 5	Fiberglass	8 RM	P (SR)	11 Other (specif	y)
2 Brass	4 Galvanize	ed steel 6	Concrete tile	9 AB	S	12 None used (open hole)
CREEN OR PERFO	RATION OPENING	GS ARE:	5 Gau	uzed wrapped		8 Saw cut	11 None (open hole)
1 Continuous sl	ot 3 Mi	ill slot	6 Wir	e wrapped		9 Drilled holes	
2 Louvered shu	tter 4 Ke	ey punched		ch cut		10 Other (specify)	
CREEN-PERFORAT	ED INTERVALS:	From 54	ft. to	OT	ft., From	1 ft	toft.
			ft. to		ft., From	1 ft	toft.
GRAVEL PA	ACK INTERVALS:	FromNONE	ft. to		ft., Fron	1	toft.
		From NONE	ft. to ft. to ft. to		ft., Fron ft., Fron ft., Fron	1	toft. toft. to ft.
		From NONE	ft. to ft. to ft. to		ft., Fron ft., Fron ft., Fron	1	toft. toft. to ft.
GROUT MATERIA Grout Intervals: Fro	L: 1 Neat o	From NONE. From tement 25	ft. to ft. to ft. to		ft., Fromft., From ft., From nite 4 (1	to ft. to ft ft.
GROUT MATERIA Grout Intervals: Fro What is the nearest s	L: 1 Neat community 1 N	From NONE. From cement 25 contamination:	ft. to ft. to ft. to Cement grout ft., From		ft., Fronft., Fron ft., Fron nite 4 (to	to
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank	L: 1 Neat community 1 N	From NONE. From cement 25 ft. to 25 contamination: al lines	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy	3 Bento ft.	ft., Fromft., From ft., From nite 4 (to	to the first file of the file	to
GROUT MATERIA Grout Intervals: Fro Vhat is the nearest s 1 Septic tank 2 Sewer lines	L: 1 Neat community of the course of possible 4 Laters 5 Cess	From NONE. From cement 25 ft. to 25 contamination: al lines pool	ft. to ft. to ft. to Cement grout ft., From	3 Bento	ft., From ft., From ft., From nite 4 (to	1 ft 1 ft 1 ft Dther ft 1 ft 2 ft 2 ft 3 ft 4 ft 5 ft 6	to
GROUT MATERIA Grout Intervals: Fro Vhat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser	L: 1 Neat community 1 N	From NONE. From cement 25 ft. to 25 contamination: al lines pool	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage la	3 Bento	ft., From ft., From ft., From nite 4 (to	to the fine state of the fine	to
GROUT MATERIA frout Intervals: Fro Vhat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser	L: 1 Neat comment of the course of possible 4 Laters 5 Cess wer lines 6 Seeps WEST	From NONE. From cement 25 ft. to 25 contamination: al lines pool	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	ft., From ft., From ft., From nite 4 (to	ft	to
GROUT MATERIA frout Intervals: Fro Vhat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser	L: 1 Neat community 1 N	From NONE. From cement ft. to 25 contamination: al lines pool age pit	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	ft., From ft., From ft., From nite 4 (to	ft	to
GROUT MATERIA frout Intervals: Fro Vhat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser Direction from well? FROM TO	L: 1 Neat comment of the course of possible 4 Laters 5 Cess wer lines 6 Seeps WEST	From NONE. From cement ft. to 25 contamination: al lines pool age pit	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	ft., From ft., From ft., From nite 4 (to	ft	to
GROUT MATERIA Grout Intervals: Fro Vhat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser Direction from well? FROM TO 0 3	L: 1 Neat com. 1 ource of possible 4 Latera 5 Cess wer lines 6 Seepa WEST TOP SOIL CLAY	From NONE. From cement ft. to 25 contamination: al lines pool age pit	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	ft., From ft., From ft., From nite 4 (to	ft	to
GROUT MATERIA Frout Intervals: Fro Vhat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight see Direction from well? FROM TO 0 3 3 36	L: 1 Neat com. 1 cource of possible 4 Latera 5 Cess wer lines 6 Seepa WEST TOP SOIL CLAY MED. SANI	From NONE. From cement 25 ft. to 25 contamination: al lines pool age pit LITHOLOGIC LO	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	ft., From ft., From ft., From nite 4 (to	ft	to
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser Direction from well? FROM TO 0 3 3 36 49	L: 1 Neat com. 1 cource of possible 4 Latera 5 Cess wer lines 6 Seepa WEST TOP SOIL CLAY MED. SANI	From NONE. From cement ft. to	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	ft., From ft., From ft., From nite 4 (to	ft	to
GROUT MATERIA frout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser Direction from well? FROM TO 0 3 3 36 49 49 50	L: 1 Neat com. 1 N	From NONE. From cement 25 ft. to 25 contamination: al lines pool age pit LITHOLOGIC LO	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	ft., From ft., From ft., From nite 4 (to	ft	to
GROUT MATERIA frout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser Direction from well? FROM TO 0 3 3 36 49 49 50	L: 1 Neat com. 1 N	From NONE. From cement 25 ft. to 25 contamination: al lines pool age pit LITHOLOGIC LO	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	ft., From ft., From ft., From nite 4 (to	ft	to
GROUT MATERIA Frout Intervals: Fro Vhat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser Direction from well? FROM TO 0 3 3 36 49 49 50	L: 1 Neat com. 1 N	From NONE. From cement 25 ft. to 25 contamination: al lines pool age pit LITHOLOGIC LO	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	ft., From ft., From ft., From nite 4 (to	ft	to
GROUT MATERIA Frout Intervals: Fro Vhat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser Direction from well? FROM TO 0 3 3 36 49 49 50	L: 1 Neat com. 1 N	From NONE. From cement 25 ft. to 25 contamination: al lines pool age pit LITHOLOGIC LO	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	ft., From ft., From ft., From nite 4 (to	ft	to
GROUT MATERIA frout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser Direction from well? FROM TO 0 3 3 36 49 49 50	L: 1 Neat com. 1 N	From NONE. From cement 25 ft. to 25 contamination: al lines pool age pit LITHOLOGIC LO	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	ft., From ft., From ft., From nite 4 (to	ft	to
GROUT MATERIA Grout Intervals: Fro Vhat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser Direction from well? FROM TO 0 3 3 36 49 49 50	L: 1 Neat com. 1 N	From NONE. From cement 25 ft. to 25 contamination: al lines pool age pit LITHOLOGIC LO	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	ft., From ft., From ft., From nite 4 (to	ft	to
GROUT MATERIA Grout Intervals: Fro Vhat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser Direction from well? FROM TO 0 3 3 36 49 49 50	L: 1 Neat com. 1 N	From NONE. From cement 25 ft. to 25 contamination: al lines pool age pit LITHOLOGIC LO	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	ft., From ft., From ft., From nite 4 (to	ft	to
GROUT MATERIA Grout Intervals: Fro Vhat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser Direction from well? FROM TO 0 3 3 36 49 49 50	L: 1 Neat com. 1 N	From NONE. From cement 25 ft. to 25 contamination: al lines pool age pit LITHOLOGIC LO	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	ft., From ft., From ft., From nite 4 (to	ft	to
GROUT MATERIA Grout Intervals: Fro Vhat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser Direction from well? FROM TO 0 3 3 36 49 49 50	L: 1 Neat com. 1 N	From NONE. From cement 25 ft. to 25 contamination: al lines pool age pit LITHOLOGIC LO	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	ft., From ft., From ft., From nite 4 (to	ft	to
GROUT MATERIA Grout Intervals: Fro Vhat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser Direction from well? FROM TO 0 3 3 36 49 49 50 50 61	L: 1 Neat com. 1 cource of possible 4 Latera 5 Cess wer lines 6 Seeps WEST TOP SOIL CLAY MED. SANI CLAY MED. SANI	From NONE. From cement t. to 25 contamination: al lines pool age pit LITHOLOGIC LO D & GRAVEL DD & GRAVEL	ft. to ft. to ft. to ft. to Cement grout ft., From Pit privy 8 Sewage la 9 Feedyard	3 Bento ft.	ft., From ft., From ft., From nite 4 (to	to the ft	to ft. to ft. to ft. to ft. ft. to ft. Abandoned water well Oil well/Gas well Other (specify below)
GROUT MATERIA Grout Intervals: Fro Vhat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser Direction from well? FROM TO 0 3 3 36 49 49 50 50 61 CONTRACTOR'S	L: 1 Neat of possible 4 Laters 5 Cess WEST TOP SOIL CLAY MED. SANI CLAY MED. SANI	From NONE. From Dement 25 Tt. to 25 contamination: al lines pool age pit LITHOLOGIC LO D & CRAVEL DD & CRAVEL R'S CERTIFICATION	ft. to ft. to ft. to ft. to Cement grout ft., From Pit privy 8 Sewage la 9 Feedyard G	3 Bento ft. agoon FROM was (1) constru	ft., From ft., From ft., From nite 4 (to	to the ft	to
GROUT MATERIA Grout Intervals: Fro Vhat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser Direction from well? FROM TO 0 3 3 36 49 49 50 50 61 CONTRACTOR'S completed on (mo/da)	L: 1 Neat of possible 4 Laters 5 Cess WEST TOP SOIL CLAY MED. SANI CLAY MED. SANI	From NONE. From Dement 25 Tt. to 25 contamination: al lines pool age pit LITHOLOGIC LO D & GRAVEL DD & GRAVEL R'S CERTIFICATION -3-89.	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard G	3 Bento ft. agoon FROM was (1) constru	ft., From ft., From ft., From ft., From nite 4 (to	other	to ft. to ft. to ft. to ft. ft. to ft. Abandoned water well Oil well/Gas well Other (specify below)
GROUT MATERIA Grout Intervals: Fro Vhat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser Direction from well? FROM TO 0 3 3 36 49 49 50 50 61 CONTRACTOR'S completed on (mo/da)	L: 1 Neat of possible 4 Laters 5 Cess wer lines 6 Seeps WEST TOP SOIL CLAY MED. SANI SANI CLAY MED. SANI SANI SANI SANI SANI SANI SANI SANI	From NONE. From Perment 25 ft. to 25 contamination: al lines pool age pit LITHOLOGIC LO D & GRAVEL DD & GRAVEL P'S CERTIFICATION -3-89388	ft. to ft. to ft. to ft. to Cement grout ft., From Pit privy Sewage la Feedyard G I: This water well This Water	3 Bento ft. agoon FROM was (1) constru	ft., From ft., From ft., From ft., From nite 4 (to	other	to