	WATER	WELL RECORD I	Form WWC-5	KSA 82a-1	212	
LOCATION OF WATER WELL:	Fraction 1/4	AIE SU	Section	Number	Township Numbe	
County: 5A11W2		NE 4 SU		15	T 140	S) R 3 EW)
Distance and direction from nearest to	_		within city?			
212	2 way					
2 WATER WELL OWNER:	<b>3</b> G/4	nn Hea	dlex			
RR#, St. Address, Box # : 2	2 E. U	Jayne		- 11-	Board of Agricul	Iture, Division of Water Resources
City, State, ZIP Code : 5	Alina	K'ANSA.	5 4	740	Application Num	nber:
LOCATE WELL'S LOCATION WITH	4 DEPTH OF C	MPLETED WELL	52	ft. ELEVATI	ON:	3.5
AN "X" IN SECTION BOX:	Depth(s) Groundw	vater Encountered 1.	25	ft. 2.		. ft. 3 <u></u>
I I I	WELL'S STATIC	WATER LEVEL 🗘.				day/yr 5-10-92
						urs pumping 1. 5 gpm
NW  NE	Est. Yield	O. gpm: Well water	was	ft afte	er hou	urs pumping gpm
·	Bore Hole Diamet	er 8 1/2 in to	26	ft an	od 5	in. to 52ft.
₹ W   1   1   1	WELL WATER TO		Public water s		Air conditioning	11 Injection well
7   1 1 1 1 1	1 Domestic		Oil field water		Dewatering	12 Other (Specify below)
sw  st	2 Irrigation		- 7		Monitoring well	
1 1 1 1 1 1	Was a chemical/b					If yes, mo/day/yr sample was sub-
<u> </u>	mitted		•		r Well Disinfected? Y	
TYPE OF BLANK CASING USED:		5 Wrought iron	8 Concrete			GluedX Clamped
1 Steel 3 RMP (S		6 Asbestos-Cement	9 Other (sp			Welded
2 VC 4 ABS		7 Fiberglass				Threaded
Blank casing diameter 5	// /	-				in_to ft.
Casing height above land surface :	<b>3</b> . II	in., weight / . 6				uge No. 5.0R26
TYPE OF SCREEN OR PERFORATION		,	(7) PVC		10 Asbestos	
1 Steel 3 Stainles		5 Fiberglass	8 RMP (	SR)		pecify)
2 Brass 4 Galvani		6 Concrete tile	9 ABS	,	• • •	ed (open hole)
SCREEN OR PERFORATION OPENIN			d wrapped		8 Saw cut	11 None (open hole)
1 Continuous slot	Mill slot	6 Wire w			9 Drilled holes	Trans (open nois)
	Key punched	7 Torch	• •			
SCREEN-PERFORATED INTERVALS:	• •	· · · · · · · · · · · · · · · · · · ·	_ ~		, , , , , , , , , , , , , , , , , , , ,	. ft. toft.
-	From	ft. to				. ft. to
GRAVEL PACK INTERVALS		ft. to				. ft. toft.
	From	ft. to		ft., From		ft. to
6 GROUT MATERIAL: (1) Neat		Cement grout	3 Bentonite		ther	it.
Grout Intervals: From		•				ft. to ft.
What is the nearest source of possible				10 Livestoo		14 Abandoned water well
	ral lines	7 Pit privv		11 Fuel sto	•	15 Oil well/Gas well
2 Sewer lines 5 Cess		8 Sewage lagor	on	12 Fertilize		16 Other (specify below)
Watertight sewer lines 6 Seep	•	9 Feedyard		13 Insectio	•	To Citici (specify below)
Direction from well?		outh		How many		462
FROM, TO,	LITHOLOGIC L		FROM	TO	PLUGG	ING INTERVALS
O' 3' Como	pacted	dirT				
	1 .					
2 /4 Very	hand	Dank				
	clar.					
14 30 FINE	SAND	& clar				
mi	Ved	1				
20 38/ 6316	* *** **	madinin				
30 30 FINE	_ ·	nedium				
, , , , , ,	SAND	•				
38 396 Dar	15 9 Me	v clar				
	. 0	7				•
39% 52' medi	um To	Coarse	ALC: NO.			
CAN	D + are					
3/401	<del>* 8', '</del>	toe i				
52'   Rrou	JN Cla	Y	1			
<del></del>		NI. This	<b>1</b>	1 (0) ::-	Amusta d (0) -1	al consider many final-all-all-
CONTRACTOR'S OR LANDOWNE	L'S CERTIFICATION					
completed on (mo/day/year)	233					my knowledge and belief. Kansas
Water Well Contractor's License No		1000	I Record was o			
under the business name of	+ p we	y servi		by (signatur		w- youpup
INSTRUCTIONS: Use typewriter or ball point of Health and Environment, Bureau of Water						