1	R WELL:	Fraction			Section	n Number	Township	Number	Range	Number
County: SALINI			NW 1/4	NW 1/4		25	T 14		R	3 E/W
istance and direction fro										
		1826 HIG								
WATER WELL OWNE	R: RALPH T									
ı RR#, St. Address, Box #	400/ 117	GHLAND					Board o	of Agriculture, [Division of V	Vater Resource
city, State, ZIP Code	: SALINA,	KS. 6740	1				Applica	tion Number:		
LOCATE WELL'S LOC	ATION WITH 4	DEPTH OF CO	OMPLETED WE	LL <i>5</i> 7.		ft. ELEVAT	ΓΙΟΝ:	1240		
AN "X" IN SECTION E	De	oth(s) Groundy	vater Encountere	ed 1312	ž	ft. 2		ft. 3		
XI	- WE	ELL'S STATIC	WATER LEVEL	31 2	. ft. bek	w land surf	ace measured	on mo/day/yr	1-30-93	
i i i	·	Pump	test data: Wel	ll water was	37.	ft. af	ter 1	hours pu	mping 3 9) gpm
NW -	- NE Fst		gpm: Wel							
.	Bo	re Hole Diame	ter 9 i	in to	60	ft. a	ınd	in.	to	
w - -			O BE USED AS				8 Air condition		Injection we	
: i	- i ''''	1 Domestic	3 Feedlot				9 Dewatering	-	•	
SW	- SE	2 Irrigation	4 Industria				0 Monitoring v			
	w _s		acteriological sa							
<u> </u>		tted	actoriological ca	mpio oubililio	,		er Well Disinfe		X No	
TYPE OF BLANK CAS			5 Wrought iron	8	Concrete	tile			X CI	amped
1 Steel	3 RMP (SR)		6 Asbestos-Ce			pecify below				
2 PVC	4 ABS		7 Fiberglass							
Blank casing diameter		to 47								
Casing height above land										
TYPE OF SCREEN OR			iii., weigik		7 PVC			Asbestos-ceme		
1 Steel	3 Stainless ste		5 Fiberglass		8 RMP					
2 Brass	4 Galvanized		6 Concrete tile		9 ABS	(011)		None used (op		
SCREEN OR PERFORA				Gauzed wrap			8 Saw cut		11 None (open hole)
1 Continuous slot	3 Mill s	slot •035	6	•			9 Drilled hole		11 110110 (орон ного,
2 Louvered shutter		nunched		Torch cut	•					
CREEN-PERFORATED			. 47 ft		57					
ONEENT EN ONATED	IIII ETIVALO.		ft.							
GRAVEL PACK	INTERVALS:		40 ft							
GIVIVEE I NOI	IIII EIII EI	From					n			ft
GROUT MATERIAL:	1 Neat cem		2 Cement grout							
Grout Intervals: From.	_	to 20	ft From		ft to	-	ft From		ft to	ft
Vhat is the nearest sour						10 Livest			bandoned w	
1 Septic tank	4 Lateral li		7 Pit pri	w			storage		il well/Gas	
2 Sewer lines	5 Cess po			ge lagoon			zer storage		ther (specif	
3 Watertight sewer			9 Feedy	-			o.o go		(
				aro		1.5 INSECT	icide storage			
	WRST		o . oou,	aru			icide storage	60		
	WEST	LITHOLOGIC L			ROM	How man	•	60 PLUGGING I	NTERVALS	
Direction from well?		LITHOLOGIC L			ROM	How man	•		NTERVALS	
Direction from well? FROM TO					ROM	How man	•		NTERVALS	
Direction from well? FROM TO	TOP SOIL	TAN			ROM	How man	•		NTERVALS	
Direction from well? FROM TO	TOP SOIL	TAN SILTY			ROM	How man	•		NTERVALS	
## Process of the image of the	TOP SOIL SANDY LOOM CLAY TAN S CLAY GRAY	TAN SILTY SOFT	.OG	FR		How man	•		NTERVALS	
FROM TO	TOP SOIL SANDY LOOM CLAY TAN S	TAN SILTY SOFT	.OG	FR		How man	•		NTERVALS	
FROM TO	TOP SOIL SANDY LOOM CLAY TAN S CLAY GRAY	TAN SILTY SOFT	.OG	FR		How man	•		NTERVALS	
rection from well? FROM TO 0 2 2 9 9 35 35 39	TOP SOIL SANDY LOOM CLAY TAN S CLAY GRAY	TAN SILTY SOFT	.OG	FR		How man	•		NTERVALS	
FROM TO	TOP SOIL SANDY LOOM CLAY TAN S CLAY GRAY	TAN SILTY SOFT	.OG	FR		How man	•		NTERVALS	
FROM TO	TOP SOIL SANDY LOOM CLAY TAN S CLAY GRAY	TAN SILTY SOFT	.OG	FR		How man	•		NTERVALS	
Process	TOP SOIL SANDY LOOM CLAY TAN S CLAY GRAY	TAN SILTY SOFT	.OG	FR		How man	•		NTERVALS	
Prection from well? Prection from well? Prection	TOP SOIL SANDY LOOM CLAY TAN S CLAY GRAY	TAN SILTY SOFT	.OG	FR		How man	•		NTERVALS	
## Process of the image of the	TOP SOIL SANDY LOOM CLAY TAN S CLAY GRAY	TAN SILTY SOFT	.OG	FR		How man	•		NTERVALS	
Direction from well? FROM TO	TOP SOIL SANDY LOOM CLAY TAN S CLAY GRAY	TAN SILTY SOFT	.OG	FR		How man	•		NTERVALS	
Direction from well? FROM TO	TOP SOIL SANDY LOOM CLAY TAN S CLAY GRAY	TAN SILTY SOFT	.OG	FR		How man	•		NTERVALS	
Direction from well? FROM TO 0 2 2 9 9 35 35 39 39 57	TOP SOIL SANDY LOOM CLAY TAN S CLAY GRAY SAND FINE	TAN SILTY SOFT TO COARSE	OG TAN W/CL	AY LAYERS	5	How mar	y feet?	PLUGGING I		
Direction from well? FROM TO 0 2 2 9 9 35 35 39 39 57 CONTRACTOR'S OR	TOP SOIL SANDY LOOM CLAY TAN S CLAY GRAY SAND FINE	TAN SILTY SOFT TO COARSE	OG TAN W/CLA	AY LAYERS	S	How man	ny feet?	PLUGGING II	ler_my juriso	
CONTRACTOR'S OR	TOP SOIL SANDY LOOM CLAY TAN S CLAY GRAY SAND FINE LANDOWNER'S PARTY 14-30-	CERTIFICATIO	OG TAN W/CL	AY LAYERS	S constructe	How man TO	nstructed, or (3	PLUGGING II	ler my juriscowledge and	d belief. Kansas
CONTRACTOR'S OR Ompleted on (mo/day/ye v/ater Well Contractor's Inc. of the contractor's Inc. of	TOP SOIL SANDY LOOM CLAY TAN S CLAY GRAY SAND FINE LANDOWNER'S Par) 4-30- License No	CERTIFICATIO	DN: This water with the control of t	AY LAYERS	S constructe	How man TO	nstructed, or (3	PLUGGING II	ler_my juriso	d belief. Kansas
CONTRACTOR'S OR Ompleted on (mo/day/ye	TOP SOIL SANDY LOOM CLAY TAN S CLAY GRAY SAND FINE LANDOWNER'S PARTY LICENSE NO	CERTIFICATION 388	DN: This water with the CRVICE	Well was (1) c	constructe a cord was	How man TO ed. (2) recond this record completed to	nstructed, or (id is true to the on (mb/day/yr)	PLUGGING II	ler my jurisc	d belief. Kansa