

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: SALINE		NW 1/4 NW 1/4 SE 1/4	25	T 14 S	R 3 EW
Distance and direction from nearest town or city street address of well if located within city? 2134 NORTON					
2 WATER WELL OWNER: Howard CAMER					
RR#, St. Address, Box # : 2134 NORTON			Board of Agriculture, Division of Water Resources		
City, State, ZIP Code : SALINA, KS 67401			Application Number: 1233		
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 58 ft. ELEVATION: 1233			
		Depth(s) Groundwater Encountered 1 27 ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL 27 ft. below land surface measured on mo/day/yr 10-10-91			
		Pump test data: Well water was 32 ft. after 10 hours pumping 15 gpm			
		Est. Yield 30 gpm; Well water was ft. after hours pumping gpm			
		Bore Hole Diameter 8 1/2 in. to 27 ft. and 5 1/2 in. to 58 ft.			
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well					
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)					
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well					
Was a chemical/bacteriological sample submitted to Department? Yes No X ; If yes, mo/day/yr sample was submitted					
Water Well Disinfected? Yes X No					
5 TYPE OF BLANK CASING USED:					
1 Steel		3 RMP (SR)	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued X Clamped
2 PVC		4 ABS	6 Asbestos-Cement	9 Other (specify below)	Welded
Blank casing diameter 5 in. to 48 ft. Dia		7 Fiberglass	Threaded		
Casing height above land surface 24 in. weight 160 lb		lbs./ft. Wall thickness or gauge No. SDR 26			
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel		3 Stainless steel	5 Fiberglass	8 RMP (SR)	10 Asbestos-cement
2 Brass		4 Galvanized steel	6 Concrete tile	9 ABS	11 Other (specify)
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped	8 Saw cut 11 None (open hole)		
1 Continuous slot		3 Mill slot	6 Wire wrapped		
2 Louvered shutter		4 Key punched	9 Drilled holes		
SCREEN-PERFORATED INTERVALS:		7 Torch cut	10 Other (specify)		
From 48 ft. to 58 ft.		ft. to ft.			
GRAVEL PACK INTERVALS:		ft. to ft.			
From 24 ft. to 58 ft.		ft. to ft.			
From ft. to ft.		ft. to ft.			
6 GROUT MATERIAL:					
1 Neat cement		2 Cement grout	3 Bentonite	4 Other	
Grout Intervals: From 0 ft. to 24 ft.		ft. to ft.			
What is the nearest source of possible contamination:					
1 Septic tank		4 Lateral lines	7 Pit privy	10 Livestock pens	
2 Sewer lines		5 Cess pool	8 Sewage lagoon	11 Fuel storage	
3 Watertight sewer lines		6 Seepage pit	9 Feedyard	12 Fertilizer storage	
Direction from well? SOUTH WEST		How many feet? 25		14 Abandoned water well	
15 Oil well/Gas well		16 Other (specify below)			
13 Insecticide storage					
FROM TO LITHOLOGIC LOG		FROM TO PLUGGING INTERVALS			
0'	4'	Compacted dirt & silt			
4'	16'	Light brown clay + fine sand mixed			
16'	23'	fine sand			
23'	27'	Light grey clay + fine sand mixed			
27'	47'	fine sand			
47'	58'	Medium to coarse sand & gravel			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 10-12-91 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 523 This Water Well Record was completed on (mo/day/yr) 10-13-91 under the business name of M & D Well Service by (signature) Matthew Poupus					