

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: SALINE		NW 1/4 SE 1/4 NW 1/4	25	T 140	R 3 E W
Distance and direction from nearest town or city street address of well if located within city? 2037 Leland Way					
2 WATER WELL OWNER: MIKE AHERN					
RR#, St. Address, Box # : 2037 Leland Way				Board of Agriculture, Division of Water Resources	
City, State, ZIP Code : SALINA, KS 67401				Application Number:	
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 52 ft. ELEVATION: 1232			
		Depth(s) Groundwater Encountered 1. 24 1/2 ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL 24 1/2 ft. below land surface measured on mo/day/yr 3-2-92			
		Pump test data: Well water was 25 1/2 ft. after 1 hours pumping 15 gpm			
		Est. Yield 30 gpm; Well water was ft. after hours pumping gpm			
		Bore Hole Diameter 3 1/2 in. to 31 ft., and 5 1/2 in. to 52 ft.			
		WELL WATER TO BE USED AS:			
		5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well			
		Was a chemical/bacteriological sample submitted to Department? Yes.....No X; If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? Yes X No			
5 TYPE OF BLANK CASING USED:					
1 Steel		5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued X Clamped	
2 PVC		3 RMP (SR)	6 Asbestos-Cement	Welded	
4 ABS		7 Fiberglass	9 Other (specify below)	Threaded	
Blank casing diameter 5 in. to 42 ft., Dia. in. to ft., Dia. in. to ft.					
Casing height above land surface 20 in., weight 160 lbs./ft. Wall thickness or gauge No. SDR 26					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel		3 Stainless steel	5 Fiberglass	8 RMP (SR)	
2 Brass		4 Galvanized steel	6 Concrete tile	9 ABS	
				10 Asbestos-cement	
				11 Other (specify)	
				12 None used (open hole)	
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot		3 Mill slot	5 Gauzed wrapped	8 Saw cut	
2 Louvered shutter		4 Key punched	6 Wire wrapped	9 Drilled holes	
			7 Torch cut	10 Other (specify)	
				11 None (open hole)	
SCREEN-PERFORATED INTERVALS: From 42 ft. to 52 ft., From ft. to ft.					
GRAVEL PACK INTERVALS: From 20 ft. to 52 ft., From ft. to ft.					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other					
Grout Intervals: From 0 ft. to 20 ft., From ft. to ft., From ft. to ft.					
What is the nearest source of possible contamination:					
1 Septic tank		4 Lateral lines	7 Pit privy	10 Livestock pens	
2 Sewer lines		5 Cess pool	8 Sewage lagoon	11 Fuel storage	
3 Watertight sewer lines		6 Seepage pit	9 Feedyard	12 Fertilizer storage	
				13 Insecticide storage	
				14 Abandoned water well	
				15 Oil well/Gas well	
				16 Other (specify below)	
Direction from well? WEST		How many feet? 40'			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0'	6'	Compacted dirt + silt			
6'	9'	dark Brown clay			
9'	17'	Fine sand & clay mixed			
17'	31'	clay - Brown to light Brown			
31'	52'	Medium to coarse sand & gravel			
52'		Dark clay			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 3-2-92 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 523 This Water Well Record was completed on (mo/day/yr) 3-3-92 under the business name of M&D Well Service by (signature) Matthew Loukup					