		WATER WE	LL RECORD	Form WWC-5	KSA 82a	· · · · · · · · · · · · · · · · · · ·				
LOCATION OF W		Fraction			tion Number	Township Nu		Range Number	_	
County: SAL			SE 1/4 NW	1/4	25	T 14	S	R 3	E(W)	
Distance and directi		n or city street addres	s of well if located	d within city?						
		2070 QUINCY								
	OWNER: LARRY D							Noteton of Makey De		
	Box # : 2070 Qับ					_		Division of Water Re	sources	
city, State, ZIP Coo	<u>ie : SALINA,</u>	, KS. 67401				Application				
LOCATE WELL'S	LOCATION WITH	DEPTH OF COMPI	LETED WELL	<u>5</u> 0	ft. ELEVA	TION:1230				
AN A IN SECT	N II	Depth(s) Groundwater	Encountered 1.	<b>.25</b>	ft. 2		ft. 3.		ft.	
;   !	1 ! ! !	WELL'S STATIC WAT								
NW -	NE							mping <b>2</b> 0		
lx		Est. Yield75								
u 1		Bore Hole Diameter	<b>9</b> in. to .	<u>.</u> 50	)ft., ε	and	in.	to	ft.	
w i	1	WELL WATER TO BE USED AS:						ng 11 Injection well		
·   · · · · ·		1 Domestic						Other (Specify below		
3\' -	7 4 1	2 Irrigation								
L i	1 1 1	Was a chemical/bacter	riological sample s	submitted to De					vas sub	
	S r	mitted			Wat	er Well Disinfected				
TYPE OF BLANK	K CASING USED:	5 W	Vrought iron	8 Concre	ete tile	CASING JOIN	ITS: Glued	I.,XClamped.		
1 Steel	3 RMP (SR	i) 6 A	sbestos-Cement		(specify below	• •		ed		
2 PVC	4 ABS	7 F	iberglass				Threa	ded		
		in. to44								
asing height above	and surface	.18in., v	weight 160	O <i>.</i>	lbs./f	t. Wall thickness o	gauge No	oSDR26		
YPE OF SCREEN	OR PERFORATION	I MATERIAL:		7_PV	<u>c</u>	10 Asbe	stos-ceme	nt		
1 Steel	3 Stainless	steel 5 F	iberglass	8 RM	P (SR)	11 Othe	r (specify)			
2 Brass	4 Galvanize	ed steel 6 C	oncrete tile	9 AB	S	12 None	used (op	en hole)		
CREEN OR PERF	ORATION OPENING	3S ARE:	5 Gauze	ed wrapped		8 Saw cut		11 None (open ho	ile)	
1 Continuous	slot 3 Mill	l slot	6 Wire	wrapped		9 Drilled holes				
2 Louvered sh	utter 4 Ke	y punched	7 Torch	cut co		10 Other (specify)				
SCREEN-PERFOR/	ATED INTERVALS:	From	ft. to	50	ft., Fror	n	, ft. to	D	$\dots . ft.$	
		From	ft. to		ft., Fror	n . <i>.</i>	ft. to	o	ft.	
GRAVEL	PACK INTERVALS:	From 25	ft. to	50	ft., Fror	n	ft. to	o	ft.	
•		From						)		
GROUT MATER		ement 2 Ce	ment grout	3 Bento	nite 4	Other		 ft. to		
Grout Intervals: F	<sub>romt</sub>	ft. to	$\text{ft.,} \text{From} \ \dots \ .$	ft.	to	ft., From		ft. to	ft.	
What is the nearest	source of possible of	contamination:			10 Livest	ock pens	14 Al	oandoned water wel	11	
1 Septic tank	4 Latera	ıl lines	7 Pit privy		11 Fuel storage		15 Oil well/Gas well			
2 Sewer lines	2 Sewer lines 5 Cess pool			8 Sewage lagoon		zer storage	16 O	ther (specify below)		
3 Watertight s	ewer lines 6 Seepa	age pit	9 Feedyard 1			3 Insecticide storage				
Direction from well?	EAST				How mar					
FROM TO		LITHOLOGIC LOG		FROM	то	PLU	JGGING II	NTERVALS		
0 3	TOP SOIL									
3 22	CLAY									
22 32	SANDY LOOM	1								
32 34	CLAY									
34 43	SAND						<u>.</u>			
43 44	CLAY									
44 50	MED. SAND	& GRAVEL								
CONTRACTOR	C OR LANDOWNER	S CERTIFICATION:	This water well w	ae (1) conetru	cted (2) reco	netructed or (3) of	ugged und	er my jurisdiction a	nd was	
CONTRACTOR	ON LANDOWNER	-24-90	iins water well W	as TH MUSIII	and this roce	Terms to the hos	t of my know	wiedge and helief	Kansas	
completed on (mo/d	ay/year)	- <del>ಜನಕ್ಕಾ</del> ∪ - ಇಡಿಡಿ	This \A/ster \4	Ioli Boografissia	anu illis 1600 Le completed :	ob (mb/da//m)	4 1/2/4-	90		
	TOT S LICENSE NO	. 388	inis vvater W ਨਾਜਨਾਜ਼	reli necora Wa	s completed to by (signat		NTY	Inlina		
inder the business		INGER PUMP SER						anice to Kanada		
INSTRUCTIONS: U	se typewriter or ball point po	oen. <u>PLEASE PRESS FIRMLY</u> Protection, Topeka, Kansas 60	and PRINT clearly. Plant 6620-7320. Telephone	ease tiil in blanks, 913-296-5514. Sei	ungenine or circle nd one to WATER	WELL OWNER and retain	in one for yo	ur records.	,.IL	
Of Fleakit and Envir	Siment, Dureau or Water 1	Totolion, Topoka, Narious of								