			WELL RECORD	Form WW	C-5 KSA 82a		
	ATER WELL:	Fraction NE 1/4	SE 1/4 S	_	Section Number	Township Number	Range Number
County: SALLNE Distance and direction					25 '?	T 14 S	R 3 EW
			UNTINGTON R	-	•		
WATER WELL O	WNER: Du	LEFORT	01.122.01				
RR#, St. Address, B	" D.II.	HUNTINGTON 1	สา			Board of Agricultur	e, Division of Water Resource
City, State, ZIP Code	0ر شد	14. KS. 6740		-		Application Number	or:
LOCATE WELL'S	I OCATION WITH	4 DEPTH OF CO	MPLETED WELL	48	ft. ELEVA	TION: 1150	
AN "X" IN SECTION	ON BOX:	Depth(s) Groundw	ater Encountered	118	ft. 2	<u>.</u>	t. 3
· !		WELL'S STATIC V	WATER LEVEL	. 18 ft	. below land sur	face measured on mo/day	_{/yr} 5-31-89
\w	NF	Pump	test data: Well w	vater was	20 ft. a	fter 1 hours	pumping 30 gpm
		Est. Yield 60	gpm: Wellw	vater was	ft. a	fter hours	pumping gpm
¥ w 1	E			to 48		and	.in. to
ξ		WELL WATER TO				•	11 Injection well
sw	SE	1 Domestic	3 Feedlot			9 Dewatering	
!	' *	2 Irrigation	4 Industrial				
	<u> </u>		acteriological samp	le submitted to			yes, mo/day/yr sample was sub
TYPE OF BLANK	CASING LISED:	mitted	E Manualtica	0.000		ter Well Disinfected? Yes	No lued Clamped
1 Steel	3 RMP (SI		5 Wrought iron6 Asbestos-Ceme		crete tile er (specify belov		elded Clamped
2 PVC	54 ABS	•	7 Fiberglass		` '	•	readed
	5, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	LL /	•				
Casing height above	land surface		n weight	160		t. Wall thickness or gauge	in. to ft. No. SDR 26
TYPE OF SCREEN (N MATERIAL:	, 		PVC	10 Asbestos-ce	
1 Steel	3 Stainless	s steel	5 Fiberglass		RMP (SR)		ify)
2 Brass	4 Galvaniz	ed steel	6 Concrete tile		ABS	12 None used	•
SCREEN OR PERFO	PRATION OPENIN	GS ARE:	5 Ga	uzed wrapped		8 Saw cut	11 None (open hole)
1 Continuous si	lot 3 M	ill slot		re wrapped		9 Drilled holes	
2 Louvered shu		ey punched	7 To	rch cut		10 Other (specify)	t. toft.
SCREEN-PERFORAT	TED INTERVALS:	From. ARWAR		, . 4 0	ft Fror	n f	t. toft.
		From					
					ft., Fror	n f	t. toft.
GRAVEL P	ACK INTERVALS:	FromNON	臣 ft. to))	ft., Fror ft., Fror	n f n	t. toft.
· · · · · · · · · · · · · · · · · · · ·	·	FromNON From	Eft. to)		n f n f n f	t. to
GROUT MATERIA	L: 1 Neat o	From NON From cement 2	E ft. to ft. to Cement grout	3 Ber	ft., Fror ft., Fror ft., Fror ntonite 4	n	t. to
GROUT MATERIA	L: 1 Neat o	From NON From 2 tt. to 25	E ft. to ft. to Cement grout	3 Ber	ft., Fror ft., Fror ft., Fror ntonite 4	n f n f n f n f Other	t. to
GROUT MATERIA Grout Intervals: Fro What is the nearest s	om 1 Neat of possible	From NON From 2 tt. to25	Eft. to ft. to Cement groutft., From	3 Ber	tt., Fror ft., Fror ft., Fror ft., Fror ft., Fror ft., Fror ft.	n	t. to
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank	om 1 Neat com	From NON From 2 the to25 contamination: al lines	E ft. to ft. to ft. to Cement grout ft., From 7 Pit privy	3 Ber	ft., Fror ft., Fror ft., Fror ntonite 4 to	n f n f n f Other ock pens 14 storage 15	t. to
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines	om 1 Neat of possible 4 Laters 5 Cess	From NON From 2 ft. to	E ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage i	3 Ber	tt., Fror ft., Fror ft., Fror tonite 4 to	n	t. to
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se	om 1 Neat of possible 4 Laters 5 Cess wer lines 6 Seep	From NON From 2 ft. to	E ft. to ft. to ft. to Cement grout ft., From 7 Pit privy	3 Ber	to	n	t. to
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO	om 1 Neat of possible 4 Laters 5 Cess wer lines 6 Seep	From NON From 2 ft. to	Eft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage i 9 Feedyard	3 Ber	tt., Fror ft., Fror ft., Fror tonite 4 to	n	t. to
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well?	om 1 Neat of possible 4 Laters 5 Cess wer lines 6 Seep.	From NON From cement 2 ft. to25 contamination: al lines pool age pit	Eft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage i 9 Feedyard	3 Ber	to	n	t. to
GROUT MATERIA Grout Intervals: From the second of the seco	om 1 Neat of possible 4 Laters 5 Cess wer lines 6 Seep	From NON From 2 ft. to25 contamination: al lines pool age pit	Eft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage i 9 Feedyard	3 Ber	to	n	t. to
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 2 2 18 18 36	om. 1 Neat of possible 4 Laters 5 Cess wer lines 6 Seep NORTH TOP SOIL SANDY LOO	From NON From 2 ft. to25 contamination: al lines pool age pit	Eft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage i 9 Feedyard	3 Ber	to	n	t. to
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 2 2 18 18 36 36 37	Dom. 1 Neat of possible 4 Laters 5 Cess wer lines 6 Seep NORTH SANDY LOC MED. SAND CLAY	From NON From 2 From 25 25 25 25 25 25 25 25 25 25 25 25 25	Eft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage i 9 Feedyard	3 Ber	to	n	t. to
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight set Direction from well? FROM TO 0 2 2 18 18 36 36 37 37 40	om. 1 Neat of possible 4 Later: 5 Cess wer lines 6 Seep NORTH TOP SOIL SANDY LOC MED. SAND CLAY MED. CRA	From NON From 2 From 25 25 25 25 25 25 25 25 25 25 25 25 25	Eft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage i 9 Feedyard	3 Ber	to	n	t. to
GROUT MATERIA Grout Intervals: From the service of	Dom. 1 Neat of possible 4 Laters 5 Cess wer lines 6 Seep NORTH TOP SOIL SANDY LOCK MED. SAND CLAY MED. GRAY	From NON From 2 From 25 25 25 25 25 25 25 25 25 25 25 25 25	Eft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage i 9 Feedyard	3 Ber	to	n	t. to
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight set Direction from well? FROM TO 0 2 2 18 18 36 36 37 37 40	Dom. 1 Neat of possible 4 Laters 5 Cess wer lines 6 Seep NORTH TOP SOIL SANDY LOCK MED. SAND CLAY MED. GRAY	From NON From 2 From 25 25 25 25 25 25 25 25 25 25 25 25 25	Eft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage i 9 Feedyard	3 Ber	to	n	t. to
GROUT MATERIA Grout Intervals: From the service of	Dom. 1 Neat of possible 4 Laters 5 Cess wer lines 6 Seep NORTH TOP SOIL SANDY LOCK MED. SAND CLAY MED. GRAY	From NON From 2 From 25 25 25 25 25 25 25 25 25 25 25 25 25	Eft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage i 9 Feedyard	3 Ber	to	n	t. to ft. t. to ft. t. to ft. t. to ft ft. to ft. Abandoned water well Oil well/Gas well Other (specify below)
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser Direction from well? FROM TO 0 2 2 18 18 36 36 37 37 40 40 41	Dom. 1 Neat of possible 4 Laters 5 Cess wer lines 6 Seep NORTH TOP SOIL SANDY LOCK MED. SAND CLAY MED. GRAY	From NON From cement 2 ft. to25 contamination: al lines pool age pit LITHOLOGIC LO OM D & GRAVEL VEL	Eft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage i 9 Feedyard	3 Ber	to	n	t. to
GROUT MATERIA Grout Intervals: From the properties of the properti	Dom. 1 Neat of possible 4 Laters 5 Cess wer lines 6 Seep NORTH TOP SOIL SANDY LOCK MED. SAND CLAY MED. GRAY	From NON From cement 2 ft. to25 contamination: al lines pool age pit LITHOLOGIC LO OM D & GRAVEL VEL	Eft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage i 9 Feedyard	3 Ber	to	n	t. to
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser Direction from well? FROM TO 0 2 2 18 18 36 36 37 37 40 40 41	Dom. 1 Neat of possible 4 Laters 5 Cess wer lines 6 Seep NORTH TOP SOIL SANDY LOCK MED. SAND CLAY MED. GRAY	From NON From cement 2 ft. to25 contamination: al lines pool age pit LITHOLOGIC LO OM D & GRAVEL VEL	Eft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage i 9 Feedyard	3 Ber	to	n	t. to
GROUT MATERIA Grout Intervals: From the properties of the properti	Dom. 1 Neat of possible 4 Laters 5 Cess wer lines 6 Seep NORTH TOP SOIL SANDY LOCK MED. SAND CLAY MED. GRAY	From NON From cement 2 ft. to25 contamination: al lines pool age pit LITHOLOGIC LO OM D & GRAVEL VEL	Eft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage i 9 Feedyard	3 Ber	to	n	t. to
GROUT MATERIA Grout Intervals: From the service of	Dom. 1 Neat of possible 4 Laters 5 Cess wer lines 6 Seep NORTH TOP SOIL SANDY LOCK MED. SAND CLAY MED. GRAY	From NON From cement 2 ft. to25 contamination: al lines pool age pit LITHOLOGIC LO OM D & GRAVEL VEL	Eft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage i 9 Feedyard	3 Ber	to	n	t. to
GROUT MATERIA Grout Intervals: From the service of	Dom. 1 Neat of possible 4 Laters 5 Cess wer lines 6 Seep NORTH TOP SOIL SANDY LOCK MED. SAND CLAY MED. GRAY	From NON From cement 2 ft. to25 contamination: al lines pool age pit LITHOLOGIC LO OM D & GRAVEL VEL	Eft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage i 9 Feedyard	3 Ber	to	n	t. to
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser Direction from well? FROM TO 0 2 2 18 18 36 36 37 37 40 40 41 41 48	TOP SOIL SANDY LOC MED. SAND CLAY MED. SAND MED. SAND	From NON From 2 to 125	E ft. to ft. to Cement grout . ft., From 7 Pit privy 8 Sewage i 9 Feedyard	3 Ber ft.	to	n fin fin fin fin fin fin fin fin fin fi	t. to
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 2 2 18 18 36 36 37 37 40 40 41 41 48 CONTRACTOR'S	TOP SOIL SANDY LOC MED. SANI CLAY MED. CRA CLAY MED. SANI CLAY	From NON From 2 to 125	E ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage i 9 Feedyard OG	3 Ber ft. agoon FROM	to	n fin fin fin fin fin fin fin fin fin fi	t. to
GROUT MATERIA Grout Intervals: From What is the nearest so a Septic tank and s	DOM . 1 Neat of possible 4 Laters 5 Cess wer lines 6 Seep NORTH TOP SOIL SANDY LOOMED SAND CLAY MED GRAY MED SAND CLAY MED SAND SAND SAND SAND SAND SAND SAND SAN	From NON From 2 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1	E ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage i 9 Feedyard OG	3 Ber ft.	to	n fin fin fin fin fin fin fin fin fin fi	t. to
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser Direction from well? FROM TO 0 2 2 18 18 36 36 37 37 40 40 41 41 48	DOM . 1 Neat of possible 4 Laters 5 Cess wer lines 6 Seep NORTH TOP SOIL SANDY LOCK MED. SAND CLAY MED. CRAY MED. CRAY MED. SAND OR LANDOWNER (//year)	From NON From 2 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1	E ft. to ft. to Cement grout . ft., From 7 Pit privy 8 Sewage i 9 Feedyard OG N: This water well	3 Ber ft.	ructed, (2) records and this records are the records are the records are the records and the records are the re	n fin fin fin fin fin fin fin fin fin fi	t. to