			R WELL RECORD	Form WWC-5	KSA 82a-				
1 LOCATION OF WA		Fraction			tion Number	Township		Range No	umber
County: Salir		SE 1/4		NW 1/4	25	<u></u>	S	R 3	(W)
Distance and direction		-	idress of well if loca Lin, Salina					•	
2 WATER WELL OV				2, 110					
<b>-</b>		. Claflin				Doord of	. Aiib	Nivisian of Make	Dana
RR#, St. Address, Bo							•	ivision of Wate	er mesources
City, State, ZIP Code	: Sarin	a, no or-	40T	חר			on Number:		
AN "X" IN SECTION	OCATION WITH 4 N BOX:	DEPTH OF Co	OMPLETED WELL. water Encountered	1 23	ft. ELEVAT ft 2	ION:	# 3		
· [ ]		NELL'S STATIC	WATER LEVEL	23 # 5	alow land surf	ace measured	on mo/day/yr	5-6-88	
1   i 😘			test data: Well wa						
X. w	NE	100.	-150	aler was		er	nours pur	mping	gpm
1   1	'	est. Yield ÷.99.	-159pm; Well wa	ater was	π. an	er	hours pui	mping	gpm
* w   1	E   5	Bore Hole Diame	ter10in.	to く ノ .					
.≧   ¦			O BE USED AS:			3 Air conditioni	-	njection well	
sw	SE	1 Domestic	3 Feedlot	6 Oil field wat				Other (Specify I	below)
1 1 1		2 Irrigation	4 Industrial	7 Lawn and g					
<u> </u>	<u> </u>	Nas a chemical/b	acteriological sample	e submitted to De	partment? Yes	sNo	X; If yes,	mo/day/yr sam	ple was sub-
<u> </u>		nitted			Wate	er Well Disinfed	ted? Yes	X No	
5 TYPE OF BLANK	CASING USED:		5 Wrought iron	8 Concre	te tile	CASING J	OINTS: Glued	Clamp	ed
1 Steel	3 RMP (SR)	)	6 Asbestos-Cemen	nt 9 Other	(specify below)	)	Welde	_ od	
2 PVC	4 ABS		7 Fiberglass				Threa	ded	
Blank casing diameter	r6ir	n. to 55	ft., Dia	in. to		ft Dia	i	n. to	ft.
Casing height above I	and surface		in weight	.3.52	Ibs./ft	. Wall thicknes	s or gauge No	. 255	
TYPE OF SCREEN C			,	7 PV(			sbestos-ceme		
1 Steel	3 Stainless		5 Fiberglass		P (SR)			· · · · · · · · · · · · · · · · · · ·	
2 Brass	4 Galvanized		6 Concrete tile	9 AB			one used (ope		
SCREEN OR PERFO				uzed wrapped		8 Saw cut	• •	•	n bala)
1 Continuous sk				e wrapped		9 Drilled hole		11 None (ope	п пов)
				ch cut			_	30.Slot.	
2 Louvered shut	-	punched	5.5 ft. to			10 Other (spec	;iry) •	)	
SCREEN-PERFORAT	ED INTERVALS:				π., <b>⊢ro</b> m		π. το		
		F	4 1-				•		a. 1
05445	04 117777		ft. to						
GRAVEL PA	ACK INTERVALS:	From	2.0 ft. to	75	ft., From		ft. to	)	
		From	2.0 ft. to ft. to	75	ft., From ft., From		ft. to	)	
6 GROUT MATERIA	L: 1 Neat ce	From From ment 2	2.0 ft. to ft. to 2 Cement grout	3 Bentor	ft., From	)ther	ft. to	)	
6 GROUT MATERIAL Grout Intervals: Fro	L: 1 Neat ce	From From ment 2	2.0 ft. to ft. to 2 Cement grout	3 Bentor	ft., From ft., From nite 4 C	Other	ft. to	. ft. to	ft. ft. ft.
GROUT MATERIAL Grout Intervals: Fro What is the nearest se	L: 1 Neat ce	From From ment 2	20 ft. to ft. to Cement grout ft., From	3 Bentor	ft., From	Other	ft. to	)	ft. ft. ft.
6 GROUT MATERIAL Grout Intervals: Fro	L: 1 Neat ce	From	2 Cement grout  7 Pit privy	3 Benton ft. 1	ft., From ft., From nite 4 C	Other	ft. to	. ft. to	ft. ft. ft.
6 GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines	L: 1 Neat ce mOft ource of possible co 4 Lateral 5 Cess p	From	20 ft. to ft. to Cement grout ft., From	3 Benton ft. 1	ft., From ft., From nite 4 C	Other  ft., From eck pens	14 Ab	ft. to	ft. ft. ft. r well
GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev	L: 1 Neat ce omOft ource of possible co 4 Lateral 5 Cess p wer lines 6 Seepag	From	2 Cement grout  7 Pit privy	3 Benton ft. 1	ft., From ft., From nite 4 Co. 10 Livesto 11 Fuel st 12 Fertiliz	Other  ft., From eck pens	14 Ab	ft. to pandoned water	ft. ft. ft. r well
GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev	L: 1 Neat ce mOft ource of possible co 4 Lateral 5 Cess p	From	20 ft. to  ft. to  Cement grout  ft., From  7 Pit privy 8 Sewage la 9 Feedyard	3 Benton ft. 1	ft., From ft., From nite 4 Co. 10 Livesto 11 Fuel st 12 Fertiliz	Other	14 Ab 15 Oi 16 Ot Natura	ft. to	ft. ft. ft. r well
GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev	L: 1 Neat ce omOft ource of possible co 4 Lateral 5 Cess p wer lines 6 Seepag	From	20 ft. to  ft. to  Cement grout  ft., From  7 Pit privy 8 Sewage la 9 Feedyard	3 Benton ft. 1	ft., From ft., F	Other	14 Ab 15 Oi 16 Ot Natura	ft. to	ft. ft. ft. r well
GROUT MATERIAL Grout Intervals: Fro What is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 5	L: 1 Neat ce omOft ource of possible co 4 Lateral 5 Cess p wer lines 6 Seepag	From	20 ft. to  ft. to  Cement grout  ft., From  7 Pit privy 8 Sewage la 9 Feedyard	3 Bentor	ft., From ft., F	Other	ft. to ft. to 14 Ab 15 Oi 16 Ot Natura	ft. to	ft. ft. ft. r well
GROUT MATERIAL Grout Intervals: Fro What is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 5 5 16	L: 1 Neat ce omOft ource of possible co 4 Lateral 5 Cess p wer lines 6 Seepag West	From	20 ft. to  ft. to  Cement grout  ft., From  7 Pit privy 8 Sewage la 9 Feedyard	3 Bentor	ft., From ft., F	Other	ft. to ft. to 14 Ab 15 Oi 16 Ot Natura	ft. to	ft. ft. ft. r well
GROUT MATERIAL Grout Intervals: Fro What is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 5	L: 1 Neat ce omOft ource of possible co 4 Lateral 5 Cess p wer lines 6 Seepag West Top Soil	From	20 ft. to  ft. to  Cement grout  ft., From  7 Pit privy 8 Sewage la 9 Feedyard	3 Bentor	ft., From ft., F	Other	ft. to ft. to 14 Ab 15 Oi 16 Ot Natura	ft. to	ft. ft. ft. r well
GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 5 5 16 16 43 43 54	L: 1 Neat ce omOft ource of possible co 4 Lateral 5 Cess p wer lines 6 Seepag West Top Soil Tan Clay	From From ment 20 to20 ontamination: lines cool ge pit  LITHOLOGIC L	20 ft. to  ft. to  Cement grout  ft., From  7 Pit privy 8 Sewage la 9 Feedyard	3 Bentor	ft., From ft., F	Other	ft. to ft. to 14 Ab 15 Oi 16 Ot Natura	ft. to	ft. ft. ft. r well
GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 5 5 16 16 43 43 54	L: 1 Neat ce cmOft ource of possible co 4 Lateral 5 Cess p ver lines 6 Seepag West  Top Soil Tan Clay Silty Cla	From	20 ft. to  ft. to  Cement grout  ft., From  7 Pit privy 8 Sewage la 9 Feedyard	3 Bentor	ft., From ft., F	Other	ft. to ft. to 14 Ab 15 Oi 16 Ot Natura	ft. to	ft. ft. ft. r well
GROUT MATERIAL Grout Intervals: Fro What is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 5 16 16 43 43 54 54 62	L: 1 Neat ce omOft ource of possible co 4 Lateral 5 Cess p wer lines 6 Seepag West Top Soil Tan Clay Silty Cla Fine Sano Medium Sa	From	20 ft. to  ft. to  Cement grout  ft., From  7 Pit privy 8 Sewage la 9 Feedyard	3 Bentor	ft., From ft., F	Other	ft. to ft. to 14 Ab 15 Oi 16 Ot Natura	ft. to	ft. ft. ft. r well
GROUT MATERIAL Grout Intervals: Fro What is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 5 5 16 16 43 43 54 54 62 62 63	L: 1 Neat ce omOft ource of possible co 4 Lateral 5 Cess p wer lines 6 Seepag West  Top Soil Tan Clay Silty Cla Fine Sanc Medium Sa	From	2.0 ft. to ft. to  2 Cement grout  7 Pit privy 8 Sewage la 9 Feedyard	3 Bentor	ft., From ft., F	Other	ft. to ft. to 14 Ab 15 Oi 16 Ot Natura	ft. to	ft. ft. ft. r well
GROUT MATERIAL Grout Intervals: Fro What is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 5 16 16 43 43 54 54 62	L: 1 Neat ce omOft ource of possible co 4 Lateral 5 Cess p wer lines 6 Seepag West Top Soil Tan Clay Silty Cla Fine Sano Medium Sa	From	2.0 ft. to ft. to  2 Cement grout  7 Pit privy 8 Sewage la 9 Feedyard	3 Bentor	ft., From ft., F	Other	ft. to ft. to 14 Ab 15 Oi 16 Ot Natura	ft. to	ft. ft. ft. r well
GROUT MATERIAL Grout Intervals: Fro What is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 5 5 16 16 43 43 54 54 62 62 63	L: 1 Neat ce omOft ource of possible co 4 Lateral 5 Cess p wer lines 6 Seepag West  Top Soil Tan Clay Silty Cla Fine Sanc Medium Sa	From	2.0 ft. to ft. to  2 Cement grout  7 Pit privy 8 Sewage la 9 Feedyard	3 Bentor	ft., From ft., F	Other	ft. to ft. to 14 Ab 15 Oi 16 Ot Natura	ft. to	ft. ft. ft. r well
GROUT MATERIAL Grout Intervals: Fro What is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 5 5 16 16 43 43 54 54 62 62 63	L: 1 Neat ce omOft ource of possible co 4 Lateral 5 Cess p wer lines 6 Seepag West  Top Soil Tan Clay Silty Cla Fine Sanc Medium Sa	From	2.0 ft. to ft. to  2 Cement grout  7 Pit privy 8 Sewage la 9 Feedyard	3 Bentor	ft., From ft., F	Other	ft. to ft. to 14 Ab 15 Oi 16 Ot Natura	ft. to	ft. ft. ft. r well
GROUT MATERIAL Grout Intervals: Fro What is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 5 5 16 16 43 43 54 54 62 62 63	L: 1 Neat ce omOft ource of possible co 4 Lateral 5 Cess p wer lines 6 Seepag West  Top Soil Tan Clay Silty Cla Fine Sanc Medium Sa	From	2.0 ft. to ft. to  2 Cement grout  7 Pit privy 8 Sewage la 9 Feedyard	3 Bentor	ft., From ft., F	Other	ft. to ft. to 14 Ab 15 Oi 16 Ot Natura	ft. to	ft. ft. ft. r well
GROUT MATERIAL Grout Intervals: Fro What is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 5 5 16 16 43 43 54 54 62 62 63	L: 1 Neat ce omOft ource of possible co 4 Lateral 5 Cess p wer lines 6 Seepag West  Top Soil Tan Clay Silty Cla Fine Sanc Medium Sa	From	2.0 ft. to ft. to  2 Cement grout  7 Pit privy 8 Sewage la 9 Feedyard	3 Bentor	ft., From ft., F	Other	ft. to ft. to 14 Ab 15 Oi 16 Ot Natura	ft. to	ft. ft. ft. r well
GROUT MATERIAL Grout Intervals: Fro What is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 5 5 16 16 43 43 54 54 62 62 63	L: 1 Neat ce omOft ource of possible co 4 Lateral 5 Cess p wer lines 6 Seepag West  Top Soil Tan Clay Silty Cla Fine Sanc Medium Sa	From	2.0 ft. to ft. to  2 Cement grout  7 Pit privy 8 Sewage la 9 Feedyard	3 Bentor	ft., From ft., F	Other	ft. to ft. to 14 Ab 15 Oi 16 Ot Natura	ft. to	ft. ft. ft. r well
GROUT MATERIAL Grout Intervals: Fro What is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 5 5 16 16 43 43 54 54 62 62 63	L: 1 Neat ce omOft ource of possible co 4 Lateral 5 Cess p wer lines 6 Seepag West  Top Soil Tan Clay Silty Cla Fine Sanc Medium Sa	From	2.0 ft. to ft. to  2 Cement grout  7 Pit privy 8 Sewage la 9 Feedyard	3 Bentor	ft., From ft., F	Other	ft. to ft. to 14 Ab 15 Oi 16 Ot Natura	ft. to	ft. ft. ft. r well
GROUT MATERIAL Grout Intervals: Fro What is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 5 5 16 16 43 43 54 54 62 62 63	L: 1 Neat ce omOft ource of possible co 4 Lateral 5 Cess p wer lines 6 Seepag West  Top Soil Tan Clay Silty Cla Fine Sanc Medium Sa	From	2.0 ft. to ft. to  2 Cement grout  7 Pit privy 8 Sewage la 9 Feedyard	3 Bentor	ft., From ft., F	Other	ft. to ft. to 14 Ab 15 Oi 16 Ot Natura	ft. to	ft. ft. ft. r well
GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 5 5 16 16 43 43 54 54 62 62 63 63 76	L: 1 Neat ce cmOft ource of possible co 4 Lateral 5 Cess p wer lines 6 Seepag West  Top Soil Tan Clay Silty Cla Fine Sand Medium Sa Clay Medium F:	From From ment 20 to20 ontamination: lines cool ge pit  LITHOLOGIC L  ays ds ands ine Sands	2.0 ft. to ft. to comment grout ft., From ft., From Fit privy Sewage la Feedyard  COG	3 Benton ft. sagoon	ft., From ft., From ft., From nite 4 Coo.  10 Livesto 11 Fuel st 12 Fertiliz 13 Insecti How many TO	other	14 At 15 Oi 16 Or Natura)	ft. to	ft.  ft.  ft.  ft.  well  low)  ine
GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 5 5 16 16 43 43 54 54 62 62 63 63 76	L: 1 Neat ce cm	From	2.0 ft. to ft. to  2 Cement grout  7 Pit privy 8 Sewage la 9 Feedyard	3 Benton ft. sagoon	ft., From ft., From ft., From nite 4 Coo.  10 Livesto 11 Fuel st 12 Fertiliz 13 Insecti How many TO	other	14 At 15 Oi 16 Or Natura)	ft. to	ft.  ft.  ft.  ft.  well  low)  ine
GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 5 5 16 16 43 43 54 54 62 62 63 63 76	L: 1 Neat ce cm	From	2.0 ft. to ft. to coment grout ft., From ft., From ft., From Feedyard GOG  DN: This water well	3 Benton ft. sagoon FROM was (1) construction	ft., From ft., F	other	14 At 15 Oi 16 Or Natura  LITHOLOGI  plugged under best of my known in the control of my known in the	ft. to	thft. rwell low)
GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 5 5 16 16 43 43 54 54 62 62 63 63 76	L: 1 Neat ce cm	From	2.0 ft. to ft. to coment grout ft., From ft., From ft., From Feedyard GOG  DN: This water well	3 Benton ft. sagoon FROM was (1) construction	ft., From ft., F	other	14 At 15 Oi 16 Or Natura  LITHOLOGI  plugged under best of my known in the control of my known in the	ft. to	thft. rwell low)
GROUT MATERIAL Grout Intervals: Fro What is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 5 5 16 16 43 43 54 54 62 62 63 63 76	L: 1 Neat ce cm	From From ment 20 to 20 ontamination: lines cool ge pit  LITHOLOGIC L  ays ds ands ine Sands ine Sands 5 CERTIFICATIO 6-88 138 son Trris	2.0 ft. to ft. to comment grout ft., From ft., This Water well ft., From ft., This Water well ft., This Water	3 Benton ft. 1 agoon FROM was (1) construct. Well Record was	ft., From ft., F	other	14 At 15 Oi 16 Ot Natura  LITHOLOGI  plugged under best of my known 5 - 19	ft. to	on and was lief. Kansas

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water Protection, Topeka, Kansas 66620-7320, Telephone: 913-862-9360. Send one to WATER WELL OWNER and retain one for your records.