				ER WELL R	LOOND I	orm WWC-5	KSA 82a-			r =	
	ON OF WATE	R WELL:	Fraction	a SW	1/4 NE	1	tion Number 26	1	p Number ↓↓ S	Range R	Number 3 F/W
County: SA		om nearest towr				within city?	4V	1 1	<u>4 s</u>	<u> </u>	<u> </u>
Distance an	na airection fr	om nearest towr 506 (-	auuiess Oi V	ren n located	within city?					
O MATER	NAMELL CANAL		NELSON								
and .	WELL OWN							Board	of Agriculture, I	Division of W	ater Resources
	ddress, Box	# : 500 01 : SALINA		J01					ation Number:		, 1000u1000
		CATION WITH 4) WELL	56	f FIE\/^				
AN "X" I	IN SECTION								ft. 3		
- [d on mo/day/yr		
1	i		Pun	no test data:	Well water	was3	in the same same	fter	hours pu	mping 3	35 gpm
-	- NW -	- NE							hours pu		
									in.		
			WELL WATER			5 Public wate			ning 11		
-			1 Domesti	c 3 Fe	edlot	Oil field wa	er supply	9 Dewatering	12	Other (Speci	fy below)
-	- SW	SE	2 Irrigation	4 In	dustrial	7 Lawn and g	arden only	10 Monitoring	well		
		•	Was a chemica	l/bacteriologi	cal sample s	ubmitted to D	epartment? Ye	esNo	X; If yes,	mo/day/yr sa	ample was sub
I Games	5		mitted						fected? Yes		
5 TYPE O	F BLANK CA	SING USED:		5 Wrougl	nt iron	8 Concre	ete tile	CASING	JOINTS: Glued	dXCla	ımped
1 Ste	eel	3 RMP (SR	l)	6 Asbest	os-Cement	9 Other	(specify belov	v)	Weld	ed	
2 PV		4 ABS		7 Fibergl							
Blank casin	ng diameter .	5id surfacei	ip ₅ to 4:6	_. . ft.,	Dia			ft., Dia		in. to SDR 2	26 ft.
				in., weigh	t						
		PERFORATION				7 PV	nest transferren		Asbestos-ceme		
1 Ste		3 Stainless		5 Fibergl			IP (SR)		Other (specify)		
2 Bra		4 Galvanize		6 Concre		9 AB	S		None used (op		anan hala\
		ATION OPENING				d wrapped		8 Saw cut		11 None (d	pheu uoie)
	ntinuous slot	erminals algebrasia	ll slot 。030	#Seasofer-Faces	6 Wire v			9 Drilled ho			
	uvered shutte		• .	46	/ Torch	56 5d	# Ero	nu Other (sp	pecify)	······	ft
SCHEEN-F	PERFORATE	O INTERVALS:	From		11. 10		IL., FIOI		16. 1	.0	,
					ft to		ft Ero	m	ft t	0	
C	BRAVEL PAC	K INTERVALS:	From	35	ft. to	56	ft., Froi	m	ft ft.	io	
G	GRAVEL PAC	K INTERVALS:	From From	[35]	ft. to	29	ft., Froi	m	ft. 1 ft. 1 ft. 1	lo	, ,
	MATERIAL:	1 Neat c	From From	2 Cement	ft. to ft. to	3 Bento	ft., Froi ft., Froi onite 4	m	ft. 1	to	
	MATERIAL:		From From	2 Cement	ft. to ft. to	3 Bento	ft., Froi ft., Froi onite 4	m	ft. 1	to	
6 GROUT Grout Inter	MATERIAL:	1 Neat c	From From ement ft. to 21	2 Cement	ft. to ft. to	3 Bento	ft., From the ft	m	ft. 1	to	
6 GROUT Grout Inter What is the	MATERIAL:	1 Neat o	From From ement	2 Cement ft.,	ft. to ft. to	3 Bento	ft., From the ft	m	m	totototb	ft.
6 GROUT Grout Inter What is the 1 Se 2 Se	"MATERIAL: rvals: From e nearest sou ptic tank ower lines	1 Neat control of the following of the f	From From From From From From From From	2 Cement ft.,	ft. to ft. to grout from	3 Bento	ft., Froi ft., Froi onite 4 to	m	m	to 	ft.
6 GROUT Grout Inter What is the 1 Se 2 Se	"MATERIAL: rvals: From e nearest sou ptic tank ower lines	1 Neat co 0 urce of possible of 4 Latera 5 Cess or lines 6 Seepa	From From ement ft. to21 contamination: al lines pool age pit	2 Cement ft.,	ft. to ft. to grout From	3 Bento	ft., Froi ft., Froi nnite 4 to 10 Lives 11 Fuel 12 Fertil	mm Other ft., Fro stock pens storage	m	totototb	ft.
6 GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction fi	" MATERIAL: rvals: From e nearest sou ptic tank ewer lines atertight sewer	1 Neat control of the following of the f	From From tement ft. to 21 contamination: al lines pool agge pit	2 Cement ft.,	ft. to ft. to grout From Pit privy Sewage lago	3 Bento	ft., Froi ft., Froi nite 4 to	m	m	to	ft.
6 GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction for	" MATERIAL: rvals: From e nearest sou ptic tank ewer lines atertight sewe rom well?	1 Neat of O	From From tement ft. to 21 contamination: al lines pool age pit EST LITHOLOGI	2 Cement ft.,	ft. to ft. to grout From Pit privy Sewage lago	3 Bento	ft., Froi ft., Froi nite 4 to	m	m	to	ft.
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction fr	" MATERIAL: rvals: From e nearest sou optic tank ewer lines atertight sewerrom well?	1 Neat of O Irce of possible of 4 Latera 5 Cesser lines 6 Seepa NORTHW	From From ement ft. to 21 contamination: al lines pool age pit EST LITHOLOGI	2 Cement ft.,	ft. to ft. to grout From Pit privy Sewage lago	3 Bento	ft., From ft., F	m	m	to	ft.
GROUT Grout Inter What is the 1 Sec 2 Sec 3 Wa Direction for FROM 0	MATERIAL: rvals: From e nearest sou eptic tank ewer lines attertight sewe from well? TO 3 23	1 Neat co 0 0 4 Latera 5 Cess or lines 6 Seepa NORTHW TOP SOIL	From From ement ft. to21 contamination: al lines pool age pit EST LITHOLOGI	2 Cement ft.,	ft. to ft. to grout From Pit privy Sewage lago	3 Bento	ft., From ft., F	m	m	to	ft.
GROUT Grout Inter What is the 1 See 2 See 3 Wa Direction fr FROM 0 3 23	MATERIAL: rvals: From e nearest sou eptic tank ewer lines atertight sewe from well? TO 3 23 31	1 Neat co 0 4 Latera 5 Cess or lines 6 Seepa NORTHW TOP SOIL CLAY BRO SAND SIL	From From ement ft. to21 contamination: al lines pool age pit EST LITHOLOGI WN	2 Cement ft., 7 8 9	ft. to ft. to grout From Pit privy Sewage lago	3 Bento	ft., From ft., F	m	m	to	ft.
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction fr FROM 0 3 23 31	rvals: From e nearest souptic tank ewer lines atertight sewer rom well?	1 Neat co 0 urce of possible of 4 Latera 5 Cess or lines 6 Seepa NORTHW TOP SOIL CLAY BRO SAND SIL CLAY BRO	From From ement ft. to 21 contamination: al lines pool age pit EST LITHOLOGI DWN TY DWN TO REI	2 Cement ft., 7 8 9	ft. to ft. to grout From Pit privy Sewage lago	3 Bento	ft., From ft., F	m	m	to	ft.
GROUT Grout Inter What is the 1 See 2 See 3 Wa Direction fr FROM 0 3 23	MATERIAL: rvals: From e nearest sou eptic tank ewer lines atertight sewe from well? TO 3 23 31	1 Neat co 0 urce of possible of 4 Latera 5 Cess or lines 6 Seepa NORTHW TOP SOIL CLAY BRO SAND SIL CLAY BRO	From From ement ft. to21 contamination: al lines pool age pit EST LITHOLOGI WN	2 Cement ft., 7 8 9	ft. to ft. to grout From Pit privy Sewage lago	3 Bento	ft., From ft., F	m	m	to	ft.
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction fr FROM 0 3 23 31	rvals: From e nearest souptic tank ewer lines atertight sewer rom well?	1 Neat co 0 urce of possible of 4 Latera 5 Cess or lines 6 Seepa NORTHW TOP SOIL CLAY BRO SAND SIL CLAY BRO	From From ement ft. to 21 contamination: al lines pool age pit EST LITHOLOGI DWN TY DWN TO REI	2 Cement ft., 7 8 9	ft. to ft. to grout From Pit privy Sewage lago	3 Bento	ft., From ft., F	m	m	to	ft.
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction fr FROM 0 3 23 31	rvals: From e nearest souptic tank ewer lines atertight sewer rom well?	1 Neat co 0 urce of possible of 4 Latera 5 Cess or lines 6 Seepa NORTHW TOP SOIL CLAY BRO SAND SIL CLAY BRO	From From ement ft. to 21 contamination: al lines pool age pit EST LITHOLOGI DWN TY DWN TO REI	2 Cement ft., 7 8 9	ft. to ft. to grout From Pit privy Sewage lago	3 Bento	ft., From ft., F	m	m	to	ft.
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction fr FROM 0 3 23 31	rvals: From e nearest souptic tank ewer lines atertight sewer rom well?	1 Neat co 0 urce of possible of 4 Latera 5 Cess or lines 6 Seepa NORTHW TOP SOIL CLAY BRO SAND SIL CLAY BRO	From From ement ft. to 21 contamination: al lines pool age pit EST LITHOLOGI DWN TY DWN TO REI	2 Cement ft., 7 8 9	ft. to ft. to grout From Pit privy Sewage lago	3 Bento	ft., From ft., F	m	m	to	ft.
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction fr FROM 0 3 23 31	rvals: From e nearest souptic tank ewer lines atertight sewer rom well?	1 Neat co 0 urce of possible of 4 Latera 5 Cess or lines 6 Seepa NORTHW TOP SOIL CLAY BRO SAND SIL CLAY BRO	From From ement ft. to 21 contamination: al lines pool age pit EST LITHOLOGI DWN TY DWN TO REI	2 Cement ft., 7 8 9	ft. to ft. to grout From Pit privy Sewage lago	3 Bento	ft., From ft., F	m	m	to	ft.
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction fr FROM 0 3 23 31	rvals: From e nearest souptic tank ewer lines atertight sewer rom well?	1 Neat co 0 urce of possible of 4 Latera 5 Cess or lines 6 Seepa NORTHW TOP SOIL CLAY BRO SAND SIL CLAY BRO	From From ement ft. to 21 contamination: al lines pool age pit EST LITHOLOGI DWN TY DWN TO REI	2 Cement ft., 7 8 9	ft. to ft. to grout From Pit privy Sewage lago	3 Bento	ft., From ft., F	m	m	to	ft.
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction fr FROM 0 3 23 31	rvals: From e nearest souptic tank ewer lines atertight sewer rom well?	1 Neat co 0 urce of possible of 4 Latera 5 Cess or lines 6 Seepa NORTHW TOP SOIL CLAY BRO SAND SIL CLAY BRO	From From ement ft. to 21 contamination: al lines pool age pit EST LITHOLOGI DWN TY DWN TO REI	2 Cement ft., 7 8 9	ft. to ft. to grout From Pit privy Sewage lago	3 Bento	ft., From ft., F	m	m	to	ft.
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction fr FROM 0 3 23 31	rvals: From e nearest souptic tank ewer lines atertight sewer rom well?	1 Neat co 0 urce of possible of 4 Latera 5 Cess or lines 6 Seepa NORTHW TOP SOIL CLAY BRO SAND SIL CLAY BRO	From From ement ft. to 21 contamination: al lines pool age pit EST LITHOLOGI DWN TY DWN TO REI	2 Cement ft., 7 8 9	ft. to ft. to grout From Pit privy Sewage lago	3 Bento	ft., From ft., F	m	m	to	ft.
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction fr FROM 0 3 23 31	rvals: From e nearest souptic tank ewer lines atertight sewer rom well?	1 Neat co 0 urce of possible of 4 Latera 5 Cess or lines 6 Seepa NORTHW TOP SOIL CLAY BRO SAND SIL CLAY BRO	From From ement ft. to 21 contamination: al lines pool age pit EST LITHOLOGI DWN TY DWN TO REI	2 Cement ft., 7 8 9	ft. to ft. to grout From Pit privy Sewage lago	3 Bento	ft., From ft., F	m	m	to	ft.
6 GROUT Grout Inter What is the 1 See 2 See 3 Wa Direction fr FROM 0 3 23 31	rvals: From e nearest souptic tank ewer lines atertight sewer rom well?	1 Neat co 0 urce of possible of 4 Latera 5 Cess or lines 6 Seepa NORTHW TOP SOIL CLAY BRO SAND SIL CLAY BRO	From From ement ft. to 21 contamination: al lines pool age pit EST LITHOLOGI DWN TY DWN TO REI	2 Cement ft., 7 8 9	ft. to ft. to grout From Pit privy Sewage lago	3 Bento	ft., From ft., F	m	m	to	ft.
GROUT Grout Inter What is the 1 See 2 See 3 Wa Direction for FROM 0 3 23 31 42	MATERIAL: rvals: From e nearest sou eptic tank ewer lines atertight sewe from well? TO 3 23 31 42 56	1 Neat of O 4 Laters 5 Cess or lines 6 Seeps NORTHW TOP SOIL CLAY BRO SAND SIL CLAY BRO SAND MED	From From ement ft. to21 contamination: al lines pool age pit EST LITHOLOGI WN TY DWN TO REI TO HEAV	2 Cement ft., 7 8 9 C LOG	ft. to ft. to grout From Pit privy Sewage lago Feedyard	3 Bento ft.	ft., From ft., F	m	ft.	ft. to bandoned w. Dil well/Gas w Other (specify	ft. ft. ft. ater well vell below)
GROUT Grout Inter What is the 1 See 2 See 3 Wa Direction fr FROM 0 3 23 31 42	MATERIAL: rvals: From e nearest sou eptic tank ewer lines atertight sewe from well? TO 3 23 31 42 56	1 Neat co O Irce of possible of 4 Latera 5 Cess or lines 6 Seepa NORTHW TOP SOIL CLAY BRO SAND SIL CLAY BRO SAND MED	From From From From From From From From	2 Cement ft., 7 8 9 C LOG	rt. to ft. to grout From Pit privy Sewage lago Feedyard water well w	3 Bento TROM As as (1) constru	ft., From ft., F	m	ft.	der my jurisc	diction and was
GROUT Grout Inter What is the 1 See 2 See 3 Wa Direction fr FROM 0 3 23 31 42	MATERIAL: rvals: From e nearest sou eptic tank ewer lines atertight sewe from well? TO 3 23 31 42 56 RACTOR'S C	1 Neat of O Irce of possible of 4 Latera 5 Cess or lines 6 Seepa NORTHW TOP SOIL CLAY BRO SAND SIL CLAY BRO SAND MED OR LANDOWNER (year) 4-23	From From From From From From From From	2 Cement ft., 7 8 9 C LOG	rt. to ft. to grout From Pit privy Sewage lago Feedyard water well w	3 Bento ft. FROM FROM as (1) constru	tt., From ft., F	mm Other Other ft., Fro tock pens storage izer storage cticide storage my feet? onstructed, or ord is true to t	ft. 1	der my juriso	diction and wald belief. Kansai
GROUT Grout Inter What is the 1 See 2 See 3 Wa Direction fr FROM 0 3 23 31 42 7 CONTE completed Water Wel	rvals: From e nearest sour ptic tank ewer lines atertight sewer rom well? TO 3 23 31 42 56 RACTOR'S Colon (mo/day/vill Contractor's	1 Neat of O Irce of possible of 4 Laters 5 Cess or lines 6 Seepa NORTHW TOP SOIL CLAY BRO SAND SIL CLAY BRO SAND MED OR LANDOWNER year) 4-23 s License No	From From From From From From From From	2 Cement ft., 7 8 9 C LOG	rt. to ft. to ft. to grout From Pit privy Sewage lago Feedyard water well w This Water W	3 Bento ft. FROM FROM as (1) constru	tto	mm Otherft., Fro tock pens storage izer storage cticide storage my feet? onstructed, or ord is true to t on (mg/day/y	(3) plugged unhe best of my kr	der my jurisc	diction and wald belief. Kansai
GROUT Grout Inter What is the 1 See 2 See 3 Wa Direction fr FROM 0 3 23 31 42 7 CONTE completed Water Wel under the	T MATERIAL: rvals: From e nearest sou eptic tank ewer lines atertight sewe from well? TO 3 23 31 42 56 RACTOR'S C I on (mo/day/y ell Contractor's business nar	1 Neat of O Irce of possible of 4 Latera 5 Cess or lines 6 Seepa NORTHW TOP SOIL CLAY BRO SAND SIL CLAY BRO SAND MED OR LANDOWNER (year) 4-23	From From From From From From From From	2 Cementft., 7 8 9 C LOGY	rt. to ft. to ft. to grout From Pit privy Sewage lago Feedyard water well w This Water W	3 Bento ft. ft.	tt., From ft., F	m	(3) plugged unhe best of my kers. Send top three	der my juriso lowledge and	diction and was