			ER WELL RECORD	Form WWC-5	KSA 82a-		
LOCATION OF WA	TER WELL:	Fraction		Sec	tion Number	Township Numb	1 .
ounty: Saline		NE 14		SE 14		т 14	s R 3 EW
		wn or city street a	address of well if locate	ed within city?			
1036 S							
WATER WELL OV	VNER: DOD D	arling					
R#, St. Address, Bo	x # : 1030	SCOTT				Board of Agric	culture, Division of Water Resource
y, State, ZIP Code		a, Ks. 6740				Application Nu	
LOCATE WELL'S L AN "X" IN SECTIO	OCATION WITH N BOX:	4 DEPTH OF C	COMPLETED WELL		. ft. ELEVAT	ion:1100.	
							o/day/yr . 10-9-86
i							ours pumping 35 gp
NW	INE	Fet Vield 77	the come well water	er was	ft af	er h	ours numping
	1 ! !	Bore Hole Diam	eter 8 in to	35	ft a	nd	ours pumping gp
w	T 1		TO BE USED AS:	5 Public water	reunnly /	3 Air conditioning	11 Injection well
i	~	1 Domestic					12 Other (Specify below)
SW	SE	2 irrigation		v		Observation well	
1 !	1 : 1	· •					.; If yes, mo/day/yr sample was s
-		mitted	bacteriological sample	Submitted to De	-	er Well Disinfected?	
TYPE OF BLANK	CASING USED	Timed	5 Wrought iron	8 Concre			S: GluedX Clamped
1 Steel	3 RMP (S	R)	6 Asbestos-Cement		specify below		Welded
a¥PVC	4 ABS	,	7 Fiberglass				Threaded
nk casing diameter	~	in to 49	# Dia	in to		ft Die	in to
sing height above I		12	in., weight	0	lhe /fi	Wall thickness or o	suge No
PE OF SCREEN C			, worgint	7 <u>k</u> PV(10 Asbesto	
1 Steel	3 Stainles		5 Fiberglass		P (SR)		specify)
2 Brass	4 Galvania		6 Concrete tile	9 ABS			sed (open hole)
REEN OR PERFO				ed wrapped	_	35 Saw cut	11 None (open hole)
1 Continuous sk		fill slot		wrapped		9 Drilled holes	Tritono (open noio)
2 Louvered shut				• • •			
		by purioned L	7 10101	, cut _{~1} ,		To Other (specify) .	
CCCN-PERC HAI	ED INTERVALS:	From	TZ ft to	54	ft From	•	ft to
REEN-PERFORAT	ED INTERVALS:						ft. to
		From	\ldots . ft. to .		ft., From	1	ft. to
	ED INTERVALS:	From	neft. to.		ft., From		ft. to
GRAVEL PA	CK INTERVALS:	From	ne ft. to ft. to ft. to ft. to ft. to		ft., From ft., From ft., From	l	ft. to ft. to ft. to
GRAVEL PA	CK INTERVALS:	From	ne ft. to 2 Cernent grout	¥ Bentor	ft., From ft., From ft., From	1	ft. to
GRAVEL PA GROUT MATERIAI out Intervals: Fro	CK INTERVALS:	From	ne ft. to 2 Cernent grout	¥ Bentor	ft., From tt., From ft., From nite 4 (Dtherft., From	ft. to
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest se	L: 1 Neat of multiple of possible	From	ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft.	≸ Bentor	ft., From ft., From ft., From oite 4 (Dther	ft. to
GRAVEL PA GROUT MATERIAL out Intervals: Fro lat is the nearest so 1 Septic tank	L: 1 Neat of m 1	From	ft. to ne ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy	- ≸ Bentor	ft., From ft., From ft., From hite 10 Liveste 11 Fuel s	Dther	ft. to
GRAVEL PAGROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines	.: 1 Neat of m 1	From	ft. to	- ≸ Bentor	ft., From ft., From ft., From nite 4 (Other Dither Dither	ft. to
GRAVEL PAGROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 300Watertight sev	.: 1 Neat of m	From	ft. to ne ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy	- ≸ Bentor	ft., From ft., From ft., From nite 4 (o	Other Other Other Ock pens torage er storage cide storage	ft. to
GRAVEL PA GROUT MATERIAL ut Intervals: Fro at is the nearest se 1 Septic tank 2 Sewer lines 300Watertight sevention from well?	.: 1 Neat of m 1	From	ft. to	ૐ Bentor	ft., From ft., From ft., From nite 4 (Other	ft. to
GRAVEL PA GROUT MATERIAL ut Intervals: Fro at is the nearest se 1 Septic tank 2 Sewer lines 300Watertight sev action from well?	CK INTERVALS: 1 Neat m 1	From	ft. to	₩ Bentor ft. t	tt., From ft., From ft., From nite 4 (o	Other	ft. to
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest se 1 Septic tank 2 Sewer lines 300Watertight sev action from well? ROM TO 1 9	CK INTERVALS: 1 Neat of m 1	From	ft. to	₩ Bentor ft. t	tt., From ft., From ft., From nite 4 (o	Other	ft. to
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest se 1 Septic tank 2 Sewer lines 3000Watertight sev action from well? ROM TO 1 9 9 19	CK INTERVALS: 1 Neat of m 1	From	ft. to	₩ Bentor ft. t	tt., From ft., From ft., From nite 4 (o	Other	ft. to
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 300Watertight sev action from well? NOM TO 1 9 9 19 19 32	.: 1 Neat m1	From	ft. to	₩ Bentor ft. t	tt., From ft., From ft., From nite 4 (o	Other	ft. to
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 300Watertight sev action from well? ROM TO 1 9 9 19 19 32 32 42	CK INTERVALS: 1 Neat m1 Durce of possible 4 Later 5 Cess ver lines 6 Seep NW ZX Top Soil Clay Sandy Lo	From	ft. to	₩ Bentor ft. t	tt., From ft., From ft., From nite 4 (o	Other	ft. to
GRAVEL PA GROUT MATERIAL aut Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3XWatertight sev action from well? 30M TO 1 9 9 19 19 32 32 42 42 43	CK INTERVALS: 1 Neat m1 Durce of possible 4 Later 5 Cess ver lines 6 Seep NW ZX Top Soil Clay Sandy Lo Med San Clay	From	ft. to	₩ Bentor ft. t	tt., From ft., From ft., From nite 4 (o	Other	ft. to
GRAVEL PA GROUT MATERIAL at Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 300Watertight sev action from well? ROM TO 1 9 9 19 19 32 32 42	CK INTERVALS: 1 Neat m1 Durce of possible 4 Later 5 Cess ver lines 6 Seep NW ZX Top Soil Clay Sandy Lo	From	ft. to	₩ Bentor ft. t	tt., From ft., From ft., From nite 4 (o	Other	ft. to
GRAVEL PA GROUT MATERIAL aut Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3XWatertight sev action from well? 30M TO 1 9 9 19 19 32 32 42 42 43	CK INTERVALS: 1 Neat m1 Durce of possible 4 Later 5 Cess ver lines 6 Seep NW ZX Top Soil Clay Sandy Lo Med San Clay	From	ft. to	₩ Bentor ft. t	tt., From ft., From ft., From nite 4 (o	Other	ft. to
GRAVEL PA GROUT MATERIAL ut Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3000 TO 1 9 9 19 19 32 32 42 42 43	CK INTERVALS: 1 Neat m1 Durce of possible 4 Later 5 Cess ver lines 6 Seep NW ZX Top Soil Clay Sandy Lo Med San Clay	From	ft. to	₩ Bentor ft. t	tt., From ft., From ft., From nite 4 (o	Other	ft. to
GRAVEL PA GROUT MATERIAL aut Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3XWatertight sev action from well? 30M TO 1 9 9 19 19 32 32 42 42 43	CK INTERVALS: 1 Neat m1 Durce of possible 4 Later 5 Cess ver lines 6 Seep NW ZX Top Soil Clay Sandy Lo Med San Clay	From	ft. to	₩ Bentor ft. t	tt., From ft., From ft., From nite 4 (o	Other	ft. to
GRAVEL PA GROUT MATERIAL aut Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3XWatertight sev action from well? 30M TO 1 9 9 19 19 32 32 42 42 43	CK INTERVALS: 1 Neat m1 Durce of possible 4 Later 5 Cess ver lines 6 Seep NW ZX Top Soil Clay Sandy Lo Med San Clay	From	ft. to	₩ Bentor ft. t	tt., From ft., From ft., From nite 4 (o	Other	ft. to
GRAVEL PA GROUT MATERIAL aut Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3XWatertight sev action from well? 30M TO 1 9 9 19 19 32 32 42 42 43	CK INTERVALS: 1 Neat m1 Durce of possible 4 Later 5 Cess ver lines 6 Seep NW ZX Top Soil Clay Sandy Lo Med San Clay	From	ft. to	₩ Bentor ft. t	tt., From ft., From ft., From nite 4 (o	Other	ft. to
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3000 TO 1 9 9 19 19 32 32 42 42 43	CK INTERVALS: 1 Neat m1 Durce of possible 4 Later 5 Cess ver lines 6 Seep NW ZX Top Soil Clay Sandy Lo Med San Clay	From	ft. to	₩ Bentor ft. t	tt., From ft., From ft., From nite 4 (o	Other	ft. to
GRAVEL PA GROUT MATERIAL ut Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3000 TO 1 9 9 19 19 32 32 42 42 43	CK INTERVALS: 1 Neat m1 Durce of possible 4 Later 5 Cess ver lines 6 Seep NW ZX Top Soil Clay Sandy Lo Med San Clay	From	ft. to	₩ Bentor ft. t	tt., From ft., From ft., From nite 4 (o	Other	ft. to
GRAVEL PA GROUT MATERIAL ut Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3000 TO 1 9 9 19 19 32 32 42 42 43	CK INTERVALS: 1 Neat m1 Durce of possible 4 Later 5 Cess ver lines 6 Seep NW ZX Top Soil Clay Sandy Lo Med San Clay	From	ft. to	₩ Bentor ft. t	tt., From ft., From ft., From nite 4 (o	Other	ft. to
GRAVEL PA GROUT MATERIAL Aut Intervals: Fro at is the nearest sc 1 Septic tank 2 Sewer lines 30XWatertight sev action from well? ROM TO 1 9 9 19 19 32 32 42 42 43 43 54	CK INTERVALS: 1 Neat of m1	From	ft. to ft. ft. from ft.	Bentor ft. t	nite 4 (in the second s	Other	ft. to
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest se 1 Septic tank 2 Sewer lines 300 TO 1 9 9 19 19 32 32 42 42 43 43 54 CONTRACTOR'S	CK INTERVALS: 1 Neat and 1	From	ft. to ft.	Bentor ft. t	tt., From ft., From ft., From ft., From ft., From nite 4 (00000000000000000000000000000000000	Other	ft. to
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest se 1 Septic tank 2 Sewer lines 3000 TO 1 9 9 19 19 32 32 42 42 43 43 54 CONTRACTOR'S inpleted on (mo/day)	CK INTERVALS: 1 Neat and 1	From	ft. to ft. ft. from ft. ft. ft. from ft.	Bentor ft. to	tt., From ft., From ft., From ft., From nite 4 (0 0 10 Livesto 11 Fuel s 12 Fertiliz 13 Insecti How man TO	Other	ft. to
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest sc 1 Septic tank 2 Sewer lines 3000 TO 1 9 9 19 19 32 32 42 42 43 43 54 CONTRACTOR'S inpleted on (mo/day ter Well Contractor	CK INTERVALS: 1 Neat and 1	From	ft. to ft.	FROM FROM Vas (1) construction Vell Record was	tt., From ft., F	other	ft. to
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest se 1 Septic tank 2 Sewer lines 3000 TO 1 9 9 19 19 32 32 42 42 43 43 54 CONTRACTOR'S appleted on (mo/day ter Well Contractor	CK INTERVALS: 1 Neat and 1	From	ft. to ft.	FROM FROM Vas (1) construction Vell Record was	tt., From ft., F	other	ft. to
GRAVEL PA GROUT MATERIAL at Intervals: Fro at is the nearest se 1 Septic tank 2 Sewer lines 3000 TO 1 9 9 19 19 32 32 42 42 43 43 54 CONTRACTOR'S epleted on (mo/day er Well Contractor er the business ne	CK INTERVALS: 1 Neat m1	From	ft. to ft.	Bentor ft. t oon FROM Vas (1) construct Vell Record was arry. Please fill in te	tt., From ft., From ft., From ft., From ft., From nite 4 (00000000000000000000000000000000000	other	ft. to