

1 LOCATION OF WATER WELL:		Fraction		Section Number		Township Number		Range Number	
County: Saline		NE 1/4 NE 1/4 NW 1/4		36		T 14 S		R 3 EW	
Distance and direction from nearest town or city street address of well if located within city?									
2609 Robin Road									
2 WATER WELL OWNER: Robt. Boden									
RR#, St. Address, Box # : 2609 Robin Road					Board of Agriculture, Division of Water Resources				
City, State, ZIP Code : Salina, Ks. 67401					Application Number:				
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 58 ft. ELEVATION: 1100							
		Depth(s) Groundwater Encountered 1. 19 ft. 2. ft. 3. ft.							
		WELL'S STATIC WATER LEVEL 19 ft. below land surface measured on mo/day/yr 9-10-87							
		Pump test data: Well water was 20 ft. after 1 hours pumping 30 gpm							
		Est. Yield 75+ gpm: Well water was ft. after hours pumping gpm							
Bore Hole Diameter 7 1/2 in. to 58 ft. and in. to ft.		WELL WATER TO BE USED AS:							
1 Domestic		3 Feedlot		6 Oil field water supply		8 Air conditioning		11 Injection well	
2 Irrigation		4 Industrial		X Lawn and garden only		9 Dewatering		12 Other (Specify below)	
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted									
Water Well Disinfected? Yes X No									
5 TYPE OF BLANK CASING USED:									
1 Steel		3 RMP (SR)		5 Wrought iron		8 Concrete tile		CASING JOINTS: Glued X Clamped	
2 PVC		4 ABS		6 Asbestos-Cement		9 Other (specify below)		Welded	
				7 Fiberglass				Threaded	
Blank casing diameter 5 in. to 52 ft., Dia in. to ft., Dia in. to ft.									
Casing height above land surface 12 in., weight 160 lbs./ft. Wall thickness or gauge No. SDR 26									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
1 Steel		3 Stainless steel		5 Fiberglass		8 RMP (SR)		10 Asbestos-cement	
2 Brass		4 Galvanized steel		6 Concrete tile		9 ABS		11 Other (specify)	
								12 None used (open hole)	
SCREEN OR PERFORATION OPENINGS ARE:									
1 Continuous slot		3 Mill slot		5 Gauzed wrapped		X Saw cut		11 None (open hole)	
2 Louvered shutter		4 Key punched		6 Wire wrapped		9 Drilled holes			
				7 Torch cut		10 Other (specify)			
SCREEN-PERFORATED INTERVALS: From 52 ft. to 58 ft., From ft. to ft., From ft. to ft.									
GRAVEL PACK INTERVALS: From none ft. to ft., From ft. to ft., From ft. to ft.									
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other									
Grout intervals: From 1 ft. to 20 ft., From ft. to ft., From ft. to ft.									
What is the nearest source of possible contamination:									
1 Septic tank		4 Lateral lines		7 Pit privy		10 Livestock pens		14 Abandoned water well	
2 Sewer lines		5 Cess pool		8 Sewage lagoon		11 Fuel storage		15 Oil well/Gas well	
X Watertight sewer lines		6 Seepage pit		9 Feedyard		12 Fertilizer storage		16 Other (specify below)	
						13 Insecticide storage			
Direction from well? North How many feet? 15									
FROM TO LITHOLOGIC LOG FROM TO LITHOLOGIC LOG									
1 3 Top soil									
3 9 Clay									
9 28 Sandy loam									
28 43 Sand & Gravel									
43 47 Clay									
47 58 Med. Sand & Gravel									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 9-10-87 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 388 This Water Well Record was completed on (mo/day/yr) 9-10-87 under the business name of Pestinger Pump Service by (signature) Paul Pestinger									
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water Protection, Topeka, Kansas 66620-7320, Telephone: 913-862-9360. Send one to WATER WELL OWNER and retain one for your records.									