

1 LOCATION OF WATER WELL: County: SALINE		Fraction SE 1/4 NW 1/4 SE 1/4		Section Number 36	Township Number T 14 S	Range Number R 3 E/W
Distance and direction from nearest town or city street address of well if located within city? 611 POST OAK LANE						
2 WATER WELL OWNER: CLARENCE LEEKER RR#, St. Address, Box # : 611 POST OAK LANE City, State, ZIP Code : SALINA, KS. 67401 Board of Agriculture, Division of Water Resources Application Number:						
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 60 ft. ELEVATION: 1231				
		Depth(s) Groundwater Encountered 1. 24 ft. 2. 24 ft. 3. 8-30-90 ft. WELL'S STATIC WATER LEVEL 24 ft. below land surface measured on mo/day/yr Pump test data: Well water was 24.5 ft. after 1 hours pumping 30 gpm Est. Yield 75+ gpm: Well water was 24.5 ft. after 1 hours pumping 30 gpm Bore Hole Diameter 9 in. to 60 ft. and 30 in. to 60 ft.				
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial <u>7 Lawn and garden only</u> 10 Monitoring well				
		Was a chemical/bacteriological sample submitted to Department? Yes X No X ; If yes, mo/day/yr sample was submitted				
		Water Well Disinfected? Yes X No				
5 TYPE OF BLANK CASING USED:						
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped <u>2 PVC</u> 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded 7 Fiberglass Threaded						
Blank casing diameter 5 in. to 50 ft., Dia 160 in. to SDR 26 ft. Casing height above land surface 15 in., weight 160 lbs./ft. Wall thickness or gauge No.						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) 12 None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:						
1 Continuous slot 3 Mill slot <u>.035</u> 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify)						
SCREEN-PERFORATED INTERVALS: From 50 ft. to 60 ft., From 60 ft. to 60 ft., From 60 ft. to 60 ft.						
GRAVEL PACK INTERVALS: From 20 ft. to 60 ft., From 60 ft. to 60 ft., From 60 ft. to 60 ft.						
6 GROUT MATERIAL: <u>1 Neat cement</u> 2 Cement grout 3 Bentonite 4 Other						
Grout Intervals: From 0 ft. to 20 ft., From 20 ft. to 20 ft., From 20 ft. to 20 ft.						
What is the nearest source of possible contamination:						
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage						
Direction from well? EAST How many feet? 40						
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS	
0	3	TOP SOIL				
3	18	CLAY				
18	40	FINE SAND				
40	46	CLAY				
46	60	MED. SAND & SMALL GRAVEL				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 8-30-90 and this record is true to the best of my knowledge and belief. Kansas						
Water Well Contractor's License No. 388 This Water Well Record was completed on (mo/day/yr) 8-30-90						
under the business name of PESTINGER PUMP SERVICE by (signature) <i>Paul Pestinger</i>						
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-7320. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.						