1 Domestic 3 Feedlot 6 Oil field water supply 9 2 Irrigation 4 Industrial 7 awn and garden only 10 Was a chemical/bacteriological sample submitted to Department? Yes mitted Water TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) PVC 4 ABS 7 Fiberglass Blank casing diameter 5 in. to 7 Fiberglass Casing height above land surface 2 1 in., weight 1 Co 1 In., weight 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS CREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped	hours pumping
WATER WELL OWNER: R#, St. Address, Box #: Ity, State, ZIP Code :	Board of Agriculture, Division of Water Resource Application Number: ON: ft. 3
WATER WELL OWNER: A**, St. Address, Box **: A*	Application Number: ION: ft. 3. ft. ft. 5. All 4. ft. ft. 6. All 4. ft. ft. 7. All 4. ft. ft
WATER WELL OWNER: ##, St. Address, Box #: ##, St. Address, Box ##, St. Level.	Application Number: ION: ft. 3. ft. ft. 5. All 4. ft. ft. 6. All 4. ft. ft. 7. All 4. ft. ft
#, St. Address, Box # : 8	Application Number: ION: ft. 3. ft. ft. 5. All 4. ft. ft. 6. All 4. ft. ft. 7. All 4. ft. ft
LOCATE WELL'S LOCATION WITH 4 DEPTH OF COMPLETED WELL. 5.8	Application Number: ION: ft. 3. ft. ft. 5. All 4. ft. ft. 6. All 4. ft. ft. 7. All 4. ft. ft
DEPTH OF COMPLETED WELL. 5.8 ft. ELEVATION AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1. 28 ft. 2 WELL'S STATIC WATER LEVEL 2. ft. below land surface Pump test data: Well water was 28 ft. afte Est. Yield 3.5 gpm; Well water was 3.1 ft. afte Est. Yield 3.5 gpm; Well water was 4.1 ft. and WELL WATER TO BE USED AS: 5 Public water supply 9 1 Domestic 3 Feedlot 6 Oil field water supply 9 2 Irrigation 4 Industrial 2 awn and garden only 10 Was a chemical/bacteriological sample submitted to Department? Yes mitted Water Supply 9 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) PVC 4 ABS 7 Fiberglass The Depth (s) Groundwater Encountered 1. 28 ft. 2 WELL'S STATIC WATER LEVEL 2. 5 ft. afte Est. Yield 3.5 gpm; Well water was 28 ft. 2 WELL'S STATIC WATER LEVEL 2. 5 ft. afte Est. Yield 3.5 gpm; Well water was 28 ft. 2 WELL'S STATIC WATER LEVEL 2. 5 ft. afte Est. Yield 3.5 gpm; Well water was 28 ft. 2 WELL'S STATIC WATER LEVEL 2. 5 ft. afte Est. Yield 3.5 gpm; Well water was 28 ft. 2 WELL'S STATIC WATER LEVEL 2. 5 Fublic water supply 8 Bore Hole Diameter 8.2 in. to 24 ft. afte Est. Yield 3.5 gpm; Well water was 28 ft. 2 WELL'S STATIC WATER LEVEL 2. 5 ft. afte Est. Yield 3.5 gpm; Well water was 28 ft. afte Est. Yield 3.5 gpm; Well water was 28 ft. afte Est. Yield 3.5 gpm; Well water was 28 ft. afte Est. Yield 3.5 gpm; Well water was 28 ft. afte Est. Yield 3.5 Fublic water supply 9 Pump test data: Well water was 28 ft. after Est. Yield 3.5 gpm; Well water was 28 ft. after Est. Yield 3.5 gpm; Well water was 28 ft. after Est. Yield 3.5 gpm; Well water was 28 ft. after Est. Yield 3.5 gpm; Well water was 28 ft. after Est. Yield 3.5 gpm; Well water was 28 ft. after Est. Yield 3.5 gpm; Well water was 28 ft. after Est. Yield 3.5 gpm; Well water was 28 ft. after Est. Yield 3.5 gpm; Well water was 28 ft. after Est. Yield 3.5 gpm; Well water was 28 ft. after Est. Yield 3.5 gpm; Well water was 28 ft. after Est. Yield 3.5 gpm; Well water was 28 ft. after Est. Yield 3.5 gpm; Well water was 28 ft. aft	ft. 3
WELL'S STATIC WATER LEVEL Pump test data: Well water was 28.2 ft. after the state of the state	hours pumping
WELL'S STATIC WATER LEVEL Pump test data: Well water was 28.2 ft. after the state of the state	hours pumping
Pump test data: Well water was	hours pumping gp hours pum
Est. Yield 35. gpm. Well water was ft. after Bore Hole Diameter 8. 2 in. to 2 4. ft., an WELL WATER TO BE USED AS: 5 Public water supply 8 1 Domestic 3 Feedlot 6 Oil field water supply 9 2 Irrigation 4 Industrial 7 awn and garden only 10 Was a chemical/bacteriological sample submitted to Department? Yes mitted Water TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) PVC 4 ABS 7 Fiberglass Int. to 48 ft., Dia in to sing height above land surface 7 Fiberglass In., weight 1 CO 1 Ibs./ft. PE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS REEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped	hours pumping gp Air conditioning 11 Injection well Dewatering 12 Other (Specify below) Monitoring well No
Bore Hole Diameter. S. J. in. to	Air conditioning Dewatering
WELL WATER TO BE USED AS: 5 Public water supply 8 1 Domestic 3 Feedlot 6 Oil field water supply 9 2 Irrigation 4 Industrial 7 awn and garden only 10 Was a chemical/bacteriological sample submitted to Department? Yes mitted Water TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) PVC 4 ABS 7 Fiberglass nk casing diameter 5 in. to 7 Fiberglass nk casing diameter 5 in. to 7 Fiberglass PE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS REEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped	Dewatering 12 Other (Specify below) Monitoring well No. If yes, mo/day/yr sample was ser Well Disinfected? Yes No CASING JOINTS: Glued Welded Threaded It, Dia Wall thickness or gauge No. In to
2 Irrigation 4 Industrial 7 awn and garden only 10 Was a chemical/bacteriological sample submitted to Department? Yes mitted Water TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) PVC 4 ABS 7 Fiberglass nk casing diameter 5 in. to 7 Fiberglass sing height above land surface 2 in., weight 1 CO 1 Ibs./ft. PE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS REEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped	Monitoring well No
Was a chemical/bacteriological sample submitted to Department? Yes mitted Water TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) PVC 4 ABS 7 Fiberglass nk casing diameter 5 in. to 7 Fiberglass rich casing diameter 6 in., weight 1 CO 1 Ibs./ft. PE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS REEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped	r Well Disinfected? Yes No CASING JOINTS: Glued
S mitted Water TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) PVC 4 ABS 7 Fiberglass nk casing diameter 5 in. to 48 ft., Dia in to sing height above land surface 2 in., weight 160 ft. PE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS REEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped	r Well Disinfected? Yes No CASING JOINTS: Glued Clamped Welded Threaded Into to Wall thickness or gauge No. 21.4
TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) 7 Fiberglass 1 Kt., Dia in to sing height above land surface. 2 In, weight 1 Steel 3 Stainless steel 5 Fiberglass 6 Concrete tile 9 Other (specify below) 7 Fiberglass 1 Steel 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 8 RMP (SR) 9 ABS	CASING JOINTS: Glued
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) PVC 4 ABS 7 Fiberglass nk casing diameter 5 in. to 48 ft., Dia in to sing height above land surface 2 in., weight 4 CO 4 Ibs./ft. PE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS REEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped	Welded
PVC 4 ABS 7 Fiberglass nk casing diameter 5 in. to 48 ft., Dia in to sing height above land surface 2 in., weight 6 Concrete tile 9 ABS REEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped	Threaded
nk casing diameter 5 in to 7 ft., Dia in to sing height above land surface 22 in, weight 6 lbs./ft. PE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS REEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped	Wall thickness or gauge No
sing height above land surface	Wall thickness or gauge No
PE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS REEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped	•
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS REEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped	To Abbotics definent
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS REEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped	11 Other (specify)
	12 None used (open hole)
1 Continuous slot 3 Mill slot 6 Wire wrapped	8)Saw cut 11 None (open hole)
	9 Drilled holes
2 Louvered shutter 4 Key punched 7 Torch cut 1	0 Other (specify)
REEN-PERFORATED INTERVALS: From	0 Other (specify)
	ft. to
GRAVEL PACK INTERVALS: From	
From ft. to ft., From	ft. to
	ther
at is the nearest source of possible contamination:	
•	ck pens 14 Abandoned water well prage 15 Oil well/Gas well
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilize	
Watertight sewer lines 6 Seepage pit 9 Feedward 13 Insectici	,
ection from well? EasT + South How many	
ROM TO LITHOLOGIC LOG FROM TO	PLUGGING INTERVALS
0'8' CompacT&D. DINT	
$A \sim A \sim$	
3' 10' Hard dark clay	
0' 24' Brown clay mixed	
WITH FINE SAND	
4' 44' Medium To coarse	
5 AND	
41 471 clar - Dark grer	
4 47 clay - Dark gref	
7' 58' Medium To Coarse	
SAND	
	A - 1 - 2 (0) about 1 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 -
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, (2) reconst	
	is true to the best of my knowledge and belief. Kansa
er Well Contractor's License No	
er the business name of M+0 Well Service by (signature	